Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



☆ OCT 2 ? 1935 PRICE LISTY

Henry Kohankie & Son



Fall 1936 Spring 1937

Trees, Shrubs Evergreens Vines, Roses Herbaceous Perennials

PAINESVILLE, OHIO Thirty Miles East of Cleveland Tel. Main 137



PRICE LIST

E OFFER herein a complete list of hardy ornamental nursery stock. Our nursery of seven hundred acres affords material to meet practically every need in landscape development. Stock is well grown and supplied with a fibrous root system which is of vital importance in the success of a planting.

All material will be freshly dug. We maintain no storage cellars since the superiority of freshly dug stock is recognized generally.

With few exceptions the plant names used conform to "Standardized Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature

HENRY KOHANKIE & SON

Route 20
One Mile East of Painesville
PAINESVILLE, OHIO

Please Read Carefully

CONDITIONS OF SALE

Stock will be supplied at prices named herein as follows: Five of any one variety at ten rate; twenty-five of any one variety at hundred rate. Prices do not include packing. A charge for the actual cost of the boxes and material used in baling will be made.

Stock specially selected by customers at the nursery will be charged according to its value.

We give no warranty, expressed or implied, as to quality, description, productiveness, or any other matter of any nursery stock that we sell.

We do not guarantee our stock to live and no allowance will be made for plants that fail. Our methods of handling and packing stock are modern and goods will be in good condition and well packed when they leave our hands. Our responsibility ends upon delivery to carriers. If goods suffer through delay in transit, claim should at once be made on transportation company.

All claims for errors must be made within six days after receipt of goods, or positively will not be considered.

Unknown correspondents who wish to open an account will please give us references and allow us sufficient time to investigate same. Otherwise, cash must accompany order. If goods are desired C. O. D., the order must be accompanied by one third of the amount to guarantee acceptance.

Shipping facilities—We can make direct shipment over the N. Y. C. R. R.; B. & O. R. R.; N. Y. C. & St. L. R. R; American Railway Express and Electric Package. A siding to our packing house direct from the main line of the New York Central railroad enables us to handle stock with a minimum of exposure.

Auto Truck Delivery—We are in a position to make deliveries by auto truck to points within seventy-five miles of Painesville. Charges are made according to the size of truck required and the distance.

CONTENTS

| Deciduous and Evergreen Trees, Shrubs and Vines | 5-147 |
|--|---------|
| Herbaceous Material (including Rock and Alpine Plants) | 148-186 |
| Fruit Garden Material | 187 |
| Large Specimen Material | 187 |
| Plants for Special Purposes | 187-190 |

THE production of many of the plants in this list represents no little effort. More than a few of the items are not profitable from a business standpoint which accounts for their general scarcity, but on the other hand they are indispensable to good landscape work.

Since we specialize in the execution of complete planting lists we aim to keep our assortment unbroken. To that end we hope you will co-operate by ordering material in reasonable assortment. We cannot always accept orders which are confined to plants that are scarce and our stock of which is limited.

Deciduous and Evergreen Trees Shrubs and Vines

We recommend that all varieties marked with an asterisk be lifted with ball of earth and sewed in burlap. Experience has shown that the loss in these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve an extra charge per plant, as follows: 2-3'—25c; 3-4'—30c; 4-5'—50c; 5-6'—60c; 6-8'—75c; 8-10'—\$1.00. Larger sizes in proportion. In all instances where "B. & B." is indicated these charges are included in the printed price. We are prepared to deliver heavy specimens on platforms.

The figures printed in italics following each variety, indicate the average height of the plant at maturity.

| | Each | Per 10 | Per 100 |
|-----------------------------------|------|--------|---------|
| Abelia grandiflora. Glossy Abelia | . 3' | | ٠ |
| 12 to 15 in., 3 in. pots | .50 | 4.00 | 35.00 |
| 15 to 18 in., 3 in. pots | .60 | 5.00 | 40.00 |
| 18 to 24 in., 4 in. pots | .75 | 6.00 | 50.00 |
| schumanni. $\mathit{5'}$ | ъ | | |
| 12 to 18 in., 4 in. pots | 1.50 | 12.50 | |
| , | | | |
| Abies balsamea. Balsam Fir. 50' | | | |
| 2 ftB. & B. | 2.50 | 22.50 | 200.00 |
| 3 ftB. & B. | 3.00 | 27.50 | 250.00 |
| 4 ftB. & B. | 4.00 | 37.50 | 350.00 |
| 5 ftB. & B. | 5.50 | 50.00 | |
| 6 ftB. & B. | 7.50 | 60.00 | |
| concolor. White Fir. 70' | | | |
| 18 inB. & B. | 3.00 | 25.00 | 200.00 |
| 2 ftB. & B. | | 35.00 | 300.00 |
| 3 ftB. & B. | | 50.00 | 450.00 |
| 4 ftB. & B. | | 65.00 | |
| 5 ftB. & B. | • | 85.00 | |
| 6 ftB. & B. | | 100.00 | |
| 7 ftB. & B. | | 125.00 | |
| 8 ftB. & B. | | 150.00 | |
| 9 ftB. & B. | | 180.00 | |
| 10 ft | | 200.00 | |
| 11 ftB. & B. | | | |

For larger sizes to 18 ft., add \$10.00 per foot.

Abies.

| | Each | Per 10 | Per 100 |
|---------------------------------------|----------|------------|---------|
| concolor violacea. Purplecon | e White | Fir. 70' | |
| 18 inB. & B. | 4.50 | 40.00 | |
| 2 ftB. & B. | 5.50 | 50.00 | 450.00 |
| 3 ftB. & B. | 6.50 | 60.00 | 550.00 |
| firma. Momi Fir. 50' | | | |
| 2 ftB. & B. | 4.00 | 37.50 | |
| 3 ftB. & B. | | 01.00 | |
| | 0.00 | | |
| fraseri. Fraser Fir. 50' | | | |
| 2 ftB. & B. | | 37.50 | |
| 3. ftB. & B. | 5.00 | | |
| 4 ftB. & B. | | | |
| 5 ftB. & B. | 7.50 | 70.00 | |
| homolepsis. Nikko Fir. 60' | | | , |
| 3 ftB. & B. | 5.50 | | |
| 4 ftB. & B. | 7.50 | | |
| 5 ftB. & B. | | | |
| nordmanniana. Nordmann Fi | | | |
| 4 ftB. & B. | 6.00 | | |
| | | | |
| 5 ftB. & B. | | | |
| 6 ftB. & B. 7 ftB. & B. | | | |
| · · · · · · · · · · · · · · · · · · · | 12.00 | | |
| veitchi. Veitch Fir. 80' | | | |
| 3 ftB. & B. | | | |
| 4 ftB. & B. | | 65.00 | |
| 5 ftB. & B. | | 85.00 | |
| 11 ftB. & B. | 30.00 | | |
| 12 ftB. & B. | | | |
| 14 ftB. & B. | 60.00 | | |
| | | | |
| Acanthopanax pentaphyllum. Five | e-leaved | Aralia. 10 | • |
| | .45 | 3.50 | 30.00 |
| 3 to 4 ft | .55 | 4.50 | 40.00 |
| 4 to 5 ft | .75 | 6.00 | |
| 5; to 6 ft | .90 | 7.50 | |
| ricinifolium. Castor Aralia. | 25' | | |
| | 6.50 | 60.00 | |
| | 8.00 | 75.00 | |
| 10 to 12 ft | | 90.00 | |
| ricinifolium maximowiczi. 25' | | | |
| 5 ft | | | |
| 0 10 | 1.00 | | |
| | | | |

| Acer buergerianum. Trident Map | Each ole. 40' | Per 10 | Per 100 |
|-------------------------------------|------------------|-------------|---------|
| 2 to 3 ft | 2.00 | 15.00 | 125.00 |
| 3 to 4 ft | | | |
| | | | |
| campestre. Hedge Maple. 2 | 5 ' | | 0 |
| 3 to 4 ft | 1.25 | 11.00 | 100.00 |
| 4 to 5 ft | 1.50 | 13.50 | 125.00 |
| 5 to 6 ft | 2.00 | 18.50 | 175.00 |
| 6 to 8 ft | | 27.50 | 250.00 |
| 8 to 10 ft | | 50.00 | |
| 10 to 12 ft | | | |
| 12 to 14 ft | 15.00 | | |
| 14 to 16 ft | 20.00 | | |
| cappadocicum. Coliseum Map | le. 40' | | |
| 10 to 12 ft | 10.00 | | |
| 12 to 14 ft | 15.00 | | |
| 14 to 16 ft | 20.00 | | |
| dasycarpum. Silver Maple. | 75 ' | | |
| 8 to 10 ft | 1.00 | 9.00 | 75.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 1.50 | 12.50 | 100.00 |
| 1½ to 1¾ in | 1.75 | 15.00 | 125.00 |
| 1 3/4 to 2 in | 2.50 | 20.00 | 150.00 |
| 2 to $2\frac{1}{2}$ in | 3.00 | 25.00 | 200.00 |
| $2\frac{1}{2}$ to 3 in | 3.50 | 30.00 | 275.00 |
| 3 to 3½ in | 5.50 | 50.00 | |
| 3½ to 4 in | | 65.00 | |
| dasycarpum pyramidale. Pyr | ·amidal S | ilver Maple | . 75' |
| 6 to 8 ft | 1.00 | 9.00 | 75.00 |
| 8 to 10 ft | | 12.50 | 100.00 |
| 1 1/4 to 1 1/2 in | | 15.00 | 125.00 |
| 1½ to 1¾ in | | 17.50 | 150.00 |
| 1 3/4 to 2 in | | 22.50 | 175.00 |
| $\frac{1}{2}$ to $\frac{1}{2}$ in | | 30.00 | 250.00 |
| 2 ½ to 3 in | | 40.00 | 350.00 |
| 3 to $3\frac{1}{2}$ in | | 55.00 | |
| g | | | |
| dasycarpum wieri. Wier Man | | 10.50 | |
| 8 to 10 ft | | 12.50 | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | | 15.00 | |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | | 17.50 | |
| $1\frac{3}{4}$ to 2 in | | 25.00 | |
| 2 to $2\frac{1}{2}$ in | 4.00 | 35.00 | |

| A | _ | _ | . - |
|---------------|---|---|------------|
| $\overline{}$ | | • | |

| Acer | | | |
|-------------------------------------|-------------|--------|---------|
| ginnala. Amur Maple. 12' | Each | Per 10 | Per 100 |
| 3 to 4 ft | .85 | 7.50 | 60.00 |
| 4 to 5 ft | 1.00 | 8.50 | 75.00 |
| 5 to 6 ft | 1.50 | 12.50 | 100.00 |
| 6 to 8 ft | 2.00 | 17.50 | 150.00 |
| 8 to 10 ft | 2.50 | 20.00 | |
| griseum. Paperbark Maple. & | 25 ' | | |
| 3 to 4 ft | 2.50 | 20.00 | |
| 4 to 5 ft | 3.00 | | |
| 5 to 6 ft | 4.00 | | |
| negundo. Box Elder. 60' | | | |
| 6 to 8 ft | .75 | 6.00 | 50.00 |
| 8 to 10 ft | 1.00 | 8.50 | 75.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 1.50 | 12.50 | 100.00 |
| 1½ to 1¾ in | 2.00 | 17.50 | 150.00 |
| 1 3/4 to 2 in | 2.50 | 22.50 | 200.00 |
| 2 to $2\frac{1}{2}$ in | 3.50 | 27.50 | 250.00 |
| $2\frac{1}{2}$ to 3 in | 4.00 | 35.00 | |
| nigrum. Black Maple. 80' | | | |
| 8 to 10 ft | 4.00 | 37.50 | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 4.75 | 45.00 | |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 5.25 | 50.00 | |
| 1 % to 2 in | 6.50 | | |
| 2 to $2\frac{1}{2}$ in | 7.50 | | |
| palmatum. Japanese Maple. | <i>15</i> ′ | | |
| 2 to 3 ftB. & B. | | 17.50 | 150.00 |
| 3 to 4 ftB. & B. | 2.50 | 20.00 | 175.00 |
| 4 to 5 ftB. & B. | 3.50 | 27.50 | 225.00 |
| 5 to 6 ftB. & B. | 4.50 | 35.00 | |
| palmatum atropurpureum. | | | |
| Bloodleaf Japanese Maple. | 10' | | |
| 2 to 3 ftB. & B. | 3.50 | 30.00 | |
| 3 to 4 ftB. & B. | 5.00 | 45.00 | |
| 4 to 5 ftB. & B. | 6.50 | 55.00 | |
| 5 to 6 ftB. & B. | 8.50 | | |
| palmatum dissectum atropur | pureum | | |
| Purple Threadleaf Japanese | Maple. | 6' | |
| 18 to 24 inB. & B. | 8.50 | | |
| 2 to 3 ftB. & B. | 10.00 | | |

Acer

| r | | | |
|-------------------------------------|-------------|----------|---------|
| | Each | Per 10 | Per 100 |
| palmatum filicifolium. Fernl | eaf Map | le. 10' | |
| 2 to 3 ftB. & B. | 7.50 | | |
| 3 to 4 ftB. & B. | | | |
| | | | |
| pennsylvanicum. Striped Mag | ple. 25' | | |
| 3 to 4 ft | 1.25 | | |
| 4 to 5 ft | 1.50 | | |
| platanoides. Norway Maple. | 75 ' | | |
| 6 to 8 ft | 1.50 | 12.50 | 100.00 |
| 8 to 10 ft | | 15.00 | 125.00 |
| 1 1/4 to 1 1/2 in | 2.00 | 17.50 | 150.00 |
| 1½ to 1¾ in | 2.75 | 25.00 | 225.00 |
| 1 % to 2 in | 4.00 | 35.00 | 300.00 |
| 2 to $2\frac{1}{2}$ in | 5.00 | 40.00 | 375.00 |
| $2\frac{1}{2}$ to 3 in | 6.00 | 50.00 | 450.00 |
| 3 to 3½ in | 10.00 | 75.00 | |
| $3\frac{1}{2}$ to 4 in | 12.50 | 100.00 | |
| 4 to 5 in specimens | 25.00 | | |
| 5 to 6 in specimens | 35.00 | | |
| | | | |
| platanoides globosum. Globe | e Norway | Maple. | |
| 2 year, 6 ft. standards | 3.00 | | |
| | | | |
| platanoides schwedleri. Schw | edler Ma | ple. 60' | |
| 6 to 8 ft | | 17.50 | 150.00 |
| 8 to 10 ft | | 20.00 | 175.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | | 25.00 | 225.00 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 4.00 | 35.00 | 300.00 |
| 1 % to 2 in | 6.00 | 50.00 | 400.00 |
| $\frac{2}{2}$ to $\frac{2}{2}$ in | | 75.00 | |
| $2\frac{1}{2}$ to 3 in | | | |
| 3 to $3\frac{1}{2}$ in | | 150.00 | |
| $3\frac{1}{2}$ to 4 in | 25.00 | | |
| | | | |
| pseudoplatanus. Sycamore Me | aple. 60' | | |
| 6 to 8 ft | 1.75 | 15.00 | |
| 8 to 10 ft | 2.25 | 20.00 | |
| 1¼ to 1½ in | 3.00 | 25.00 | |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 4.00 | 35.00 | |

| A | c | _ | |
|---|---|---|--|
| | | | |

| Acci | *** 1 | 70 40 | T . 400 |
|-------------------------------------|-------------|--------|---------|
| rubrum. Red Maple. 75' | Each | Per 10 | Per 100 |
| 6 to 8 ft | 1.75 | 15.00 | 125.00 |
| 8 to 10 ft | 2.25 | 20.00 | 175.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 3.00 | 27.50 | 250.00 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 4.00 | 35.00 | 300.00 |
| 1 3/4 to 2 in | 6.00 | 50.00 | 450.00 |
| 2 to $2\frac{1}{2}$ in | 7.50 | 65.00 | 600.00 |
| 2½ to 3 in | 9.00 | 80.00 | 750.00 |
| 3 to 3½ in | 12.50 | 100.00 | 850.00 |
| $3\frac{1}{2}$ to 4 in | 15.00 | | |
| 4 to $4\frac{1}{2}$ in | 25.00 | | |
| saccharum. Sugar Maple. 75' | • | | |
| 8 to 10 ft | 1.75 | 15.00 | 125.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 2.25 | 20.00 | 175.00 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 3.50 | 30.00 | 250.00 |
| 1 3/4 to 2 in | 4.00 | 35.00 | 325.00 |
| 2 to $2\frac{1}{2}$ in | 6.00 | 50.00 | 400.00 |
| $2\frac{1}{2}$ to 3 in | 7.00 | 60.00 | 500.00 |
| 3 to $3\frac{1}{2}$ in | 12.50 | 100.00 | |
| $3\frac{1}{2}$ to 4 in | 15.00 | 125.00 | |
| 4 to $4\frac{1}{2}$ in | 25.00 | | |
| spicatum. Mountain Maple. | 20 ' | | |
| 3 to 4 ft | 1.00 | 7.50 | |
| 4 to 5 ft | | 10.00 | |
| 5 to 6 ft | 1.75 | 12.50 | |
| tataricum. Tatarian Maple. | 20 ' | • | |
| 4 to 5 ft | 1.00 | 8.50 | 75.00 |
| 5 to 6 ft | 1.50 | 12.50 | 100.00 |
| 6 to 8 ft | 2.00 | 17.50 | 150.00 |
| 8 to 10 ft | 2.50 | 20.00 | |
| 10 to 12 ft | 4.00 | 20.00 | 1,0.00 |
| A | | | |
| Actinidia arguta. Bower Actinidia | | | |
| 2 year | .60 | 4.50 | 35.00 |
| Aesculus carnea. Red Horsechestr | nut. 40' | | |
| 3½ to 4 in | 40.00 | | |
| 4 to 5 in | | | |
| 5 to 6 in | | | |
| | | | |

Aesculus

| culus | • | | | • | | | |
|-------|----------------|------|----------------|----------------------------|------------|--------|---------|
| glab | ra. | Ohi | o Buc | keye. 25' | Each | Per 10 | Per 100 |
| | 6 | to | 8 | ft | 3.00 | 25.00 | |
| | 8 | to | 10 | ft | 4.00 | 30.00 | |
| | 1 1/4 | to | $1\frac{1}{2}$ | in | 5.00 | | |
| | 1 ½ | to | 2 | in | 6.00 | | |
| hipp | ocas | tan | um. I | Horse chest nut | . 70' | | |
| | 6 | to | 8 | ft | 2.00 | 17.50 | 150.00 |
| | 8 | to | | ft | 3.00 | 27.50 | 250.00 |
| | 1 1/4 | to | | in | 3.50 | 32.50 | 300.00 |
| | | | | in | 4.00 | 37.50 | 350.00 |
| | 1 3/4 | | 2 | in | 4.50 | 42.50 | |
| | 2 | | $2\frac{1}{2}$ | in | 5.00 | 47.50 | |
| | 2 ½ | to | 3 | in | 7.50 | 60.00 | |
| | 3 | to | | in | 12.50 | 100.00 | |
| | | to | | in | 17.50 | 150.00 | |
| | 4 | to | 5 | in | 25.00 | 200.00 | |
| | | | | aumanni. Iorsechestnut. | <i>50'</i> | | |
| | 4 to |) 5 | ft | | 5.00 | | |
| | 5 to |) 6 | ft | • • • • • • • • | 7.50 | | |
| octa | ndra | . Y | 'ellow | Buckeye. 60 |) ' | | |
| | 6 | to | 8 | ft | 2.00 | 17.50 | 150.00 |
| | 8 | to | 10 | ft | 3.00 | 27.50 | 250.00 |
| | 1 1/4 | | | in | 3.50 | 32.50 | |
| | $1\frac{1}{2}$ | to | $1\frac{3}{4}$ | in | 4.00 | 37.50 | 350.00 |
| | $1\frac{3}{4}$ | to | 2 | in | 4.50 | 42.50 | 400.00 |
| | 2 | to | $2\frac{1}{2}$ | in | 5.00 | 47.50 | |
| | 2 ½ | | | | 7.50 | 60.00 | |
| | 3 | to | 3 ½ | in | 12.50 | 100.00 | |
| | 3 ½ | | | in | 17.50 | 150.00 | |
| | 4 | to | 5 | in | 25.00 | 200.00 | |
| parv | viflor | a. | Dwf. | Horsechestnu | t. 12' | | |
| | 2 to | 3 | ft | • • • • • • • • | 3.50 | | |
| turb | inata | ı. J | Tapane | ese Horseches | stnut. | 30' | |
| | 2 ½ | to | 3 | in | 15.00 | | |
| | 3 | to | | in | | | |
| | 5 | to | | in, | | | |

| Ailanthus glandulosa. Tree of Hear | ven. 50' | | |
|--------------------------------------|-------------|--------|---------|
| | Each | Per 10 | Per 100 |
| 6 to 8 ft | 1.50 | 12.50 | |
| 8 to 10 ft | 1.75 | 15.00 | |
| 10 to 12 ft | 2.00 | 17.50 | |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 2.50 | 22.50 | |
| 1 ¾ to 2 in | 3.00 | 25.00 | |
| $\frac{2}{2}$ to $\frac{2}{2}$ in | 4.00 | 30.00 | |
| $2\frac{1}{2}$ to 3 in | 5.00 | 40.00 | |
| 3 to 4 in | 7.50 | 50.00 | |
| vilmoriniana. 50' | | | |
| 8 to 10 ft | 1.75 | 15.00 | |
| 10 to 12 ft | 2.00 | 17.50 | |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 2.50 | 22.50 | |
| $1 \frac{3}{4}$ to 2 in | 3.00 | 25.00 | |
| 2 to $2\frac{1}{2}$ in | 4.00 | 30.00 | |
| $2\frac{1}{2}$ to 3 in | 5.00 | 40.00 | |
| Akebia lobata. Threeleaf Akebia. 18 | 5 ' | | |
| 2 year | .75 | 6.00 | 50.00 |
| 18 in. from pots | | 7.50 | 50.00 |
| | 1.00 | 1.00 | |
| quinata. Fiveleaf Akebia. 15' | 4 = | 0.50 | 25.00 |
| 2 year | .45 | 3.50 | 25.00 |
| 3 year | .50 | 4.00 | 30.00 |
| Albizzia julibrissin rosea. Silktree | 30 ' | | |
| 6 to 12 in. from 4 in. | | | |
| pots | 1.25 | 10.00 | |
| Alnus cordata. Italian Alder. 40' | | | |
| · | 1.50 | 12.50 | |
| 6 to 8 ft | 1.75 | 15.00 | |
| | 2.50 | | |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 3.50 | | |
| | | 30.00 | |
| glutinosa. European Alder. 60 | | | |
| 6 to 8 ft | 1.00 | 8.50 | 75.00 |
| 8 to 10 ft | 1.25 | 11.00 | 100.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 1.50 | 13.50 | |
| · - | 2.00 | 16.50 | |
| $1\frac{3}{4}$ to 2 in | 2.50 | 20.00 | |
| $\frac{2}{2}$ to $\frac{2}{2}$ in | | 25.00 | 200.00 |
| $2\frac{1}{2}$ to 3 in | 3.50 | 30.00 | |
| glutinosa laciniata. Cutleaf Ale | | | |
| 5 to 6 ft | 4.00 | | |

| Al | n | นร |
|----|---|----|
| | | |

| Alnus | | | |
|-------------------------------------|------------|--------|---------|
| incana. Speckled Alder. 50' | Each | Per 10 | Per 100 |
| 6 to 8 ft | 1.50 | 12.50 | 100.00 |
| 8 to 10 ft | 1.75 | | 125.00 |
| 1¼ to 1½ in | 2.00 | | 150.00 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 2.25 | | 175.00 |
| 1 % to 2 in | 2.75 | | |
| 2 to 2½ in | 3.50 | | |
| japonica. Japanese Alder. 50' | | | |
| 6 to 8 ft | 1.50 | 12.50 | |
| 8 to 10 ft | 1.75 | | |
| | 2.25 | | |
| pendula. 30' | | | |
| 2 yr. 4 ft. stems | 3.50 | | |
| rugosa. Hazel Alder. 10' | | · | |
| 2 to 3 ft | 1.00 | 7.50 | |
| 3 to 4 ft | 1.25 | 10.00 | |
| 4 to 5 ft | 1.50 | 12.50 | |
| 5 to 6 ft | 1.75 | 15.00 | |
| 6 to 8 ft | 2.00 | 17.50 | |
| viridis. European Green Alder | . 6' | - b | |
| 3 to 4 ft | 1.50 | 12.50 | |
| 4 to 5 ft | 1.75 | 15.00 | |
| Althea. (See Hibiscus). | | | |
| Amelanchier alnifolia. Saskatoon. | 7' | | |
| 3 to 4 ft | 1.50 | | |
| 4 to 5 ft | 1.75 | | |
| asiatica. 35' | | | |
| 3 to 4 ft | 1.25 | 10.00 | |
| 4 to 5 ft | 1.50 | | |
| 5 to 6 ft | 2.00 | | |
| 6 to 8 ft | 2.50 | | |
| canadensis. Downy Shadblow. | <i>30'</i> | | |
| 2 to 3 ft | .60 | 5.00 | 45.00 |
| 3 to 4 ft | .75 | 6.50 | 60.00 |
| 4 to 5 ft | 1.00 | 8.50 | 75.00 |
| 5 to 6 ft | 1.25 | 11.00 | 100.00 |

15.00

2.00

6 to 8 ft.....

Amelanchier.

| | Each | Per 10 | Per 100 |
|---|--|---|-----------------------------------|
| laevis. Allegheny Serviceb | | | |
| 3 to 4 ft | | 7.50 | 60.00 |
| 4 to 5 ft | | 10.00 | 75.00 |
| 5 to 6 ft | | 15.00 | 125.00 |
| 6 to 8 ft | | 17.50 | 150.00 |
| 8 to 10 ft | | 25.00 | |
| 6 to 8 ft. standards 8 to 10 ft. " | 3.00 4.00 | 25.00 35.00 | |
| laevis rosea. 35' | | | |
| 3 to 4 ft. standards | s 2.00 | 17.50 | |
| 4 to 5 ft. " | 2.50 | 20.00 | |
| 5 to 6 ft. " | 3.50 | 30.00 | |
| oblongifolia. Thicket Shad | lblow. 25' | | |
| 2 to 3 ft | 60 | 5.00 | 45.00 |
| 3 to 4 ft | | 6.50 | 60.00 |
| 4 to 5 ft | | 8.50 | 75.00 |
| 5 to 6 ft | 1.50 | 12.50 | 100.00 |
| . 1.6 1. | | | |
| rotundifolia, syn. vulgaris European Shadblow. 25' | 5. | | |
| _ | | 4.50 | 40.00 |
| European Shadblow. 25' 2 to 3 ft | | 4.50 | 40.00 50.00 |
| European Shadblow. 25' 2 to 3 ft | 50 | | |
| European Shadblow. 25' 2 to 3 ft | 50 | 6.00 | 50.00 |
| European Shadblow. 25' 2 to 3 ft | 50 70 85 1.25 | 6.00 7.00 | 50.00 60.00 |
| European Shadblow. 25' 2 to 3 ft | 50 70 85 1.25 1.50 | 6.00 7.00 10.00 | 50.00 60.00 75.00 |
| European Shadblow. 25' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 8 ft. 8 to 10 ft. 6 to 8 ft. standards | 50 70 85 1.25 1.50 2.25 s 3.00 | 6.00 7.00 10.00 12.50 20.00 25.00 | 50.00 60.00 75.00 |
| European Shadblow. 25' 2 to 3 ft. 3 to 4 ft. 3 to 5 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. | 50 70 85 1.25 1.50 2.25 | 6.00 7.00 10.00 12.50 20.00 | 50.00 60.00 75.00 |
| European Shadblow. 25' 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 8 ft. 8 to 10 ft. 6 to 8 ft. standards | 50 70 85 1.25 1.50 2.25 s 3.00 4.00 | 6.00 7.00 10.00 12.50 20.00 25.00 | 50.00 60.00 75.00 |
| European Shadblow. 25' 2 to 3 ft. 3 to 4 ft. 3 to 5 ft. 5 to 6 ft. 5 to 6 ft. 6 to 8 ft. 8 to 10 ft. 6 to 8 ft. standards 8 to 10 ft. " | | 6.00 7.00 10.00 12.50 20.00 25.00 | 50.00 60.00 75.00 |
| ### European Shadblow. 25' 2 to 3 ft | | 6.00 7.00 10.00 12.50 20.00 25.00 35.00 | 50.00 60.00 75.00 |
| ### European Shadblow. 25' 2 to 3 ft | | 6.00 7.00 10.00 12.50 20.00 25.00 35.00 6.00 7.50 10.00 | 50.00 60.00 75.00 |
| ### European Shadblow. 25' 2 to 3 ft | | 6.00 7.00 10.00 12.50 20.00 25.00 35.00 | 50.00 60.00 75.00 |
| ### European Shadblow. 25' 2 to 3 ft | | 6.00 7.00 10.00 12.50 20.00 25.00 35.00 6.00 7.50 10.00 | 50.00 60.00 75.00 |
| ### European Shadblow. 25' 2 to 3 ft | | 6.00 7.00 10.00 12.50 20.00 25.00 35.00 6.00 7.50 10.00 | 50.00 60.00 75.00 |
| ### European Shadblow. 25' 2 to 3 ft | | 6.00 7.00 10.00 12.50 20.00 25.00 35.00 6.00 7.50 10.00 15.00 | 50.00 60.00 75.00 100.00 |

| Amorpha canescens. Lead Plant. | Each | Per 10 | Per 100 |
|-----------------------------------|------------|-------------|---------|
| 15 to 18 in | .45 | 3.50 | 30.00 |
| 18 to 24 in | .50 | 4.00 | 35.00 |
| 2 to 3 ft | .60 | 4.50 | 40.00 |
| 2 00 9 10 | •00 | 4.00 | 40.00 |
| fruticosa. Indigobush. 10' | | | |
| 2 to 3 ft | .35 | 2.50 | 18.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 35.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| 6 to 8 ft | .75 | 6.00 | |
| Ampelopsis aconitifolia. Monkshoo | od Vine. | 15' | |
| 2 year | .40 | 3.00 | 25.00 |
| 3 year | .50 | 4.00 | 35.00 |
| 4 year | .60 | 5.00 | 45.00 |
| henryana. Silvervein Creeper. | | | |
| from 4-inch pots | .75 | 6.00 | .50.00 |
| heterophylla. Porcelain Ampe | elopsis. 2 | ?5 ' | |
| 2 year | .40 | 3.00 | 25.00 |
| 3 year | .50 | 4.00 | 35.00 |
| 4 year | .60 | 5.00 | 45.00 |
| heterophylla amurensis. Amu | ir Ampelo | psis. 25' | |
| 2 year | .75 | 6.00 | 50.00 |
| 3 year | 1.00 | 7.50 | 60.00 |
| heterophylla elegans, syn. si | eboldi. 1 | '5 ' | |
| 2 year | .40 | 3.00 | 25.00 |
| 3 year | .50 | 4.00 | 35.00 |
| 4 year | .60 | 5.00 | 45.00 |
| quinquefolia. Virginia Creepe | r. 35' | | |
| 2 year | .35 | 2.50 | 18.00 |
| 3 year | .40 | 3.00 | 22.00 |
| 4 year | .50 | 4.00 | 30.00 |
| quinquefolia englemanni. En | _ | - | |
| 2 year | .35 | 2.50 | 20.00 |
| 3 year | .40 | 3.00 | 25.00 |
| 4 year | .50 | 4.00 | 30.00 |
| quinquefolia murorum. Wall | | | |
| 2 year | 1.00 | 7.50 | |
| quinquefolia saintpauli. $St.\ I$ | | per. 35' | |
| 2 year | | 2.50 | 20.00 |
| 3 year | .40 | 3.00 | 25.00 |
| | | | |

| 16 HENRY KOHANKIE & SON | | |
|---|--------------------|--------------|
| Ampelopsis. | | , |
| Each tricuspidata veitchi. Boston Ivy. 40' | Per 10 | Per 100 |
| 2 year | 3.00 | 22.00 |
| 3 year | 3.50 | 30.00 |
| 2 year from pots | 4.50 | 40.00 |
| tricuspidata lowi. Geranium Ivy. 8' | | |
| 2 year, from pots60 | 5.50 | 45.00 |
| Amygdalus davidiana. Chinese Wild Peach. | 25' | |
| 4 to 5 ft 1.75 | 15.00 | |
| 5 to 6 ft 2.25 | 20.00 | |
| 6 to 8 ft 3.50 | 30.00 | |
| davidiana alba. 25' | | |
| 4 to 5 ft 2.50 | 20.00 | • |
| 5 to 6 ft 3.00 | 25.00 | |
| nana georgica. Russian Almond. 6' | | |
| 2 to 3 ft 1.25 | 10.00 | |
| 3 to 4 ft 1.50 | 12.50 | |
| 4 to 5 ft 2.00 | 15.00 | |
| 5 to 6 ft 2.50 | 20.00 | |
| persica alboplena. Double White Peach. | <i>10</i> ′ | |
| 3 to 4 ft | 5.00 | |
| 4 to 5 ft 1.00 | 7.50 | |
| 5 to 6 ft 1.25 | 10.00 | |
| persica Clara Meyer. Double Pink Peac | | |
| 3 to 4 ft | 6.00 \cdot | |
| 4 to 5 ft 1.00 | 7.50 | |
| 5 to 6 ft 1.25 | 10.00 | |
| persica rosea plena. Double Pink Peach | . 10' | |
| 3 to 4 ft | 5.00 | |
| 4 to 5 ft 1.00 | 7.50 | |
| 5 to 6 ft 1.25 | 10.00 | |
| persica rubroplena. Double Red Peach. | <i>10</i> ′ | |
| 3 to 4 ft | 5.00 | |
| 4 to 5 ft 1.00 | 7.50 | |
| 5 to 6 ft 1.25 | 10.00 | |
| Andromeda. (See Pieris). | | |
| Aralia japonica. Angelica Tree. 25' | | |
| 4 to 5 ft | 5.00 | 45.00 |
| 5 to 6 ft | 7.00 | 60.00 |
| | 0.50 | 55.00 |

6 to 8 ft.....

8 to 10 ft.....

1.00

1.50

75.00

100.00

8.50

12.50

| Aralia | Per 10 | Per 100 |
|--|--------|---------|
| Each pentaphyllum. (See Acanthopanax). | Per 10 | Fer 100 |
| spinosa. Devil's Walkingstick. 25' | | |
| spinosa, Docto ii mining | 5.00 | 40.00 |
| 5 00 4 10 | 6.00 | 50.00 |
| 4 to 5 ft | 7.50 | 60.00 |
| 105 | 10.00 | 75.00 |
| 6 to 8 ft | 12.50 | |
| 8, 60 10 16 | | |
| Arctostaphylos uva-ursi. Bearberry. | | |
| $2\frac{1}{2}$ in. pots | 5.00 | |
| Aristolochia sipho. Dutchman's Pipe. 30' | | |
| 2 year 1.25 | 10.00 | 75.00 |
| tomentosa. 30' | | |
| 2 year | 6.00 | 50.00 |
| | | |
| Aronia arbutitona. 1000 onome 5 | 5.50 | 50.00 |
| 2 to 3 ft | 6.50 | 60.00 |
| $3 \text{ to } 4 \text{ ft.} \dots$ | 0.50 | 00.00 |
| atropurpurea. Purple Chokeberry. 8' | 5.50 | 50.00 |
| 2 00 0 10 | 6.50 | 60.00 |
| 9 10 4 10 | 0.90 | 00.00 |
| melanocarpa. Dittoli Oliologia 3 | 5.00 | 45.00 |
| 2 0 5 10 | 6.00 | 55.00 |
| 3 60 ± 10 | 7.00 | 65.00 |
| | | |
| melanocarpa elata. Glossy Chokeberry | 5.00 | 45.00 |
| 2 00 0 10 | 6.00 | 55.00 |
| 9 10 ± 10 | 7.00 | 65.00 |
| 4 60 0 1000 | 8.00 | 75.00 |
| 5 60 0 10 | | |
| Artemesia abrotanum. Southernwood. 5' | 0.50 | 20.00 |
| 3 to 4 ft | 2.50 | 25.00 |
| 4 to 5 ft | 3.50 | 35.00 |
| 5 to 6 ft | 4.50 | 99.00 |
| Asimina triloba. Papaw. 30' | 7 50 | |
| 2 to 3 ft | 7.50 | |
| Azalea amoena. Amoena Azalea. 4' | | |
| 10 to 12 inB. & B. 1.00 | | |
| 12 to 15 inB. & B. 1.50 | | |
| calendulacea. Flame Azalea. 6' | 30.00 | 275.00 |
| 2 to 3 ftB. & B. 3.75 | 30.00 | 210.00 |
| canescens. Piedmont Azalea. 6' | 97.50 | 250.00 |
| 2 to 3 ftB. & B. 3.50 | 27.50 | 200.00 |

Azalea

| | Each | Per 10 | Per 100 |
|--|-------------|------------------|-----------------|
| hinodegiri. Carmine Azalea. | | | |
| 10 to 12 inB. & B. | 1.50 | | |
| kaempferi. Torch Azalea. 5' | | | |
| 12 to 15 inB. & B. | 2.00 | 17.50 | |
| 15 to 18 inB. & B. | 2.50 | 22.50 | |
| 18 to 24 inB. & B. | 3.50 | 30.00 | |
| ledifolia. Snow Azalea. 6' | | | |
| 15 to 18 inB. & B. | 2.75 | 25.00 | 225.00 |
| 18 to 24 inB. & B. | 3.00 | 27.50 | 250.00 |
| 24 to 30 inB. & B. | 3.50 | 32.50 | 300.00 |
| lutea. 10' | | | |
| 18 to 24 inB. & B. | 4.00 | 35.00 | 300.00 |
| 24 to 30 inB. & B. | | 40.00 | 000.00 |
| | | | |
| mollis. Chinese Azalea. 6' | 9 50 | 00 50 | 200.00 |
| 15 to 18 inB. & B. 18 to 24 inB. & B. | | $22.50 \\ 27.50$ | 200.00 250.00 |
| 24 to 30 inB. & B. | | 21.50 | 450.00 |
| 24 10 00 111 | 4.00 | | |
| nudiflora. Pinxterbloom. 4' | | | |
| 2 to 3 ftB. & B. | | | 250.00 |
| 3 to 4 ftB. & B. | 3.75 | 32.50 | |
| pontica. Pontic Azalea. 6' | | | |
| 24 to 30 inB. & B. | 5.50 | 50.00 | |
| 3 to 4 ftB. & B. | 7.50 | 70.00 | |
| 4 to 5 ftB. & B. | 10.00 | | |
| poukhanensis. Korean Azalea | . <i>6'</i> | | |
| 15 to 18 inB. & B. | | 27.50 | 250.00 |
| 18 to 24 inB. & B. | | 32.50 | 300.00 |
| 24 to 30 inB. & B. | 4.50 | 40.00 | |
| 3 to 4 ftB. & B. | 6.00 | 50.00 | |
| viscosa. Swamp Azalea. 6' | | | |
| 18 to 24 inB. & B. | 2.75 | 25.00 | |
| 24 to 30 inB. & B. | 3.50 | 27.50 | 250.00 |
| yodogawa. Yodogawa Azalea. | 4' | | |
| 18 to 24 inB. & B. | 2.50 | | |
| 24 to 30 inB. & B. | 3.00 | | |
| Baccharis halimifolia. Groundselbu | ish. 10' | | |
| 2 to 3 ft | .75 | 6.00 | 50.00 |
| 3 to 4 ft | 1.00 | 7.50 | 60.00 |
| | | | |

| *Benzoin aestivale. Spice Bush. 12 | 2' | | |
|------------------------------------|------------|-------------|---------|
| | Each | Per 10 | Per 100 |
| 2 to 3 ft | .50 | 4.00 | 35.00 |
| 3 to 4 ft | .60 | 4.50 | 40.00 |
| 4 to 5 ft | .65 | 5.50 | 50.00 |
| 5 to 6 ft | .75 | 6.50 | 60.00 |
| 6 to 8 ft | 1.00 | 8.50 | 75.00 |
| 8 to 10 ft | 1.50 | 12.50 | |
| Berberis aggregata. Salmon Barber | ry. 10° | , | |
| 18 to 24 in | 1.25 | 10.00 | 75.00 |
| 2 to 3 ft | 1.50 | 12.50 | 100.00 |
| 3 to 4 ft.: | 1.75 | 15.00 | |
| diaphana. Kansu Barberry. | 6 ' | | |
| 2 to 3 ft | 1.50 | 13.50 | |
| henryana. 6' | | | |
| 3 to 4 ft | 1.75 | 15.00 | |
| 4 to 5 ft | 2.00 | 17.50 | |
| ilicifolia. Holly Barberry. 4' | | | |
| 18 to 24 inB. & B. | 1.50 | 12.50 | 100.00 |
| 24 to 30 inB. & B. | 1.75 | 15.00 | 125.00 |
| 3 to 4 ftB. & B. | 2.25 | 20.00 | 175.00 |
| | | 20.00 | 170.00 |
| julianae. Wintergreen Barberry | | 10.50 | |
| 15 to 18 inB. & B. | 1.50 | 12.50 | |
| 18 to 24 inB. & B. | 2.00 | 17.50 | |
| koreana. Korean Barberry. 6' | | | |
| 2 to 3 ft | 1.50 | | |
| neuberti. Neubert Barberry. 4 | 4 " | | |
| 18 to 24 inB. & B. | 1.75 | 15.00 | |
| sargentiana. Sargent Barberry. | . 5' | | |
| 15 to 18 inB. & B. | 1.50 | 12.50 | 100.00 |
| 18 to 24 inB. & B. | 2.00 | 17.50 | 150.00 |
| thunbergi. Japanese Barberry. | 4' | | |
| 15 to 18 in | .20 | 1.50 | 12.00 |
| 18 to 24 in | .25 | 1.80 | 14.00 |
| 24 to 30 in | .30 | 2.50 | 18.00 |
| 2 to $2\frac{1}{2}$ ft. spec | .60 | 5.00 | |
| $2\frac{1}{2}$ to 3 ft. spec | .75 | 6.00 | |
| 3 to 3½ ft. spec | 1.00 | 7.50 | |
| thunbergi atropurpurea. Redle | eaf Jap | anese Barbe | rry. 5' |
| 18 to 24 in | .35 | 2.50 | 20.00 |
| 24 to 30 in | .40 | 3.00 | 25.00 |
| 30 to 36 in | .50 | 4.00 | 35.00 |

Berberis

| Berberis | Teach | Don 10 | Don 100 | | | |
|-----------------------------------|-----------------|----------|---------|--|--|--|
| thunbergi minor. Box Barberr | Each y . $2'$ | Per 10 | Per 100 | | | |
| 12 to 15 in | .30 | 2.50 | 18.00 | | | |
| 15 to 18 in | .40 | 3.00 | 25.00 | | | |
| 18 to 24 in | .45 | 3.50 | 30.00 | | | |
| 24 to 30 in | .50 | 4.00 | 35.00 | | | |
| | | | | | | |
| thunbergi pluriflora. 5' | 9.0 | 2.00 | 15.00 | | | |
| 18 to 24 in | .30 | 2.00 | 15.00 | | | |
| 24 to 30 in | .35 | 2.50 | 20.00 | | | |
| thunbergi plur[flora erecta. Tr | uehedge | Columnbe | rry. | | | |
| 9 to 12 in | .35 | 2.50 | 20.00 | | | |
| 12 to 15 in | .45 | 3.50 | 30.00 | | | |
| 15 to 18 in | .50 | 4.00 | 35.00 | | | |
| | D . 7 | ~? | | | | |
| triacanthophora. Threespine | | | | | | |
| 6 to 9 in., 4 inch pots | | 5.00 | | | | |
| 12 in | .60 | 5.00 | | | | |
| vernae. Verna Barberry. 5' | | | | | | |
| 18 to 24 in | .75 | 6.00 | 50.00 | | | |
| 24 to 30 in | .85 | 7.00 | 60.00 | | | |
| 3 to 4 ft | 1.00 | 8.50 | 75.00 | | | |
| 1 W D | a ! | | | | | |
| verruculosa. Warty Barberry | | 7 50 | | | | |
| 6 in., 4 inch pots | 1.00 | 7.50 | | | | |
| 12 to 15 in. spr'd, B. & B. | 2.75 | 25.00 | | | | |
| wilsonae. Wilson Barberry. 5' | | | | | | |
| 18 to 24 in | .60 | 5.00 | 45.00 | | | |
| 2 to 3 ft | .75 | 6.00 | u. | | | |
| P 1 | 7 7. | al. | | | | |
| Berchemia racemosa. Japanese Sup | | | 50.00 | | | |
| 15 to 18 in | .75 | 6.00 | 50.00 | | | |
| *Betula alba. European White Birc | h. 50' | | | | | |
| 6 to 8 ft | 1.50 | 12.50 | 100.00 | | | |
| 8 to 10 ft | 1.75 | 15.00 | 125.00 | | | |
| 1 1/4 to 1 1/2 in | 2.50 | 22.50 | 200.00 | | | |
| 1½ to 1¾ in | 3.00 | 27.50 | 250.00 | | | |
| 1 % to 2 in | 3.50 | 30.00 | 275.00 | | | |
| 2 to 2½ in | 4.50 | 40.00 | 350.00 | | | |
| $2\frac{1}{2}$ to 3 in | 6.00 | 50.00 | | | | |
| | | | | | | |
| *alba fastigiata. Pyramidal W | | rcn. 50' | | | | |
| 6 to 8 ft | | | | | | |
| 8 to 10 ft | 5.00 | | | | | |
| | | | | | | |

| * | \mathbf{B} | e | t | u | la |
|---|--------------|---|---|---|----|
|---|--------------|---|---|---|----|

| etula | | | | | | | |
|-------|--------------------------|------|----------------|------------|-----------------------|------------------|---------|
| *al | ba la | cini | ata. | Cutleaf V | Each Veeping Birch | Per 10 a. 35' | Per 100 |
| | 6 | to | 8 | ft | 1.75 | 15.00 | |
| | 8 | | | ft | | 20.00 | |
| | $1\frac{1}{4}$ | | | in | | 25.00 | |
| | | | | in | | 30.00 | |
| | | | | in | | 35.00 | |
| *fo | | | | er Birch. | | 00.00 | |
| | 5 | | | ft | • | | |
| * : 2 | o ponic | | | 10 | 0.00 | | |
| Ja | 6 | | | ft | 2.00 | 17.50 | |
| | 8 | | | ft | | 20.00 | |
| | $1\frac{1}{2}$ | | | | | | |
| | | | | in | | 30.00 | |
| *1 | | | 2 | in | 4.00 | 35.00 | |
| *le | | | | irch. 40' | 1 50 | 10.50 | |
| | 5 | to | 6 | ft | | 12.50 | |
| | 6 | to | 8 | ft | | 15.00 | |
| | 8 | | 10 | | | 22.50 | |
| | $1\frac{1}{4}$ | to | $1\frac{1}{2}$ | in | 3.00 | 27.50 | |
| | $1\frac{1}{2}$ | to | $1\frac{3}{4}$ | in | 4.00 | | |
| *lu | tea. | Yel | low 1 | 3irch. 50' | • | • | |
| | 5 | to | 6 | ft | 1.50 | 12.50 | 100.00 |
| | 6 | to | 8 | ft | 1.75 | 15.00 | 125.00 |
| | 8 | to | 10 | ft | 2.50 | 22.50 | 200.00 |
| | $1\frac{1}{4}$ | to | $1\frac{1}{2}$ | in | 3.00 | 27.50 | 250.00 |
| | | to | | in | | 30.00 | |
| *ni | | | | rch. 50' | | | |
| | 6 | to | 8 | ft | 1.75 | 15.00 | 125.00 |
| | 8 | to | 10 | ft | | 22.50 | 200.00 |
| | 1 1/4 | to | $1\frac{1}{2}$ | | | 27.50 | 250.00 |
| | $1\frac{1}{2}$ | to | | in | | 30.00 | 275.00 |
| | $1\frac{3}{4}$ | | 2 | in | | 35.00 | 300.00 |
| | $\frac{1}{2}$ | to | | in | | 45.00 | 400.00 |
| | $\frac{2}{2\frac{1}{2}}$ | | $\frac{2}{3}$ | | | 55.00 | 400.00 |
| 4 | | | | in | | 33.00 | |
| *pa | pyrif | | | noe Birch | | 45.00 | 105.00 |
| | 6 | to | 8 | ft | | 15.00 | 125.00 |
| | 8 | to | 10 | ft | | 22.50 | 200.00 |
| | $1\frac{1}{4}$ | to | $1\frac{1}{2}$ | | | 27.50 | 250.00 |
| | $1\frac{1}{2}$ | to | $1\frac{3}{4}$ | | | 30.00 | 275.00 |
| | 1 3/4 | to | 2 | in | | 35.00 | 300.00 |
| | 2 | to | $2\frac{1}{2}$ | in | 5.00 | 45.00 | 400.00 |
| | $2\frac{1}{2}$ | to | 3. | in | $\dots 6.50$ | 55.00 | |
| | 3 | to | 3 1/2 | in | 10.00 | 75.00 | |
| | 3 1/2 | to | 4 | in | 12.50 | 100.00 | |
| | | | | | | | |

| *Betula | | | |
|--|------------|----------|---------|
| *papyrifera cordifolia. 40' | Each | Per 10 | Per 100 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 5.00 | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 7.50 | | |
| | | | |
| *populifolia. Gráy Birch. 40 | | | |
| 6 to 8 ft | 1.75 | 15.00 | 125.00 |
| 8 to 10 ft | 2.50 | 22.50 | 200.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 3.00 | 27.50 | 250.00 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 3.50 | 30.00 | 275.00 |
| 1 ¾ to 2 in | 4.00 | 35.00 | 300.00 |
| 2 to 2½ in | 5.00 | 45.00 | 400.00 |
| $2\frac{1}{2}$ to 3 in | 6.50 | 55.00 | |
| Bignonia grandiflora. Chinese Tru | ımnetcree | per. 20' | |
| 2 year | .75 | 6.00 | 50.00 |
| 3 year | .85 | | 60.00 |
| | 1.00 | 8.50 | 75.00 |
| 4 year | 1.00 | 0.00 | 10.00 |
| grandiflora Mad. Gallen. 20' | | | |
| 2 year | 1.00 | 7.50 | |
| radicans. Trumpetcreeper. 30 |) * | | |
| 2 year | .30 | 2.00 | 15.00 |
| 3 year | .35 | 2.50 | 20.00 |
| o y car | •00 | 2.00 | 20.00 |
| speciosa. Painted Trumpetcre | eper. 30' | | |
| 2 year | .65 | 5.00 | |
| 3 year | 1.00 | 6.50 | |
| Bischoffia trifoliata. 12' | | | |
| 3 to 4 ft | 2.00 | | |
| | | | |
| Broussonetia papyrifera. Paper M | _ | 40' | |
| 5 to 6 ft | | 20.00 | |
| 6 to 8 ft | 3.00 | 25.00 | |
| Bruckenthalia spiculifolia. Spikeh | eath. 1' | | |
| 6 in., 3 inch pots | | 12.50 | |
| | | | |
| Buddleia davidi. Orange-eye Butte | | | 15.00 |
| 2 to 3 ft | .30 | 2.00 | 15.00 |
| 3 to 4 ft | .40 | 3.00 | 20.00 |
| davidi superba. <i>5'</i> | | | |
| 2 to 3 ft | .30 | 2.00 | 15.00 |
| 3 to 4 ft | .40 | 3.00 | 20.00 |
| 4 to 5 ft | .50 | 3.50 | 30.00 |
| | | | |

| D | | - | | | • |
|---|---|---|----|----|----|
| В | u | d | d. | le | ia |

| | Each | Per 10 | Per 100 |
|-----------------------------------|----------|------------|---------|
| davidi veitchi. Veitch Butterfly | | 5 ' | |
| 2 to 3 ft | .30 | 2.00 | 15.00 |
| 3 to 4 ft | .40 | 3.00 | 20.00 |
| 4 to 5 ft | .50 | 3.50 | 30.00 |
| farquhari. 5' | | | |
| 2 to 3 ft | .30 | 2.00 | 15.00 |
| 3 to 4 ft | .40 | 3.00 | 20.00 |
| 4 to 5 ft | .50 | 3.50 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| Ile de France. 4' | | | |
| 2 to 3 ft | .55 | 4.50 | 35.00 |
| | | 5 ' | |
| 2 to 3 ft | .30 | 2.00 | 15.00 |
| 3 to 4 ft | .40 | 3.00 | 20.00 |
| lindleyana. Lindley Butterfly B | | | |
| 2 to 3 ft | .30 | 2.00 | 15.00 |
| 3 to 4 ft | .40 | 3.00 | 20.00 |
| paniculata. | | | |
| 3 to 4 ft | .40 | 3.50 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 35.00 |
| Buxus microphylla. | | | |
| 6 to 9 in | .50 | 4.50 | 40.00 |
| microphylla koreana. | .00 | 4.00 | 40.00 |
| 6 to 9 in | .60 | 5.50 | 50.00 |
| sempervirens handsworthi. | .00 | 0.00 | 00.00 |
| 4 to 6 in | .50 | 4.50 | 40.00 |
| 4 to 0 m | .00 | 4.00 | 40.00 |
| Callicarpa americana. American Be | autybern | ry. 6' | |
| 2 to 3 ft | .75 | 6.50 | |
| giraldiana. 6' | | | |
| 2 to 3 ft | .75 | 6.50 | 60.00 |
| japonica. Japanese Beautyberry | y. 4' | | |
| 18 to 24 in | .40 | 3.00 | 20.00 |
| 2 to 3 ft | .45 | 3.50 | 25.00 |
| purpurea. Chinese Beautyberry. | . 4' | | |
| 18 to 24 in | .40 | 3.00 | 20.00 |
| 2 to 3 ft | .45 | 3.50 | 25.00 |
| Calluna vulgaris. Heather. 2' | | | |
| 6 to 8 in., 4 inch pots | .75 | 6.00 | 50.00 |
| 12 to 15 in., F. G | 1.00 | 7.50 | |
| vulgaris alba. White Heather. | 2' | | |
| 6 to 8 in., 4 inch pots | .75 | 6.00 | 50.00 |
| 12 to 15 in., F. G | 1.00 | 7.50 | |
| | | | |

| (| C | a | 11 | u | n | a |
|---|---|---|----|---|---|---|
| | | | | | | |

| Calluna | Per 10 | Don 100 |
|--|---|-----------------|
| vulgaris alporti. Alport Heather. 2' | | Per 100 |
| 4 inch pots | | |
| · | | |
| vulgaris aurea. 2' | 2.00 | ~ 0 0 0 |
| 6 to 8 in., 4 inch pots .75 | 6.00 | 50.00 |
| 12 to 15 in., F. G 1.00 | 7.50 | |
| vulgaris carnea. Flesh Heather. 2' | | |
| 6 to 8 in., 4 inch pots .75 | 6.00 | |
| 1 | | |
| vulgaris searlei. 2' | 6.00 | 50.00 |
| 12 to 15 in., 4 inch pots .75 | 7.50 | 90.00 |
| 12 to 15 in., F. G 1.00 | 7.50 | |
| Calycanthus floridus. Sweet Shrub. 5' | | |
| 18 to 24 in | 2.50 | 20.00 |
| 2 to 3 ft | 3.00 | |
| 3 to 4 ft | 4.50 | |
| 4 to 5 ft | 5.00 | 45.00 |
| occidentalis. California Sweetshrub. | 12' | |
| 18 to 24 in | 6.00 | |
| | | |
| Caragana arborescens. Siberian Peatree. | | 12.00 |
| 2 to 3 ft | 1.80 | 15.00 |
| 3 to 4 ft | 2.50 3.00 | 20.00 25.00 |
| 5 to 6 ft | 4.00 | 35.00 |
| 6 to 8 ft | 6.00 | 50.00 |
| | 0.00 | 00.00 |
| boisi. 6' 2 to 3 ft | 7.50 | |
| frutex. Russian Pea-shrub. 10' | 1.50 | |
| 2 to 3 ft 1.00 | 7.50 | |
| 3 to 4 ft 1.25 | 10.00 | |
| 4 to 5 ft 1.50 | | |
| 5 to 6 ft 2.00 | | |
| *** | | |
| *Carpinus betulus. European Hornbeam. 2 to 3 ft | | 105.00 |
| 2 | 13.50 | 125.00 |
| 3 to 4 ft | $\begin{array}{c} 18.50 \\ 26.00 \end{array}$ | 175.00 250.00 |
| 5 to 6 ft | 32.50 | 300.00 |
| 6 to 8 ft 4.50 | 42.50 | 400.00 |
| 8 to 10 ft 6.00 | 55.00 | 500.00 |
| 10 to 12 ft 12.50 | 100.00 | |
| Sheared plants, 4 to 8 ft. quoted on | | |

| *Carpinus | | . = : | |
|--|----------------|---------------------------------------|---------|
| *caroliniana. American Hornb | Each | Per 10 | Per 100 |
| | 1.50 | | 125.00 |
| 3 to 4 ft | | | 175.00 |
| | 2.75 | | 250.00 |
| 5 to 6 ft | | | 300.00 |
| 6 to 8 ft | 4.50 | 42.50 | 400.00 |
| 8 to 10 ft | | | 500.00 |
| 10 to 12 ft | 12.50 | 1.00.00 | |
| Sheared plants, 4 to 10 ft., qu | oted | on request. | 2 7 |
| *cordata. 35' | | .= | |
| 3, to 4 ft | 2.00 | 2 °C | |
| | | • • | |
| * japonica. 40' 2 to 3 ft | | | |
| | | | |
| 3 to 4 ft. bushy | 2.50 | | |
| *yedoensis. 25' | | \ | |
| 2 to 3 ft | 2.00 | 17.50 | 150.00 |
| 3 to 4 ft | 2.50 | 20.00 | |
| Caryopteris incana. Bluebeard. 4' | | | |
| 15 to 18 in | .40 | 3.00 | 25.00 |
| 18 to 24 in | | 4.00 | 35.00 |
| tangutica. 5' | | 2.00 | |
| 10 to 12 in., 4 inch pots | 1.00 | 8.00 | 75.00 |
| Castanea sativa. Spanish Chestnut. | 60 ' | | |
| 5 to 6 ft | | 20.00 | |
| 6 to 8 ft | | | |
| | | | |
| Catalpa bignonioides nana syn. bun | gei. | | |
| Umbrella Catalpa. 12' | and the second | e e e e e e e e e e e e e e e e e e e | |
| 2 yr. heads, | | | |
| 5 to 6 ft | | | |
| 6 to 8 ft | | 20.00 | |
| speciosa. Western Catalpa, 30' | 1 00 | 8.50 | 75.00 |
| 8 to 10, ft | | | |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 1.75 | 12.50 15.00 | |
| 2 to 2½ in | | | |
| $2 \text{to} 2 \cdot \frac{7}{2} \text{in} \dots \dots$ | | 25.00 | 170.00 |
| 2 /2 to 5 m | | 20.00 | |
| Ceanothus americanus. Jersey Tea. | 3' | 8 (1) | |
| 18 to 24 in | | | 40.00 |
| 2 to 3 ft, | .7,5 | i. i. 6.00 | 50.00 |

| Cedrela sinensis. Chinese Cedrela. | <i>50'</i> | | |
|--------------------------------------|-------------|---------------|---------|
| A 1 P 01 | Each | Per 10 | Per 100 |
| 4 to 5 ft | 1.75 | 15.00 | |
| 5 to 6 ft | 2.50 | 20.00 | |
| 6 to 8 ft | 3.00 | 25.00 | |
| Cedrus deodara Deodar. 50' | | | |
| 2 ftB. & B. | 3.50 | 30.00 | |
| libani. Cedar of Lebanon. 50 | • | | |
| 2 ftB. & B. | | 30.00 | |
| Celastrus orbiculatus. Oriental Bita | tersweet. | . 20 ' | |
| 2 year | .35 | 3.00 | 25.00 |
| 3 year | .40 | 3.50 | 30.00 |
| 4 year | .50 | 4.50 | 40.00 |
| scandens. Native Bittersweet. | 25' | | |
| 2 year | .35 | 3.00 | 25.00 |
| 3 year | .40 | 3.50 | 30.00 |
| 4 year | .50 | 4.50 | 40.00 |
| Celtis occidentalis. Hackberry. 50' | | | |
| 5 to 6 ft | 1.50 | 12.50 | 100.00 |
| 6 to 8 ft | 1.75 | 15.00 | 125.00 |
| 8 to 10 ft | 2.50 | 20.00 | 175.00 |
| 1 1/4 to 1 1/2 in | 2.75 | 25.00 | 225.00 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 3.00 | 27.50 | 250.00 |
| 1¾ to 2 in | 4.00 | 35.00 | |
| 2 to $2\frac{1}{2}$ in | 5.00 | 40.00 | |
| $2\frac{1}{2}$ to 3 in | 7.50 | 50.00 | |
| sinensis. Chinese Hackberry. | <i>30</i> ′ | | |
| 4 to 5 ft | 2.00 | 15.00 | |
| 5 to 6 ft | 2.50 | 20.00 | |
| Cephalanthus occidentalis. Button | Bush. | 6' | |
| 2 to 3 ft | .45 | 3.50 | 30.00 |
| 3 to 4 ft | .55 | 4.50 | 40.00 |
| 4 to 5 ft | .65 | 5.50 | |
| Cephalotaxus fortunei. Chinese Pla | umyew. | 10' | |
| 2½ ftB. & B. | 7.50 | | |
| 3 ftB. & B. | 10.00 | | |
| *Cercidiphyllum japonicum. Katsu | ra Tree. | <i>30'</i> | |
| 4 to 5 ft | 1.50 | 13.50 | 125.00 |
| 5 to 6 ft | 2.00 | 18.50 | 175.00 |
| 6 to 8 ft | 3.00 | 27.50 | 250.00 |
| 8 to 10 ft | 5.00 | 45.00 | 400.00 |
| 10 to 12 ft | 7.50 | 60.00 | |

| *Cercidiphyllum japonicum | | 4 | |
|---------------------------------|--------------|-----------|--------------------|
| 8 to 10 ft. spec. B. & | | Per 10 | Per 100 |
| 10 to 12 ft. spec. B. & | | ۶. ، | |
| 12 to 14 ft. spec. B. & | | | |
| 14 to 16 ft. spec. B. & | | | |
| | | | |
| *japonicum sinense. Chine | * | Tree. 50' | |
| 2 to 3 ft | 2.50 | | |
| *Cercis canadensis. American Is | Redbud. 15' | | |
| 3 to 4 ft | 1.00 | 7.50 | 60.00 |
| 4 to 5 ft | | 10.00 | 80.00 |
| 5 to 6 ft | | 12.50 | 100.00 |
| 6 to 8 ft | | 15.00 | 125.00 |
| 8 to 10 ft | 2.00 | 17.50 | 150.00 |
| 6 to 8 ft. spec. B. & | B. 7.50 | | |
| 8 to 10 ft. spec. B. & | B. 10.00 | | |
| 10 to 12 ft. spec. B. & | B. 15.00 | | |
| *chinensis. Chinese Redbuc | d. 10' | | |
| 2 to 3 ft | 1.00 | 7.50 | 60.00 |
| 3 to 4 ft | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft | 1.75 | 15.00 | |
| | | | |
| Chamaecyparis lawsoniana. La | wson Cypres: | 3. 100' | |
| 2 ftB.& | B. 2.50 | 20.00 | |
| 3 ftB. & | | 30.00 | |
| 4 ftB. & | | 40.00 | |
| 5 ftB. & | B. 6.00 | 55.00 | |
| lawsoniana pendula. Weep | ing Lawson | Cypress. | <i>15</i> ′ |
| 3 ftB. & | B. 7.50 | | |
| lawsoniana Triomphe de E | Boskoop. 40' | | |
| 3 ftB. & | , | 35.00 | |
| 4 ftB. & | | | |
| 5 ftB. & | | 60.00 | |
| nootkatensis. Nootka Cypre | ess. 75' | | V |
| 2 ftB. & | | 25.00 | 225 00 |
| 3 ftB. & | | 30.00 | |
| 4 ftB. & | | | |
| 5 ftB. & | | | |
| 6 ftB. & | B. 8.50 - | | |
| | | | |

Chamaecyparis

| maecypa | ris | | | | |
|-----------|-------------------|-----------|----------|-------------|---------|
| _ | | | Each | Per 10 | Per 100 |
| obtusa o | compacta. Con | mpact H | inoki C | ypress. 10' | |
| 2 f | ft | B. & B. | 3.00 | 25.00 | |
| | ft | | 4.00 | 35.00 | |
| | ft | | | | |
| • | | , Σ, ω Σ, | 12.00 | 100.00 | |
| obtusa | crippsi. Yello | w Hinok | i Cypre | ss. 10' | |
| | - - f t | | 5.00 | | |
| | ft | | 6.00 | | |
| 4. | 16 | . Б. ш Б. | 0.00 | | |
| obtusa | gracilis. Slend | der Hino. | ki Cuna | ress. 15' | |
| | | | | 35.00 | |
| | ft | | | | |
| | f t | | | | |
| | ft | | | | |
| | ft | | | | |
| • | ft | | | | |
| 7 | ft | . в. & в. | 15.00 | 125.00 | |
| obtusa 1 | nana. Dwarf | Hinoki C | ypress. | . 3' | |
| 12 i | in | В. & В. | 3.50 | 30.00 | |
| 15 i | in | В. & В. | 4.00 | 35.00 | |
| 18 i | in | В. & В. | 6.00 | 50.00 | |
| | in | | | | |
| | | | | | |
| pisifera | . Sawara Cyp | ress. 30 | • | | |
| 2 | ft | В. & В. | 2.50 | 20.00 | 150.00 |
| | ft | | | 30.00 | 250.00 |
| | ft | | | 40.00 | 350.00 |
| | ft | | | | |
| | ft. specimens | | | | |
| | ft. specimens | | | | |
| | ft. specimens | | | | |
| | ft. specimens | | | | |
| | ft. specimens | | | | |
| | ger sizes to 16 | | | | |
| I OI IAIE | , or sizes to 10 | , 10., au | Ψυ.υυ | per 100t. | |
| p. aurea | a. Golden Sare | vara Cypi | ress. 30 | o ' | |
| | ft | | | 25.00 | |
| | ft | | | | |
| | ft | | | | |
| | ft | | | | |
| | | | | | |

Chamaecyparis pisifera aurea.

Each Per 10 Per 100

6 ft. specimens B. & B. 7.50

7 ft. specimens B. & B. 10.00

8 ft. specimens B. & B. 15.00

9 ft. specimens B. & B. 17.50

10 ft. specimens B. & B. 20.00

For larger sizes to 16 ft., add \$5.00 per foot.

p. filifera. Thread-branched Japanese Cypress. 15'

| 2 | ft | B. & B. | 3.50 | 30.00 | 250.00 |
|---|----|---------|------|-------|--------|
|---|----|---------|------|-------|--------|

3 ft.....B. & B. 4.00 35.00 300.00

4 ft.....B. & B. 50.00400.00 -6.00

4 ft. specimens B. & B. 12.00

5 ft. specimens B. & B. 15.00

6 ft. specimens B. & B. 18.00

7 ft. specimens B. & B. 20.00

8 ft. specimens B. & B. 25.00

p. filifera aurea.

Golden Thread-branched Japanese Cypress.

18 in. spread...B. & B. 3.00 22.50

24 in. spread...B. & B. 4.0032.50

30 in. spread...B. & B. 5.00

36 in. x 36 in.

specimens .B. & B. 10.00

in. x 48 in.

specimens .B. & B. 15.00

54 in. x 54 in.

specimens .B. & B. 18.00

in. x 60 in.

specimens . B. & B. 25.00

p. filifera aurea nova.

Variegated Thread-branched Japanese Cypress.

18 to 24 in. sprd. B. & B. 3.00

24 to 30 in. sprd. B. & B. 4.00

30 to 36 in. sprd. B. & B. 5.00

36 to 42 in. sprd. B. & B. 7.50

42 to 48 in. sprd. B. & B. 10.00

48 to 54 in. sprd. B. & B.

Chamaecyparis

| maecyparis | | | |
|---------------------------------|-------------|-----------|---------|
| h ni c | Each | Per 10 | Per 100 |
| p. plumosa. Plume Cypress. | <i>30</i> ′ | | |
| 2 ft. shearedB. & B. | 2.50 | 20.00 | 150.00 |
| 3 ft. shearedB. & B. | 3.50 | 30.00 | 250.00 |
| 4 ft. shearedB. & B. | 5.00 | 40.00 | 350.00 |
| 5 ft. shearedB. & B. | | | 450.00 |
| 6 ft. shearedB. & B. | | | |
| 7 ft. shearedB. & B. | | | |
| 8 ft. shearedB. & B. | | | |
| 9 ft. shearedB. & B. | | | |
| 10 ft. shearedB. & B. | | | |
| For larger sizes to 16 ft., add | • | per foot. | |
| 3 ft. high x 4 ft. spread | | | |
| ex. specB. & B. | 7.50 | | |
| 4 ft. high x 5 ft. spread | 40.00 | | |
| ex. specB. & B. | 10.00 | | |
| 5 ft. high x 6 ft. spread | 10.50 | | |
| ex. specB. & B. | 12.50 | | |
| | ~ | | |
| p. plumosa aurea. Goldenplum | me Cypi | ress. 25' | |
| 2 ft. shearedB. & B. | 2.50 | 20.00 | 150.00 |
| 3 ft. shearedB. & B. | 3.50 | 30.00 | 250.00 |
| 4 ft. shearedB. & B. | 5.00 | 40.00 | 350.00 |
| 5 ft. shearedB. & B. | 6.00 | 50.00 | 450.00 |
| 6 ft. shearedB. & B. | 7.50 | 65.00 | 550.00 |
| 7 ft. shearedB. & B. | 10.00 | 80.00 | 700.00 |
| 8 ft. shearedB. & B. | 15.00 | 125.00 | 1000.00 |
| 9 ft. shearedB. & B. | 17.50 | 150.00 | |
| 10 ft. shearedB. & B. | 20.00 | 175.00 | |
| For larger sizes to 16 ft., add | | per foot. | |
| 2 ft. high x 3 ft. spread | | | |
| ex. specB. & B. | | | |
| 3 ft. high x 4 ft. spread | | | |
| ex. specB. & B. | | | |
| 4 ft. high x 5 ft. spread | | | |
| ex. specB. & B. | | | |
| 5 ft. high x 6 ft. spread | | | |
| ex. specB. & B. | 12.50 | | |
| 1 | ~ | 0.41 | |
| p. plumosa argentea. Silverti | p Cypre | 888. 25' | |
| 2 ftB. & B. | 3.50 | 30.00 | |
| 3 ftB. & B. | | | |

Chamaecyparis

| Each Per 10 Per 100 p. plumosa lutescens. (Globe form). 5' 24 in |) |
|--|---|
| 24 in | |
| 30 inB. & B. 3.50 30.00 250.00 36 inB. & B. 4.00 35.00 | |
| |) |
| | |
| | |
| 48 inB. & B. 6.00 50.00 | |
| 54 inB. & B. 7.50 60.00 | |
| | |
| p. plumosa sulphurea. Sulphurplume Cypress. 25' | |
| 4 ftB. & B. 5.00 45.00 | |
| 5 ftB. & B. 6.50 55.00 | |
| 6 ftB. & B. 8.00 70.00 | |
| 7 ftB. & B. 10.00 85.00 | |
| p. squarrosa. Moss Retinospora. 30' | |
| 2 ft. shearedB. & B. 2.50 20.00 150.00 |) |
| 3 ft. shearedB. & B. 3.50 30.00 250.00 |) |
| 4 ft. shearedB. & B. 5.00 40.00 350.00 |) |
| 5 ft. shearedB. & B. 6.00 50.00 450.00 |) |
| 6 ft. shearedB. & B. 7.50 65.00 550.00 |) |
| 7 ft. shearedB. & B. 10.00 80.00 | |
| 8 ft. shearedB. & B. 15.00 125.00 | |
| 9 ft. shearedB. & B. 20.00 | |
| | |
| Chamaedaphne calyculata. Leatherleaf. 3' | |
| 15 to 18 inB. & B. 2.50 22.50 | |
| 18 to 24 inB. & B. 3.50 30.00 | |
| Chionanthus virginica. White Fringe. 25' | |
| | ` |
| 2 to 3 ft | |
| 3 to 4 ft 1.00 7.50 65.00 | |
| 4 to 5 ft | |
| | |
| 6 to 8 ft 2.50 22.50 200.00 | , |
| 8 to 10 ft 3.50 30.00 | |
| 5 to 6 ft. spec. B. & B. 6.00 50.00 | |
| 6 to 8 ft. spec. B. & B. 10.00 75.00 | |
| 8 to 10 ft. spec. B. & B. 12.50 | |
| Cladrastis lutea. Yellow Wood. 30' | |
| 4 to 5 ft 2.75 25.00 200.00 |) |
| 5 to 6 ft 3.50 30.00 250.00 | |
| 6 to 8 ft 4.00 35.00 300.00 | |
| 8 to 10 ft 5.00 45.00 400.00 | |

| Clematis apiifolia. October Clematis. 25' | , | |
|---|---|---------------|
| Each 2 year | Per 10 4.00 | |
| | 4.00 | 30.00 |
| chrysocoma sericea. 2 year | 7.50 | 60.00 |
| coccinea. (See texensis). | 1.50 | 00.00 |
| | | |
| crispa. Curly Clematis. 2 year | 6.00 | |
| fargesi. | 0.00 | |
| 2 year, 3 in. pots 1.00 | 7.50 | |
| flammula. Plume Clematis. 15' | •••• | |
| 2 year 1.00 | 7.50 | |
| hybrids. Large Flowering Clematis. | | |
| 2 year | 6.00 | |
| Jackmanni, Mad. Ed. Andre, Henryi, | | |
| Duchess of Edinburg. | | |
| ligusticifolia. Western Virgins-bower. 1 | 5' | |
| 2 year | 5.00 | 45.00 |
| montana rubens. | | |
| 3 inch pots 1.00 | 7.50 | 65.00 |
| montana undulata. | | |
| $3\frac{1}{2}$ inch pots 1.00 | | |
| montana wilsoni. | | |
| 3 inch pots 1.00 | 7.50 | |
| orientalis. Oriental Clematis. 12' | | |
| 2 year | 4.00 | 30.00 |
| paniculata. Sweet Autumn Clematis. 25' | | 20.00 |
| 2 year | $\begin{array}{c} 2.50 \\ 3.00 \end{array}$ | 20.00 25.00 |
| 3 year | 5.00 | 20.00 |
| serratifolia. Korean Clematis. 2 year | 7.50 | 60.00 |
| | 1.00 | 00.00 |
| tangutica. Golden Clematis. 12' 2 year | 4.00 | 35.00 |
| texensis syn. coccinea. Scarlet Clematis. | | 00.00 |
| 2 year | 4.00 | 35.00 |
| veitchi. 10' | 2.00 | |
| 3 inch pots 1.00 | 7.50 | |
| viorna. Leatherflower. | | |
| 2 year 1.00 | 7.50 | |
| virginiana. Virgins-bower. 25' | | |
| 2 year | 2.50 | 20.00 |
| 3 year | 3.00 | 25.00 |

| \sim 1 | | | • | |
|----------|----|----|----|----|
| Cl | em | at | 13 | S. |

| Clematis. | Each | Per 10 | Per 100 |
|-----------------------------------|----------|----------|------------|
| vitalba. Travelers-joy. 25' | Bach | 1 61 10 | Fer 100 |
| 2 year | .60 | 5.00 | 40.00 |
| viticella. Italian Clematis. 10 | , | | |
| 2 year | .60 | 5.00 | 40.00 |
| Clerodendron trichotomum. Harle | quin Glo | rybower. | <i>6</i> ′ |
| 3 to 4 ft | 1.75 | 15.00 | |
| 4 to 5 ft | 2.00 | 17.50 | |
| Clethra alnifolia. Sweet Pepper B | ush. 5' | | |
| 18 to 24 in | .45 | 3.50 | 30.00 |
| 24 to 30 in | .50 | 4.00 | 35.00 |
| $2\frac{1}{2}$ to 3 ft | .60 | 5.00 | 45.00 |
| 3 to 4 ft | .65 | 5.50 | 50.00 |
| 4 to 5 ft | .75 | 6.50 | 60.00 |
| barbinervis. Tree Clethra. 5' | • | | |
| 2 to 3 ft | .50 | 4.00 | 35.00 |
| paniculata. δ' | | | |
| 18 to 24 in | 1.00 | 7.50 | |
| Colutea arborescens. Bladder Sens | na. 10' | | |
| 3 to 4 ft | .45 | 3.50 | 30.00 |
| 4 to 5 ft | .60 | 5.00 | 40.00 |
| 5 to 6 ft | .75 | 6.00 | 50.00 |
| 6 to 8 ft | 1.00 | 7.50 | 60.00 |
| cilicica. Cilician Bladder Senn | a. 6' | | |
| 2 to 3 ft | 1.50 | | |
| media. 10' | | | |
| 2 to 3 ft | 1.00 | 7.50 | 60.00 |
| 3 to 4 ft | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft | 1.50 | 12.50 | |
| Comptonia asplenifolia. Sweetfer | n. 3' | | |
| 18 to 24 in | .50 | 4.50 | 35.00 |
| 2 to 3 ft | .65 | 5.00 | |
| Cornus alba. Tatarian Dogwood. | 10' | | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 35.00 |
| 5 to 6 ft | .65 | 5.50 | 45.00 |
| 6 to 8 ft | .75 | 6.50 | |
| alba elegantissima. Silverblo | tch Dog | wood. 6' | |
| 2 to 3 ft | .50 | 4.50 | 40.00 |
| 3 to 4 ft | .60 | 5.50 | 50.00 |
| 4 to 5 ft | .75 | 6.50 | 60.00 |
| 5 to 6 ft | .85 | 7.50 | |
| 6 to 8 ft | 1.00 | 8.50 | |

Cornus

| Jornus | | | |
|--------------------------------|-------------|---------------------|---------------|
| | Each | Per 10 | Per 100 |
| alba sibirica. Coral Dogwood | . 10' | | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .45 | 3.50 | 30.00 |
| 4 to 5 ft | .55 | 4.50 | 40.00 |
| 5 to 6 ft | .75 | 6.00 | 50.00 |
| 6 to 8 ft | 1.00 | 7.50 | |
| alba spaethi. Golden variegat | ed Dog | rwood. 8' | |
| 2 to 3 ft | .50 | 4.50 | 40.00 |
| 3 to 4 ft | .60 | 5.50 | 50.00 |
| 4 to 5 ft | .75 | 6.50 | |
| alternifolia. Pagoda Dogwood | l. 20' | | |
| | .45 | 2 50 | 30.00 |
| 2 to 3 ft | .55 | 3.50 4.50 | |
| 3 to 4 ft | .75 | $\frac{4.50}{6.50}$ | 40.00 60.00 |
| 5 to 6 ft | 1.00 | 7.50 | 70.00 |
| 6 to 8 ft | 1.00 1.25 | 10.00 | 80.00 |
| 0 10 8 11 | 1.20 | 10.00 | 80.00 |
| amomum syn. sericea. $Silky$ | Dogwood | od. 10' | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .55 | 4.50 | 35.00 |
| 5 to 6 ft | .65 | 5.50 | 45.00 |
| 6 to 8 ft | .75 | 6.50 | 55.00 |
| baileyi. Bailey Dogwood. 10' | | | |
| 2 to 3 ft | .45 | 3.00 | 25.00 |
| 3 to 4 ft | .50 | 4.00 | 30.00 |
| 4 to 5 ft | .60 | 5.00 | 40.00 |
| 5 to 6 ft | .75 | 6.00 | |
| *florida. White Flowering Dog | arvood. | 25 ' | |
| 3 to 4 ft | 1.00 | 8.50 | 75.00 |
| 4 to 5 ft | 1.50 | 12.50 | 110.00 |
| | 2.00 | 18.50 | 175.00 |
| | 3.50 | 30.00 | 250.00 |
| 8 to 10 ft | 5.00 | 40.00 | 375.00 |
| 5 to 12 ft., heavy specime | | | 3.3,00 |
| B. & B. at \$1.50 per | | | |
| florida plena. Dbl. White Flg. | | ood. 25' | |
| 2 to 3 ftB. & B. | _ | 30.00 | |
| 3 to 4 ftB. & B. | | | |
| 4 to 5 ftB. & B. | | | |
| 4 00 0 10D. W.D. | 0.00 | 00.00 | |

Cornus

| | Eac | | Per 100 |
|-----------------------|---------------------|--|---------|
| | Red Flowering D | • | |
| | B. & B. 2. | | |
| | B. & B. 3. | | |
| | B. & B. 4. | | |
| | B. & B. 7. | | |
| 6 to 7 ft. | B. & B. 10. | 00 | |
| *kousa. Kousa | Dogwood. 20' | | |
| 2 to 3 ft. | | 00 7.50 | 60.00 |
| 3 to 4 ft. | | 25 10.00 | 75.00 |
| mas. Cornelian | Cherry. 20' | | |
| | | 65 5.50 | 50.00 |
| | | 90 8.00 | |
| | | 25 	 11.00 | a a |
| | | 50 13.50 | |
| | | 75 16.00 | |
| | | 50 20.00 | 175.00 |
| officinalia Iga | oanese Cornelian Ch | arra 15' | |
| | | 50 | |
| 5 to 4 1t. | | 00 | |
| paniculata. <i>Gr</i> | ay Dogwood. 15' | | |
| 2 to 3 ft. | | 50 	 4.50 | 40.00 |
| 3 to 4 ft. | | 60 	 5.50 | |
| | | 75 	 7.00 | 65.00 |
| | | 90 8.00 | |
| pubescens. 15' | | | |
| | | 50 	 4.00 | |
| | podtwig Dogwood. | | |
| | | 35 2.50 | |
| | | 40 3.00 | |
| | | $\begin{array}{ccc} 55 & 4.50 \\ \hline \end{array}$ | |
| | | 65 	 5.50 | |
| | | $75 \qquad 6.50$ | |
| | issima. Greentwig | | |
| | | $\frac{40}{50}$ $\frac{3.00}{4.00}$ | |
| | | $\frac{50}{60}$ $\frac{4.00}{500}$ | |
| | | 60 5.00 | |
| | ed Osier Dogwood. | | 90.00 |
| | | $\frac{35}{40}$ $\frac{2.50}{2.00}$ | |
| | | $40 \qquad 3.00$ | |
| | | 55 	 4.50 | |
| | | 65 	 5.50 | |
| 6 to 8 ft. | | 6.50 | 55.00 |

Cornus

| Cornus | | Post | Don 10 | Dom 100 |
|--------------------------|------------------|-------------|--|------------|
| stolonifera fla | viramea. Gold | Each entwig | $egin{array}{c} \operatorname{Per} 10 \\ Dogwood. \end{array}$ | 8' Per 100 |
| 2 to 3 | ft | .45 | 3.50 | 30.00 |
| 3 to 4 | ft | .50 | 4.00 | 35.00 |
| 4 to 5 | ft | .60 | 5.00 | |
| Corylus americana | . American Ho | azelnut. | 10' | |
| 2 to 3 | ft | .50 | 4.00 | 35.00 |
| 3 to 4 | ft | .60 | 5.00 | 45.00 |
| 4 to 5 | ft | .75 | 6.00 | 55.00 |
| 5 to 6 | ft | .85 | 7.50 | 70.00 |
| 6 to 8: | ft | 1.00 | 9.00 | • |
| avellana. Fil | bert. 15' | | | |
| 2 to 3 | ft | .50 | 4.00 | 35.00 |
| 3 to 4: | ft | .60 | 5.00 | 45.00 |
| 4 to 5 | ft | .75 | 6.00 | 55.00 |
| 5 to 6 | ft | .85 | 7.50 | 70.00 |
| 6 to 8 | ft | 1.00 | 9.00 | 85.00 |
| 8 to 10 | ft | 1.25 | 11.00 | 100.00 |
| avellana atroj | purpurea. Purp | ole Filb | ert. 15' | |
| 2 to 3 | ft | 3.50 | 30.00 | |
| 3 to 4 | ft | 4.00 | 35.00 | |
| 4 to 5 | ft | 5.00 | 40.00 | |
| 5 to 6 | ft | 6.00 | 50.00 | |
| rostrata. Bed | aked Hazelnut. | 6' | | |
| 2 to 3 : | ft | 1.00 | 7.50 | 60.00 |
| 3 to 4: | ft | 1.25 | 10.00 | 75.00 |
| 4 to 5 t | ft | 1.50 | 12.50 | 100.00 |
| *Cotoneaster acut | ifolia. Peking | Cotonea | ster. 12' | |
| | ft | .40 | 3.00 | 25.00 |
| | ft | .50 | 4.00 | 35.00 |
| | ft | .60 | 5.00 | 40.00 |
| | ft | .75 | 6.00 | 50.00 |
| *acutifolia vi | | ••• | 0.00 | 00.00 |
| | it | .40 | 3.50 | 30.00 |
| | it | .50 | 4.00 | 35.00 |
| | ft | .65 | 5.50 | 45.00 |
| | £t | .75 | 6.00 | 55.00 |
| | eeping Cotoneast | | | |
| | n. from pots | 1.25 | 10.00 | 75.00 |
| ambigua. 6' | 1,000,0 | | | |
| 5 | EtB. & B. | 1.00 | 8.50 | 75.00 |
| | ftB. & B. | | 11.00 | 90.00 |
| | | | | |

Cotoneaster

| toneaster | Each | Per 10 | Per 100 |
|-------------------------------|--------------------|---------------|----------|
| apiculata. 6' | Lacii | 1 01 10 | 1 01 100 |
| 9 to 12 in. from pots | 1.50 | 12.50 | |
| | | | |
| dammeri. 2' | | | |
| 6 to 8 in. from pots | 1.50 | 12.50 | |
| dielsiana. Diels Cotoneaster. | 6' | | |
| 2 to 3 ftB. & B. | 1.25 | 10.00 | 85.00 |
| 3 to 4 ftB. & B. | | 12.50 | 100.00 |
| 4 to 5 ftB. & B. | | 15.00 | |
| 5 to 6 ftB. & B. | 2.00 | 17.50 | |
| | | | |
| divaricata. Spreading Cotoned | | | |
| 2 to 3 ftB. & B. | 1.25 | 10.00 | 85.00 |
| 3 to 4 ftB. & B. | | 12.50 | 100.00 |
| 4 to 5 ftB. & B. | | 15.00 | 125.00 |
| 12 to 18 in., 4 in. pots | 1.00 | 7.50 | 60.00 |
| foveolata. 10' | | | |
| 2 to 3 ftB. & B. | 1.25 | 10.00 | 85.00 |
| 3 to 4 ftB. & B. | 1.50 | 12.50 | 100.00 |
| 4 to 5 ftB. & B. | 1.75 | 15.00 | 125.00 |
| | | | |
| francheti. Franchet Cotoneas | | ~ ~ ~ | |
| 18 to 24 inB. & B. | | 8.50 | |
| 2 to 3 ftB. & B. | | 10.00 | |
| 12 to 18 in., 4 in. pots | 1.00 | 7.50 | 60.00 |
| himalaicus. 6' | | | |
| 8 to 10 in., 4 in. pots | 1.25 | 10.00 | 75.00 |
| horizontalis. Rock Cotoneaste | er. 3' | | |
| 12 to 15 in. spd. from pots | | 12.50 | 100.00 |
| | | 12.50 12.50 | 100.00 |
| 15 to 18 in spdB. & B. | 1.50 | 12.50 | |
| horizontalis perpusilla. 3' | | | |
| 10 to 12 in., from pots | 1.50 | 12.50 | 100.00 |
| 12 to 15 in., from pots | 2.00 | 15.00 | 125.00 |
| hamahamaia Human Catanagat | - 51 | | |
| hupehensis. Hupen Cotoneast | $\frac{er.}{1.50}$ | 10 50 | |
| 2 to 3 ftB. & B. | | 12.50 | |
| 3 to 4 ftB. & B. | | | <i>7</i> |
| 15 to 18 in., 3 in. pots | 1.25 | 10.00 | 75.00 |
| integerrima. European Coton | neaster. | 6' | |
| 2 to 3 ftB. & B. | | 12.50 | |
| 3 to 4 ftB. & B. | | | |
| , J 00 4 10 | 1.10 | 10.00 | |

Cotoneaster

| otoneaster | Each | Per 10 | Per 100 |
|------------------------------|-----------------|------------|---------------|
| *lucida. <i>12</i> ′ | 234011 | 2 02 20 | 201200 |
| 2 to 3 ft | .75 | 6.00 | 50.00 |
| 3 to 4 ft | .85 | 7.00 | 60.00 |
| 4 to 5 ft | 1.00 | 8.50 | 75.00 |
| 5 to 6 ft | 1.25 | | 90.00 |
| 18 in., 4 in. pots | 1.25 | 10.00 | |
| | | | |
| melanocarpa. 6' | 1.05 | 10.00 | |
| 2 to 3 ftB. & B. | | 10.00 | |
| 3 to 4 ftB. & B. | 1.50 | | |
| 4 to 5 ftB. & B. | 1.75 | 15.00 | |
| microphylla. Rockspray. 6' | | | |
| 10 to 12 in., 4 in. pots | 1.00 | 8.50 | 75.00 |
| moupinensis. Mupin Cotonea | ster. 10 |) ' | |
| 15 to 18 in., 4 in. pots | | 10.00 | 75.00 |
| | _ • • • | | |
| multiflora. 6' | 4 50 | 10 50 | 40000 |
| 2 to 3 ftB. & B. | 1.50 | 12.50 | 100.00 |
| 3 to 4 ftB. & B. | | | 125.00 |
| 4 to 5 ftB. & B. | | | |
| 2 to 3 ft., 4 in pots | 1.50 | 12.50 | 100.00 |
| nitens. 6' | | | |
| 2 to 3 ftB. & B. | 1.25 | 10.00 | 85.00 |
| 3 to 4 ftB. & B. | 1.50 | 12.50 | 100.00 |
| 4 to 5 ftB. & B. | 1.75 | 15.00 | 125.00 |
| 18 to 24 in., 4 in. pots | 1.00 | 7.50 | 60.00 |
| obscura. 10' | | | |
| 2 to 3 ftB. & B. | 1.25 | 10.00 | 85.00 |
| 3 to 4 ftB. & B. | | 12.50 | 100.00 |
| 4 to 5 ftB. & B. | | | 125.00 |
| 12 to 18 in., 4 in. pots | 1.00 | 7.50 | 60.00 |
| <u> </u> | 1.00 | 1.00 | 00.00 |
| racemiflora soongarica. 6' | | 10 50 | |
| 2 to 3 ftB. & B. | | 12.50 | |
| 3 to 4 ftB. & B. | 1.75 | | |
| rotundifolia. Roundleaf Coto | neaster. | 2' | |
| 10 to 12 in. from pots | 1.25 | 10.00 | 75.00 |
| 12 to 15 in. from pots | 1.50 | 12.50 | 100.00 |
| rosea. 6' | | | |
| 2 to 3 ftB. & B. | 1.25 | 10.00 | 85.00 |
| 3 to 4 ftB. & B. | 1.50 | 12.50 | 100.00 |
| 4 to 5 ftB. & B. | 1.75 | 15.00 | 125.00 |
| 18 to 24 in., 4 in. pots | 1.00 | 7.50 | 60.0 0 |
| | | | |

| | | | | ter |
|--------------|-----|------|-------|-------|
| | + ^ | 70 6 | 220 | 1 1 1 |
| \mathbf{v} | | | - a s | fer |

| Each Per 10 | Per 100 |
|--|--|
| salicifolia. Willowleaf Cotoneaster. 10' | Per 100 |
| 2 to 3 ftB. & B. 1.50 12.50 | |
| salicifolia floccosa. 6' | |
| | 100.00 |
| 15 to 18 in. from pots 1.50 12.50 | 100.00 |
| simonsi. Simons Cotoneaster. 8' | |
| 2 to 3 ftB. & B. 1.25 10.00 | |
| 3 to 4 ftB. & B. 1.50 12.50 | |
| 12 to 18 in., 4 in. pots 1.00 7.50 | 60.00 |
| tenuipes. 6' | |
| 8 to 12 in. from pots 1.25 10.00 | 75.00 |
| 12 to 15 in. from pots 1.50 12.50 | 100.00 |
| wilsoni. Wilson Cotoneaster. 5' | |
| 2 to 3 ftB. & B. 1.25 10.00 | 90.00 |
| 3 to 4 ftB. & B. 1.50 13.50 | |
| 15 to 18 in., 4 in. pots 1.25 10.00 | 75.00 |
| • | 10.00 |
| zabeli. 6' | |
| 2 to 3 ft., 4 in. pots 1.50 12.50 | |
| *Crataegus arkansana. Arkansas Hawthorn. 30' | |
| 4 to 5 ft 1.50 13.50 | 125.00 |
| , | |
| 5 to 6 ft 2.00 17.50 | 150.00 |
| 5 to 6 ft | 150.00 200.00 |
| | |
| 6 to 8 ft 2.75 22.50° | |
| 6 to 8 ft | |
| 6 to 8 ft | 200.00 |
| 6 to 8 ft | 200.00 |
| 6 to 8 ft | 200.00 100.00 125.00 |
| 6 to 8 ft | 100.00 125.00 150.00 |
| 6 to 8 ft | 100.00 125.00 150.00 200.00 |
| 6 to 8 ft. 2.75 22.50 8 to 10 ft. 3.25 27.50 *arnoldiana. Arnold Hawthorn. 20' 3 to 4 ft. 1.25 11.00 4 to 5 ft. 1.50 13.50 5 to 6 ft. 2.00 17.50 6 to 8 ft. 2.75 22.50 8 to 10 ft. 3.25 27.50 | 200.00 100.00 125.00 150.00 200.00 250.00 |
| 6 to 8 ft. 2.75 22.50 8 to 10 ft. 3.25 27.50 *arnoldiana. Arnold Hawthorn. 20' 3 to 4 ft. 1.25 11.00 4 to 5 ft. 1.50 13.50 5 to 6 ft. 2.00 17.50 6 to 8 ft. 2.75 22.50 8 to 10 ft. 3.25 27.50 *carrierei. Carriere Hawthorn. 20' 4 to 5 ft. 1.50 13.50 | 200.00 100.00 125.00 150.00 200.00 250.00 |
| 6 to 8 ft. 2.75 22.50 8 to 10 ft. 3.25 27.50 *arnoldiana. Arnold Hawthorn. 20' 3 to 4 ft. 1.25 11.00 4 to 5 ft. 1.50 13.50 5 to 6 ft. 2.00 17.50 6 to 8 ft. 2.75 22.50 8 to 10 ft. 3.25 27.50 *carrierei. Carriere Hawthorn. 20' 4 to 5 ft. 1.50 13.50 | 200.00 100.00 125.00 150.00 200.00 250.00 |
| 6 to 8 ft. 2.75 22.50 8 to 10 ft. 3.25 27.50 *arnoldiana. Arnold Hawthorn. 20' 3 to 4 ft. 1.25 11.00 4 to 5 ft. 1.50 13.50 5 to 6 ft. 2.00 17.50 6 to 8 ft. 2.75 22.50 8 to 10 ft. 3.25 27.50 *carrierei. Carriere Hawthorn. 20' 4 to 5 ft. 1.50 13.50 5 to 6 ft. 2.00 17.50 6 to 8 ft. 2.75 22.50 | 200.00 100.00 125.00 150.00 200.00 250.00 125.00 150.00 |
| 6 to 8 ft. 2.75 22.50 8 to 10 ft. 3.25 27.50 *arnoldiana. Arnold Hawthorn. 20' 3 to 4 ft. 1.25 11.00 4 to 5 ft. 1.50 13.50 5 to 6 ft. 2.00 17.50 6 to 8 ft. 2.75 22.50 8 to 10 ft. 3.25 27.50 *carrierei. Carriere Hawthorn. 20' 4 to 5 ft. 1.50 13.50 5 to 6 ft. 2.00 17.50 6 to 8 ft. 2.75 22.50 | 200.00 100.00 125.00 150.00 200.00 250.00 125.00 150.00 200.00 |
| 6 to 8 ft. 2.75 22.50 8 to 10 ft. 3.25 27.50 *arnoldiana. Arnold Hawthorn. 20' 3 to 4 ft. 1.25 11.00 4 to 5 ft. 1.50 13.50 5 to 6 ft. 2.00 17.50 6 to 8 ft. 2.75 22.50 8 to 10 ft. 3.25 27.50 *carrierei. Carriere Hawthorn. 20' 4 to 5 ft. 1.50 13.50 5 to 6 ft. 2.00 17.50 6 to 8 ft. 2.75 22.50 8 to 10 ft. 3.25 27.50 | 200.00 100.00 125.00 150.00 200.00 250.00 125.00 150.00 200.00 |
| 6 to 8 ft. 2.75 22.50 8 to 10 ft. 3.25 27.50 *arnoldiana. Arnold Hawthorn. 20' 3 to 4 ft. 1.25 11.00 4 to 5 ft. 1.50 13.50 5 to 6 ft. 2.00 17.50 6 to 8 ft. 2.75 22.50 8 to 10 ft. 3.25 27.50 *carrierei. Carriere Hawthorn. 20' 4 to 5 ft. 1.50 13.50 5 to 6 ft. 2.00 17.50 6 to 8 ft. 2.75 22.50 8 to 10 ft. 3.25 27.50 6 to 8 ft. standards, quoted on request. | 200.00 100.00 125.00 150.00 200.00 250.00 125.00 150.00 200.00 |
| 6 to 8 ft. 2.75 22.50 8 to 10 ft. 3.25 27.50 *arnoldiana. Arnold Hawthorn. 20' 3 to 4 ft. 1.25 11.00 4 to 5 ft. 1.50 13.50 5 to 6 ft. 2.00 17.50 6 to 8 ft. 2.75 22.50 8 to 10 ft. 3.25 27.50 *carrierei. Carriere Hawthorn. 20' 4 to 5 ft. 1.50 13.50 5 to 6 ft. 2.00 17.50 6 to 8 ft. 2.75 22.50 8 to 10 ft. 3.25 27.50 6 to 8 ft. 2.75 22.50 8 to 10 ft. 2.00 17.50 6 to 8 ft. 2.75 22.50 8 to 10 ft. 3.25 27.50 6 to 8 ft. standards, quoted on request. *coccinea. Thicket Hawthorn. 20' | 200.00 100.00 125.00 150.00 200.00 250.00 125.00 100.00 |
| 6 to 8 ft | 200.00 100.00 125.00 150.00 200.00 250.00 125.00 150.00 200.00 250.00 |
| 6 to 8 ft | 200.00 100.00 125.00 150.00 200.00 250.00 150.00 200.00 250.00 100.00 125.00 |

| | * | Cr | at | ae | gı | 15. |
|--|---|----|----|----|----|-----|
|--|---|----|----|----|----|-----|

| Crataegus. | | | | 0 |
|-----------------|---------------------|---------------------|---|-------------------------|
| *coccinioides. | 20 ' | Each | Per 10 | Per 100 |
| | | 1.50 | 13.50 | 125.00 |
| | | 2.00 | 17.50 | 150.00 |
| | | 2.50 | 20.00 | |
| *cordata. Was | · | | | |
| | | 1.25 | 11.00 | 100.00 |
| | | 1.25 1.50 | 13.50 | 100.00 125.00 |
| | | $\frac{1.50}{2.00}$ | 17.50 | 125.00 150.00 |
| | | 2.75 | 22.50 | 200.00 |
| | | 3.50 | 27.50 | 250.00 |
| | | 5.00 | 40.00 | 350.00 |
| | | | 10.00 | 000.00 |
| *crusgalli. Co | | | 11.00 | 100.00 |
| | | 1.25 | 11.00 | 100.00 |
| | | 1.50 | $13.50 \\ 17.50$ | 125.00 |
| | | $2.00 \\ 2.75$ | $\begin{array}{c} 17.50 \\ 22.50 \end{array}$ | $\frac{150.00}{200.00}$ |
| | | $\frac{2.75}{3.50}$ | 27.50 | 250.00 |
| | B. & B. | | 125.00 | 400.00 |
| _ | | | 120.00 | |
| | pon Hawthorn. | | 40 50 | 10500 |
| | | 1.50 | 13.50 | 125.00 |
| | | 2.00 | 17.50 | 150.00 |
| 6 to 8 ft. | | 2.75 | 22.50 | 200.00 |
| *hupehensis. 2 | | | | |
| | | 2.00 | | |
| 4 to 5 ft. | | 2.50 | 20.00 | 8 |
| *mollis. Down | y Hawthorn. | 20 ' | | |
| 3 to 4 ft. | | 1.25 | 11.00 | 100.00 |
| 4 to 5 ft | | 1.50 | 13.50 | 125.00 |
| 5 to 6 ft. | | 2.00 | 17.50 | 150.00 |
| | | 2.75 | 22.50 | 200.00 |
| 8 to 10 ft. | • • • • • • • • • • | 3.25 | 27.50 | 250.00 |
| stmonogyna. E | nglish Hawthor | n. 20' | | |
| 5 to 6 ft. | | 2.00 | 17.50 | 150.00 |
| 6 to 8 ft | | 2.75 | 22.50 | 200.00 |
| 8 to 10 ft | | 3.50 | 27.50 | |
| *nitida. Glossy | Hawthorn. 18 | 5 ' | | |
| 3 to 4 ft. | | 1.25 | 11.00 | 100.00 |
| 4 to 5 ft | | 1.50 | 13.50 | 125.00 |
| 5 to 6 ft | | 2.00 | 17.50 | 150.00 |
| 6 to 8 ft | | 2.75 | 22.50 | 200.00 |
| 8 to 10 ft. | | 3.50 | 30.00 | |
| | | | | |

| | , | | | |
|--------------|-------------------|--------------------|--------------------|-----------|
| Crataegus | | | | |
| | | Each | Per 10 | Per 100 |
| • | . English Hawthor | | | 10000 |
| | ft | 1.25 | 11.00 | 100.00 |
| | ft | 1.50 | 13.50 | 125.00 |
| | ft | 2.00 | 17.50 | 150.00 |
| | ft | 2.75 | 22.50 | 200.00 |
| 8 to 10 | ft. specimens | 7.50 | .: | |
| *ovvacantha | plena. Dbl. Whi | te Thorn | <i>15</i> ′ | |
| - | ft | 1.50 | 13.50 | 125.00 |
| | ft | 2.00 | 17.50 | 150.00 |
| | ft | 2.75 | 22.50 | 200.00 |
| | ft | 3.50 | 27.50 | 250.00 |
| 0 10 10 | 10 | J.JU | 21.00 | 200.00 |
| *oxyacantha | pauli. Paul's Sca | rlet Thör | n. 15' | · . : |
| 4 to 5 | ft | 1.50 | 13.50 | 125.00 |
| 5 to 6 | ft | 2.00 | 17.50 | 150.00 |
| 6 to 8 | ft | 2.75 | 22.50 | 200.00 |
| | ft | 3.50 | 27.50 | 250.00 |
| * .1 | • 0.1 7 | . m | P | |
| | punicea. Sgl. Rec | | 15' | 105.00 |
| | ft | 1.50 | 13.50 | 125.00 |
| | ft | 2.00 | 17.50 | 150.00 |
| | ft | 2.75 | 22.50 | 200.00 |
| 8 to 10 | ft | 3.50 | 27.50 | 250.00 |
| *peregrina. | Persian Hawthorn. | <i>15</i> ′ | | |
| 3 to 4 | ft | 1.25 | 11.00 | |
| 4 to 5 | ft | 1.50 | 13.50 | ::. |
| | ft | 3.50 | | |
| | | | | |
| *persistens. | 15' | 4 0 5 | 44.00 | 10000 |
| | ft | 1.25 | 11.00 | 100.00 |
| | ft | 1.50 | 13.50 | 125.00 |
| | ft | 2.00 | 17.50 | 150.00 |
| | ft | 2.75 | 22.50 | |
| 8 to 10 | ft | 3.50 | 27.50 | 250.00 |
| *pinnatifida | major. Peking He | awthorn. | 20" | |
| _ | ft | 2.00 | 15.00 | |
| 5 to 6 | ft | 2.75 | 25.00 | |
| 6 to 8 | ft | 3.50 | 30.00 | |
| , | | . = | | |
| · • | Frosted Hawthorn: | | | 4 2 0 0 0 |
| | | 2.25 | 20.00 | 150.00 |
| 5 to , 6 | ft | 2.75 | 25.00 | |

30.00

Crataegus.

| Crataegus. | - , | 7 0 40 | |
|---------------------------------------|------------------------|---|-----------------|
| *prunifolia. Plumleaf Hawtho | Each <i>rn. 25'</i> | Per 10 | Per 100 |
| 3 to 4 ft | 1.25 | 11.00 | 100.00 |
| 4 to 5 ft | 1.50 | 13.50 | 125.00 |
| 5 to 6 ft | 2.00 | 17.50 | 150.00 |
| 6 to 8 ft | 2.75 | 22.50 | 200.00 |
| | | | |
| *punctata. Dotted Hawthorn. 3 to 4 ft | 25' 1.25 | 11.00 | 100.00 |
| | 1.25 1.50 | 11.00 | 100.00 |
| | | 13.50 | 125.00 |
| | 2.00 | 17.50 | 150.00 |
| 6 to 8 ft | $2.75 \\ 3.50$ | $22.50 \\ 27.50$ | 200.00 250.00 |
| 8 to 10 ft | | | 200.00 |
| pyracantha lalandi. Laland F | | 10' | |
| 18 to 24 in. bushy B. & B. | 2.50 | 20.00 | |
| 2 to 3 ft. bushy B. & B. | 3.00 | 25.00 | |
| 3 to 3½ ftB. & B. | 3.50 | 30.00 | |
| 3 ½ to 4 ft. B. & B. | 5.00 | 40.00 | |
| 12 to 15 in., 4 in. pots | 1.25 | 10.00 | 75.00 |
| pyracantha yunnanensis. 10' | | | |
| 12 to 18 in., 4 in. pots | 1.25 | 10.00 | 75.00 |
| *succulenta. Fleshy Hawthor | n. 20' | | |
| 3 to 4 ft | 1.25 | 11.00 | 100.00 |
| 4 to 5 ft | 1.50 | 13.50 | 125.00 |
| 5 to 6 ft | 2.00 | 17.50 | 120.00 |
| | | _,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | |
| *tomentosa. Pear Hawthorn. | <i>15</i> ′ 1.25 | 11.00 | 100.00 |
| 3 to 4 ft | 1.25 1.50 | $11.00 \\ 13.50$ | 100.00 125.00 |
| 4 to 5 ft | | | 125.00 150.00 |
| 5 to 6 ft | 2.00 2.75 | $17.50 \\ 22.50$ | 190.00 |
| | 4.10 | 44.00 | |
| *viridis. 35' | | | |
| 4 to 5 ft | 1.50 | 13.50 | 125.00 |
| 5' to 6 ft | 2.00 | 17.50 | 150.00 |
| 6 to 8 ft | 2.75 | 22.50 | 200.00 |
| 8 to 10 ft | 3.50 | 27.50 | |
| Cryptomeria japonica lobbi. Lobb | Cruntom | aria 90' | |
| 2 ftB. & B. | 2.50 | 20.00 | 175.00 |
| 3 ftB. & B. | 3.50 | 30.00 | 250.00 |
| 4 ftB. & B. | 5.00 | | 400.00 |
| 5 ftB. & B. | 7.00 | 60.00 | 500.00 |
| 6 ftB. & B. | | 75.00 | 000.00 |
| 7 ftB. & B. | | , , | |
| | ±0.00 | | |

| Cydonia | ca | tha | ıyeı | nsis. 8' | | | | |
|----------|-----|-----|------|------------|-------------|-----------|---------|---------|
| | | | | | | Each | Per 10 | Per 100 |
| | | | | ft | | 1.50 | | |
| | | to | | ft | | 2.50 | | |
| | | | | • | Quince. | | 2 - | 2.2.2.2 |
| | | | | in | | .35 | 2.50 | 20.00 |
| | | | | ft | | .40 | 3.00 | 25.00 |
| | | | | ft | | .50 | 4.00 | |
| japo | | | | conet Ch | | | | |
| | | | | ft | | 2.00 | | |
| | | | | ft | | 2.50 | | |
| | | | | ft | | 3.50 | | |
| | | | _ | | Dwarf Ja | | | |
| | | | | in | | .35 | 2.50 | 20.00 |
| | 2 | to | 3 | ft | • • • • • • | .40 | 3.00 | 25.00 |
| | | | | ea plena. | | · | | |
| D | bl. | Pi | | Flowering | | 5' | | |
| | | to | | ft | | 2.00 | | |
| | | | | ft | | 2.50 | | |
| | | to | | ft | | 3.50 | | |
| japo | nic | ca | | | | lowering | Quince. | |
| | | to | | ft | | .50 | 4.50 | 40.00 |
| | | | | ft | | .60 | 5.50 | 50.00 |
| | | | | ft | | 1.00 | 7.50 | |
| kerr | | | | semi-plen | | | | |
| | 2 | to | 3 | ft | | 2.00 | 15.00 | |
| mau | lei | • | Le | sser Flow | vering Qua | ince. 5' | | |
| 1 | 18 | to | 24 | in | | .40 | 3.50 | 30.00 |
| | 2 | to | 3 | ft | | .50 | 4.00 | 35.00 |
| Cytique | nio | ric | an | s Snike | Broom. 4 | <i>!</i> | | |
| • | | | | in | | .60 | 5.00 | 40.00 |
| | | | | | room. 10' | | | |
| - | | | | in | | .50 | 4.00 | 35.00 |
| | | | | | Puradise | | | 00.00 |
| _ | | | | in | | .50 | 4.00 | 35.00 |
| _ | | | | ft | | .60 | 5.00 | 40.00 |
| | | | | | • • • • • • | •00 | 0.00 | 40.00 |
| spac | | | | | | c"O | 5.00 | 40.00 |
| | 10 | to | 12 | in., 4 in. | pots | .60 | 5.00 | 40.00 |
| Daphne d | cne | or | um. | . Garlan | d Flower. | 1' | | |
| - | | | | in. sprd. | | .85 | 7.00 | 60.00 |
| 1 | | | | | В. & В. | 1.00 | 8.50 | 75.00 |
| | 12 | to | 15 | in. sprd. | B. & B. | 1.50 | 12.50 | 100.00 |

| Daph | ne |
|------|----|
|------|----|

| Dapine . | Each | Per 10 | Per 100 |
|------------------------------------|------------|------------|----------|
| mezereum. February Daphne. | | 1 01 10 | 1 01 100 |
| 15 to 18 inB. & B. | 1.00 | 7.50 | 60.00 |
| 18 to 24 inB. & B. | 1.25 | 10.00 | 75.00 |
| 2 to $2\frac{1}{2}$ ftB. & B. | 1.50 | 12.50 | 100.00 |
| mezereum alba. White Februa | ary Day | ohne. 4' | |
| 18 to 24 inB. & B. | 1.25 | 10.00 | 75.00 |
| 24 to 30 inB. & B. | 1.50 | 12.50 | 100.00 |
| | | | |
| Davidia involucrata. Dovetree. 40' | | | |
| 10 to 12 in., 4 in. pots | 6.00 | | |
| Decumaria barbara. | | | |
| 3 yr., from pots | .50 | 4.50 | 40.00 |
| Desmadium (See Leonadera) | | | |
| Desmodium. (See Lespedeza). | | | |
| Deutzia gracilis. Slender Deutzia. | 3' | | |
| 15 to 18 in | .35 | 2.50 | 18.00 |
| 18 to 24 in | .40 | 3.00 | 22.00 |
| 24 to 30 in | .50 | 3.50 | 30.00 |
| lemoinei. Lemoine Deutzia. 5 | • | | |
| 18 to 24 in | .35 | 2.50 | 18.00 |
| 24 to 30 in | .40 | 3.00 | 22.00 |
| $2\frac{1}{2}$ to 3 ft | .50 | 3.50 | 30.00 |
| 3 to 4 ft | .60 | 5.00 | 40.00 |
| lemoine avalanche. Avalanche | Deutzi | a. 4' | |
| 2 to 2½ ft | .40 | 3.00 | 25.00 |
| $2\frac{1}{2}$ to 3 ft | .50 | 4.00 | |
| myriantha Boule Rose. Dbl. | Pink D | eutzia. 4' | |
| 18 to 24 in | .50 | 4.00 | 30.00 |
| 2 to 3 ft | .60 | 5.00 | 40.00 |
| parviflora. Mongolian Deutzia. | 5 ' | | |
| 18 to 24 in | .35 | 2.50 | 20.00 |
| 2 to 3 ft | .40 | 3.00 | 25.00 |
| rosea. Rose-paniele Deutzia. | 5 ' | | |
| 18 to 24 in | .40 | 3.00 | 22.00 |
| 24 to 30 in | .45 | 3.50 | 30.00 |
| $2\frac{1}{2}$ to 3 ft | .50 | 4.00 | 35.00 |
| rosea campanulata. Bellflower | | | |
| 18 to 24 in | .40 | 3.00 | 22.00 |
| 2 to 3 ft | .45 | 3.50 | 30.00 |
| rosea carminea. Carmine Deut | • | 0.00 | 00.00 |
| 18 to 24 in | .40 | 3.00 | 22.00 |
| 2 to 3 ft | .45 | 3.50 | 30.00 |

| PAINESVILLE, OHIO | | 45 |
|---|------------|---------|
| Deutzia | | |
| rosea eximea. Pink Choice Deutzia. 5' | Per 10 | Per 100 |
| 18 to 24 in | 3.00 | 22.00 |
| 2 to 3 ft | 3.50 | 30.00 |
| rosea venusta. White-panicle Deutzia. 5 | | 30.00 |
| 18 to 24 in | 3.00 | 22.00 |
| 2 to 3 ft | 3.50 | 30.00 |
| scabra. Fuzzy Deutzia. 12' | | |
| 2 to 3 ft | 2.50 | 18.00 |
| 3 to 4 ft | 3.00 | 22.00 |
| 4 to 5 ft | 4.00 | |
| scabra candidissima. Snowflake Deutzia. | 12' | |
| 2 to 3 ft | 2.50 | 18.00 |
| 3 to 4 ft | 3.00 | 22.00 |
| scabra Pride of Rochester. 12' | | |
| 2 to 3 ft | 2.50 | 18.00 |
| 3 to 4 ft | 3.00 | 22.00 |
| scabra rosea plena. 12' | | |
| 2 to 3 ft | 2.50 | 18.00 |
| 3 to 4 ft | 3.00 | 22.00 |
| scabra watereri. Waterer's Deutzia. 12' | | |
| 2 to 3 ft | 2.50 | 18.00 |
| 3 to 4 ft | 3.00 | 22.00 |
| scabra wellsi. Wells Deutzia. 12' | | |
| 2 to 3 ft | 3.00 | |
| 3 to 4 ft | 4.00 | |
| vilmorinae. Vilmorin Deutzia. 10' | | |
| 2 to 3 ft | 3.00 | 25.00 |
| 3 to 4 ft | 4.00 | |
| Diervilla sessilifolia. Southern Bush Honeysu | | |
| $2\frac{1}{2}$ to 3 ft | 3.50 | 30.00 |
| | 4.00 | 35.00 |
| 4 to 5 ft | 5.00 | 40.00 |
| trifida. Dwarf Bush Honeysuckle. 4' | | |
| 2 to 3 ft | 4.00 | 35.00 |
| 3 to 4 ft | 4.50 | 40.00 |
| (See also Weigela) | e | |
| 2 loop ji co vii giisiaa ka | <i>15'</i> | |
| 4 to 5 ft 1.00 | 7.50 | |
| 5 to 6 ft | 10.00 | |
| 6 to 8 ft 2.00 | 15.00 | |
| 8 to 10 ft 3.00 | 25.00 | |

10.00

Dirca palustris. Leatherwood. 6'

18 to 24 in..... 1.25

| Elaeagnus angustifolia. Russian O | live. 2 | o ' | |
|-----------------------------------|------------|------------|---------|
| | Each | Per 10 | Per 100 |
| 3 to 4 ft | .45 | 3.50 | 30.00 |
| 4 to 5 ft | .60 | 5.00 | 45.00 |
| 5 to 6 ft | .75 | 6.50 | 60.00 |
| 6 to 8 ft | .90 | 8.00 | 75.00 |
| 8 to 10 ft | 1.25 | 10.00 | 90.00 |
| argentea. Silverberry. 12' | F0 | 4.00 | 25 00 |
| 3 to 4 ft | .50 | 4.00 | 35.00 |
| 4 to 5 ft | .65 | 5.50 | 50.00 |
| 5 to 6 ft | .80 | 7.00 | 65.00 |
| 6 to 8 ft | 1.00 | 9.00 | 80.00 |
| longipes. Cherry Elaeagnus. | | | |
| 2 to 3 ft | .75 | 5.00 | |
| umbellata. Autumn Elaeagnus | . 12' | | |
| 2 to 3 ft | .50 | 4.50 | 40.00 |
| 3 to 4 ft | .65 | 5.50 | 50.00 |
| 4 to 5 ft | .75 | 6.50 | 60.00 |
| 5 to 6 ft | 1.00 | 8.50 | 75.00 |
| 6 to 8 ft | 1.25 | 10.00 | |
| Elsholtzia stauntoni. 4' | | | |
| 18 to 24 in | .50 | 4.00 | 35.00 |
| 2 to 3 ft | .60 | 5.00 | 40.00 |
| | | | 10,00 |
| Enkianthus campanulatus. Redvein | | | |
| 10 to 12 in | 1.50 | 12.50 | |
| perulatus. White Enkianthus. | 6 ' | | |
| 12 to 18 in | 1.50 | 12.50 | |
| Erica carnea. Spring Heath. 1' | | | |
| 6 to 8 in., 4 in. pots | 1.00 | 7.50 | 60.00 |
| darleyensis. 2' | | | |
| 6 to 8 in., 4 in. pots | 1.00 | 7.50 | 60.00 |
| vagans. Cornish Heath. 1' | | | |
| 6 to 8 in., 4 in. pots | 1.00 | 7.50 | 60.00 |
| Euonymus alatus. Winged Euonym | nus. 10 |) ' | |
| 2 to 3 ft | .40 | 3.50 | 30.00 |
| 3 to 4 ft | .50 | 4.50 | 40.00 |
| 4 to 5 ft | .75 | 6.50 | 60.00 |
| 5 to 6 ft | 1.25 | | 75.00 |
| 6 to 8 ft. heavy | 3.00 | 22.50 | |
| alatus compacta. Dwarf Wing | | | |
| 2 to 3 ft | .60 | • | |
| 3 to 4 ft | .75 | | |
| | | | |

| Eu | on | y | m | us | |
|----|----|---|---|----|--|
|----|----|---|---|----|--|

| onymus | | | |
|----------------------------------|---------------|---------------|---------|
| Paral Fran | Each ymus. 8' | Per 10 | Per 100 |
| americanus. Brook Euon 2 to 3 ft | - | | , |
| | | | |
| atropurpureus. Native W | | | |
| 2 to 3 ft | | 3.50 | 30.00 |
| 3 to 4 ft | | 4.50 | 40.00 |
| 4 to 5 ft | | 5.50 | 50.00 |
| 5 to 6 ft | | 6.50 | 60.00 |
| 6 to 8 ft | 1.00 | 8.50 | 75.00 |
| bungeanus. Winterberry | Euonymus. | <i>15</i> ′ . | |
| 2 to 3 ft | 40 | 3.50 | 30.00 |
| 3 to 4 ft | 50 | 4.50 | 40.00 |
| 4 to 5 ft | 60 | 5.50 | 50.00 |
| 5 to 6 ft | 75 | 6.50 | 60.00 |
| 6 to 8 ft | 1.00 | 8.50 | 75.00 |
| europaeus. European Bu | rning Bush. | <i>15</i> ′ | |
| 2 to 3 ft | - | 3.50 | 30.00 |
| 3 to 4 ft | | 4.50 | 40.00 |
| 4 to 5 ft | | 5.50 | 50.00 |
| 5 to 6 ft | | 6.50 | 60.00 |
| 6 to 8 ft | | 8.50 | 75.00 |
| europaeus fructu-coccineu | | | |
| 2 to 3 ft | | 3.50 | 30.00 |
| 3 to 4 ft | | 4.50 | 40.00 |
| 4 to 5 ft | | 5.50 | 50.00 |
| 5 to 6 ft | | 6.50 | |
| latifolius. Broadleaf Burn | | | |
| 3 to 4 ft | _ | 5.00 | 40.00 |
| 4 to 5 ft | | | 50.00 |
| 5 to 6 ft | | | 00.00 |
| | | | |
| 2 to 3 ft | | | 30.00 |
| 3 to 4 ft | | | |
| 4 to 5 ft | | * | |
| 5 to 6 ft | | | |
| | | 1.00 | |
| nanus. Dwarf Burning B | นงก. ช | 6.00 | |
| 12 in | | 6.00 | a to |
| obovatus. Running Euony | mus. I' | | 07.00 |
| 8 to 10 in | 35 | 3.00 | 25.00 |
| oxyphyllus 15' | | √ .* | |
| 2 to 3 ft | | | |
| 3 to 4 ft | 1.25 | 10.00 | 85.00 |

| 48 HENRY KOHANI | KIE; & SC | N | |
|-------------------------------|------------|----------------|----------------|
| Euonymus | | | |
| patens syn. sieboldianus. 8' | Each | Per 10 | Per 100 |
| | 50 | 4 50 | 25.00 |
| 18 to 24 in | .50 .60 | $4.50 \\ 5.50$ | 35.00 50.00 |
| 2 101 9 10 | ·óo | 0.00 | 50.00 |
| radicans. Wintercreeper. 15' | | | |
| 8 to 12 in | .35 | 2.50 | 20.00 |
| 12 to 15 in | .40 | 3.00 | 25.00 |
| 15 to 18 in | .45 | 3.50 | 30.00 |
| radicans acutus. Sharpleaf I | Vintercree | eper. 1' | |
| 12 to 15 in | .45 | 3.50 | 30.00 |
| 15 to 18 in | .55 | 4.50 | 40.00 |
| radicans argenteo-marginatu | s. | | |
| Silveredge Wintercreeper. 1 | | | |
| 8 to 12 in | .35 | 2.50 | 20.00 |
| 12 to 15 in | .40 | 3.00 | 25.00 |
| 15 to 18 in | .45 | 3.50 | 30.00 |
| radicans carrieri. Glossy Win | ntercreepe | er. 3' | |
| 12 to 15 in | .45 | 3.50 | 30.00 |
| 15 to 18 in | .55 | 4.50 | 40.00 |
| radicans colorata. 10' | | | |
| 12 to 15 in | .45 | 3.50 | 30.00 |
| 15 to 18 in | .50 | 4.00 | 35.00 |
| 18 to 24 in | .60 | 5.00 | |
| radicans minima. Baby Wint | tercreeper | . 1' | |
| 8 to 12 in. from pots | .40 | 3.00 | 25.00 |
| 12 to 15 in. from pots | | 3.50 | 30.00 |
| radicans vegetus. Bigleaf Wi | ntercreen | e r. 4' | |
| 12 to 15 in | .50 | 4.00 | 35.00 |
| 15 to 18 in | .60 | 5.00 | 45.00 |
| 18 to 24 in | .75 | 6.00 | 55.00 |
| sieboldianus (see patens) | | | |
| | 101 | | ** |
| yedoensis. Yeddo Euonymus. | | 4.00 | 00.00 |
| 2 to 3 ft | .50 | 4.00 5.00 | 30.00 |
| 3 to 4 ft | .60 | 5.00 | 40.00 |

5 ft......

6 ft....

8 ft.....

4 to

5 to

6 to

.75

1.00

1.25

6.00

7.50

10.00

50.00

60.00

75.00

| Evodia hupehensis. 25' | | | |
|---|---|---|--------------------------------------|
| | Each | Per 10 | Per 100 |
| 2 to 3 ft | | 12.50 | 100.00 |
| 3 to 4 ft | . 1.75 | 15.00 | 125.00 |
| | | | |
| Exochorda grandiflora. Pearl Bu | ish. 10' | | |
| 2 to 3 ft | 40 | 3.00 | 25.00 |
| 3 to 4 ft | 45 | 3.50 | 30.00 |
| 4 to 5 ft | 50 | 4.50 | 40.00 |
| 5 to 6 ft | 65 | 5.50 | |
| 6 to 8 ft | | 6.50 | |
| 8 to 10 ft | | 10.00 | |
| 6 to 8 ft. specimens. | | 20.00 | |
| 8 to 10 ft. specimens. | | | |
| o to 10 it. specimens. | . 10.00 | | |
| giraldi. Redbud Pearlbush. | <i>15'</i> | | |
| 3 to 4 ft | . 2.50 | | |
| | | | |
| giraldi wilsoni. Wilson Pean | rlbush. 15' | • | |
| 2 to 3 ft | . 2.00 | | |
| 3 to 4 ft | . 2.50 | | , me e |
| 4 to 5 ft | | | |
| | | | |
| | | | |
| korolkowi. Turkestan Pearll | bush. 15' | | |
| korolkowi. Turkestan Pearle 18 to 24 in | | | |
| | | | |
| 18 to 24 in | . 1.25 | | |
| 18 to 24 in | . 1.25 ch. 60' | 25.00 | |
| Fagus americana. American Bee 2 to 3 ftB. & B | . 1.25 ch. 60' | | |
| 18 to 24 in | ch. 60' 3.00 3.50 | 30.00 | |
| 18 to 24 in | ch. 60' 3.00 3.50 4.50 | 30.00 40.00 | |
| 18 to 24 in | ch. 60' 3.00 3.50 4.50 6.00 | 30.00 40.00 50.00 | |
| 18 to 24 in | ch. 60' 3.00 3.50 4.50 6.00 | 30.00 40.00 | |
| 18 to 24 in | ch. 60' 3.00 3.50 4.50 6.00 8.50 | 30.00 40.00 50.00 | : |
| 18 to 24 in | ch. 60' 3.00 3.50 4.50 6.00 8.50 | 30.00 40.00 50.00 | 200.00 |
| 18 to 24 in | ch. 60' 3.00 3.50 4.50 6.00 8.50 75' 3.00 | 30.00 40.00 50.00 75.00 | 200.00 250.00 |
| Fagus americana. American Bee 2 to 3 ftB. & B 3 to 4 ftB. & B 4 to 5 ftB. & B 5 to 6 ftB. & B 6 to 8 ftB. & B sylvatica. European Beech. 3 to 4 ftB. & B | . 1.25 ch. 60' 3.00 3.50 4.50 6.00 8.50 75' 8.3.00 8.3.50 | 30.00 40.00 50.00 75.00 | |
| 18 to 24 in Fagus americana. American Bee 2 to 3 ft B. & B 3 to 4 ft B. & B 4 to 5 ft B. & B 5 to 6 ft B. & B 6 to 8 ft B. & B sylvatica. European Beech. 3 to 4 ft B. & B 4 to 5 ft B. & B | . 1.25 ch. 60' 3.00 3.50 4.50 6.00 8.50 75' 3.300 3.50 3.50 3.50 3.50 | 30.00 40.00 50.00 75.00 25.00 30.00 | 250.00 |
| Fagus americana. American Bee 2 to 3 ftB. & B 3 to 4 ftB. & B 4 to 5 ftB. & B 5 to 6 ftB. & B 6 to 8 ftB. & B 4 to 5 ftB. & B 6 to 8 ftB. & B 6 to 8 ftB. & B 5 to 6 ftB. & B 6 to 8 ftB. & B | . 1.25 ch. 60' 3.00 3.50 4.50 6.00 8.50 75' 8. 3.00 8. 3.50 8. 5.00 8. 6.50 | 30.00 40.00 50.00 75.00 25.00 30.00 40.00 | 250.00 375.00 |
| Fagus americana. American Bee 2 to 3 ftB. & B 3 to 4 ftB. & B 4 to 5 ftB. & B 5 to 6 ftB. & B 6 to 8 ftB. & B 4 to 5 ftB. & B 5 to 6 ftB. & B 4 to 5 ftB. & B 8 to 10 ftB. & B 8 to 10 ftB. & B | . 1.25 . 60' . 3.00 . 3.50 . 4.50 . 6.00 . 8.50 . 3.50 . 6.50 . 10.00 | 30.00 40.00 50.00 75.00 25.00 30.00 40.00 55.00 80.00 | 250.00 375.00 500.00 700.00 |
| Fagus americana. American Bee 2 to 3 ftB. & B 3 to 4 ftB. & B 4 to 5 ftB. & B 5 to 6 ftB. & B 6 to 8 ftB. & B 4 to 5 ftB. & B 6 to 6 ftB. & B 4 to 5 ftB. & B 4 to 5 ftB. & B 4 to 5 ftB. & B 5 to 6 ftB. & B 6 to 8 ftB. & B 6 to 8 ftB. & B 7 to 6 ftB. & B 8 to 10 ftB. & B 10 to 12 ftB. & B | . 1.25 . 6.00 . 3.50 . 4.50 . 6.00 . 8.50 . 3.50 . 6.00 . 8.50 . 10.00 . 15.00 | 30.00 40.00 50.00 75.00 25.00 30.00 40.00 55.00 80.00 120.00 | 250.00 375.00 500.00 |
| Fagus americana. American Bee 2 to 3 ftB. & B 3 to 4 ftB. & B 4 to 5 ftB. & B 5 to 6 ftB. & B 6 to 8 ftB. & B 4 to 5 ftB. & B 5 to 6 ftB. & B 4 to 5 ftB. & B 8 to 10 ftB. & B 8 to 10 ftB. & B | . 1.25 . 6.00 . 3.50 . 4.50 . 6.00 . 8.50 . 3.50 . 6.00 . 8.50 . 10.00 . 15.00 | 30.00 40.00 50.00 75.00 25.00 30.00 40.00 55.00 80.00 | 250.00 375.00 500.00 700.00 |
| Fagus americana. American Bee 2 to 3 ft | . 1.25 . 6h. 60' . 3.00 . 3.50 . 4.50 . 6.00 . 8.50 . 3.00 . 3.50 . 10.00 . 15.00 . 20.00 | 30.00 40.00 50.00 75.00 25.00 30.00 40.00 55.00 80.00 120.00 175.00 | 250.00 375.00 500.00 700.00 |
| Fagus americana. American Bee 2 to 3 ftB. & B 3 to 4 ftB. & B 4 to 5 ftB. & B 5 to 6 ftB. & B 6 to 8 ftB. & B 4 to 5 ftB. & B 6 to 6 ftB. & B 4 to 5 ftB. & B 4 to 5 ftB. & B 4 to 5 ftB. & B 5 to 6 ftB. & B 6 to 8 ftB. & B 6 to 8 ftB. & B 7 to 6 ftB. & B 8 to 10 ftB. & B 10 to 12 ftB. & B | . 1.25 . 6h. 60' . 3.00 . 3.50 . 4.50 . 6.00 . 8.50 . 3.50 . 3.50 . 3.50 . 3.50 . 3.50 . 3.50 . 5.00 . 6.50 . 10.00 . 15.00 . 20.00 | 30.00 40.00 50.00 75.00 25.00 30.00 40.00 55.00 80.00 120.00 | 250.00 375.00 500.00 700.00 |

| r | a | o | 17 | S |
|---|---|---|----|---|
| | • | 5 | • | • |

| ragus | | | |
|------------------------------|--------------|-----------|---------|
| | Each | Per 10 | Per 100 |
| sylvatica heterophylla. | Fernleaf Bed | ech. 25' | |
| 2 to 3 ftB. | & B. 3.50 | 30.00 | |
| 3 to 4 ftB. | & B. 5.00 | | |
| 4 to 5 ftB. | | | |
| | | | |
| 1 1 177 | | FOL | |
| sylvatica pendula. Wee | | <i>50</i> | |
| 5 to 6 ftB. | | | |
| 6 to 8 ftB. | & B. 12.50 | | |
| 8 to 10 ftB. | & B. 15.00 | | |
| | | | |
| sylvatica purpurea. Pu | rnle Beech. | 75' | |
| 3 to 4 ftB. | | 50.00 | |
| | | | |
| 4 to 5 ftB. | | 65.00 | |
| 5 to 6 ftB. | | | |
| 6 to 8 ftB. | | 100.00 | |
| 8 to 10 ftB. | & B. 15.00 | | |
| | | | |
| sylvatica riversi. River' | s Beech. 75 | • | |
| 5 to 6 ftB. | & B. 10.00 | | |
| 6 to 8 ftB. | | | |
| 8 to 10 ftB. | | | |
| 10 to 12 ft., | & D. 10.00 | | |
| $1\frac{1}{2}$ in.,B. | & B 25 00 | | |
| 1 /2 111., | & D. 25.00 | | |
| | | | |
| Fontanesia fortunei. Fortune | Fontanesia. | 15' | |
| 3 to 4 ft | 60 | 5.00 | 40.00 |
| 4 to 5 ft | | 6.00 | 50.00 |
| 5 to 6 ft | 1.00 | 7.50 | 60.00 |
| 6 to 8 ft | 1.25 | 10.00 | 75.00 |
| | | | |
| F-w-thi- | Towardhia (| | |
| Forsythia europea. Albanian | | | |
| 2 to 3 ft | | | |
| 3 to 4 ft | 1.00 | | |
| t in | | | |
| intermedia. Border For | sythia. 8' | | |
| 2 to 3 ft | | 2.50 | 20.00 |
| 3 to 4 ft | | 3.00 | 25.00 |
| 4 to 5 ft | | 3.50 | 30.00 |
| 5 to 6 ft | | 5.00 | 40.00 |
| | | | |
| 6 to 8 ft | | 6.00 | 50.00 |

Forsythia

| Forsythia | | | | | |
|------------------|--------------|----------|------------|---------------------|----------------|
| :to | | | Each | Per 10 | Per 100 8' |
| | spectabilis. | • | | | |
| | 3 ft | | .35 | 2.50 | 20.00 |
| | 4 ft | | .40 | 3.00 | 25.00 |
| 4 to | 5 ft | | .50 | 3.50 | 30.00 |
| | 6 ft | | .60 | 5.00 | 40.00 |
| 6 to | 8 ft | | .75 | 6.00 | 50.00 |
| ovata. 8' | | | | | |
| 2 to 3 | 3 ft | | .75 | 5.00 | |
| 3 to | 4 ft | | 1.00 | 7.50 | |
| | 5 ft | | 1.25 | 10.00 | |
| | Weeping For | | 6 ' | | |
| | 3 ft | _ | .35 | 2.50 | 20.00 |
| | 4 ft | | .45 | $\frac{2.50}{3.50}$ | 30.00 |
| | 5 ft | | .60 | 4.50 | 40.00 |
| | 6 ft | | .70 | 6.00 | 50.00 |
| 0 10 | 0 10 | • • • • | .10 | 0.00 | 00.00 |
| | trocaulis. P | _ | | • | |
| | 3 ft | • • • • | .35 | 2.50 | 20.00 |
| | 4 ft | | .40 | 3.00 | 25.00 |
| | 5 ft | | .50 | 4.00 | 35 .0 0 |
| 5 to | 6 ft | | .60 | 5.00 | 45.00 |
| suspensa fo | rtunei. Gol | den Bei | ll. 8' | • | |
| 2 to 3 | 3 ft | | .35 | 2.50 | 20.00 |
| | 4 ft | | .40 | 3.00 | 25.00 |
| | 5 ft | | .50 | 3.50 | 30.00 |
| 5 to | 6 ft | | .60 | 5.00 | 40.00 |
| cuenenca si | eboldi. Sieb | old For | rsuthia | 8' | |
| _ | | | .35 | 2.50 | 20.00 |
| | 3 ft 4 ft | | .40 | $\frac{2.50}{3.00}$ | 25.00 |
| | 4 ft 5 ft | | .50 | 3.50 | 30.00 |
| | | | .60 | 5.00 | 40.00 |
| | 6 ft | | | 6.00 | |
| 6 to 8 | 8 ft | | .75 | 6.00 | 50.00 |
| viridissima. | Greenstem | For syth | ia. 8' | | |
| 2 to 3 | 3 ft | | .35 | 2.50 | 20.00 |
| 3 to 4 | 4 ft | | .40 | 3.00 | 25.00 |
| 4 to 3 | 5 ft | • • • • | .50 | 3.50 | 30.00 |
| F (1 - 11 - 1 | | Tl c 41 | a:11 - 01 | | |
| Fothergilla gard | eni. Dwarf | | | | |

15 to 18 in....B. & B. 2.50

20.00

| Fraxinus | america | na. | White Ash. | <i>80</i> ′ | | |
|----------|-----------------------------------|-------------------------------------|-------------|---------------------|------------------|-----------------|
| | 0 4- | 10 | £ | Each | Per 10 | Per 100 |
| | 8 to 1 1/4 to | 10 | ft | $1.50 \\ 1.75$ | 12.50 | 100.00 |
| | | $\frac{1\frac{1}{2}}{1\frac{3}{4}}$ | in in | 2.25 | $15.00 \\ 20.00$ | 125.00 175.00 |
| | 1½ to 1¾ to | 2 | in | $\frac{2.25}{3.00}$ | 27.50 | 250.00 |
| · · | $\frac{1}{4}$ to $\frac{1}{4}$ to | $2\frac{i}{2}$ | in | $\frac{3.00}{4.00}$ | 35.00 | 300.00 |
| ·· | $2\frac{1}{2}$ to | | in | 5.00 | 45.00 | 400.00 |
| | | | | 0.00 | 40.00 | 400.00 |
| chin | | | e Ash. 50' | 2.00 | | |
| | | | | 2.00 | | |
| exce | | _ | an Ash. 10 | | | |
| | 8 to | 10 | ft | 1.50 | 12.50 | 100.00 |
| | 1 1/4 to | $1\frac{1}{2}$ | in | 1.75 | 15.00 | 125.00 |
| | $1\frac{1}{2}$ to | $1\frac{3}{4}$ | in | 2.25 | 20.00 | 175.00 |
| | 1 3/4 to | 2 | in | 3.00 | 27.50 | 250.00 |
| | 2 to | $2\frac{1}{2}$ | in | 4.00 | 35.00 | 300.00 |
| lanc | eolata. | Green | Ash. 60' | | | |
| | 8 to | 10 | ft | 1.50 | 12.50 | 100.00 |
| | 1 1/4 to | $1\frac{1}{2}$ | in | 1.75 | 15.00 | 125.00 |
| | $1\frac{1}{2}$ to | $1\frac{3}{4}$ | in | 2.25 | 20.00 | 175.00 |
| | 1 3/4 to | 2 | in | 3.00 | 27.50 | 250.00 |
| | 2 to | $2\frac{1}{2}$ | in | 4.00 | 35.00 | 300.00 |
| : * | $2\frac{1}{2}$ to | 3 | in | 5.00 | 45.00 | 400.00 |
| | 3 to | $3\frac{1}{2}$ | in | 7.50 | 60.00 | |
| | $3\frac{1}{2}$ to | 4 | in | 10.00 | 90.00 | |
| man | dshurica | . <i>Ma</i> | nchurian As | h. 80' | | |
| | 6 to | 8 | ft | 1.25 | 10.00 | 75.00 |
| | 8 to | 10 | ft | 1.50 | 12.50 | 100.00 |
| nigr | a. Blac | ck Ash | . 80' | | | |
| 3 | | | ft | 1.50 | 12.50 | |
| peni | nsvlvanic | a. R_{ϵ} | ed Ash. 60' | | | |
| P | • | | | 1.75 | 15.00 | |
| 1, | | | | 2.00 | | |
| | | | in | | 25.00 | |
| | | | in | | 30.00 | |
| guad | drangula | ta. Bl | ue Ash. 60 | , | | |
| | _ | | in | | | |
| | | | in | | | |
| | | | in | | | |
| Gaylyssa | cia baca | ata | Black Huck | leherry | a! | |
| - | | | B. & B. | _ | | |
| | | | B. & B. | | | |
| | 10 10 24 | 111 | D. & D. | 3.00 | 40.00 | |

| Genista juncea. 2' | | |
|--|--------------------|---------|
| Each | Per 10 | Per 100 |
| 15 to 18 in. from pots60 | 5.00 | 40.00 |
| pilosa. Silky Leaf Broom. 1' | | |
| 4 to 6 in | 5.00 | 40.00 |
| sagittalis. Arrowhead Broom. 9" | | |
| 4 to 6 in | 6.00 | 50.00 |
| scoparia. (See Cytisus). | | |
| tinctoria. Woadwaxen. 3' | | |
| 18 to 24 in | 3.00 | 25.00 |
| 2 to 3 ft | 4.00 | 30.00 |
| 3 to 4 ft | 5.00 | 40.00 |
| Ginkgo biloba. Maidenhair-tree. 60' | | |
| 6 to 8 ft 3.25 | 25.00 | 225.00 |
| 8 to 10 ft 3.75 | 32.50 | 275.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in 4.50 | 40.00 | 375.00 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in 5.50 | 50.00 | 450.00 |
| $1\frac{3}{4}$ to 2 in 7.50 | 60.00 | 550.00 |
| 2 to 2½ in 10.00 | 75.00 | 000.00 |
| 2 00 2 /2 111 10.00 | 10.00 | |
| Gleditsia elegantissima. 20' | | |
| 3 to 4 ft 2.50 | 20.00 | |
| 4 to 5 ft 3.00 | 25.00 | |
| japonica. Japanese Honeylocust. 40' | | |
| 3 to 4 ft 2.50 | 20.00 | 175.00 |
| 4 to 5 ft 3.00 | 25.00 | 225.00 |
| 5 to 6 ft 3.50 | 30.00 | |
| triacanthos. Honey Locust. 60' | | |
| 4 to 5 ft 1.00 | 8.50 | 75.00 |
| 5 to 6 ft 1.25 | 11.00 | 100.00 |
| 6 to 8 ft 1.50 | 13.50 | 125.00 |
| 8 to 10 ft 2.00 | 17.50 | 150.00 |
| 10 to 12 ft 3.00 | 25.00 | |
| triacanthos inermis. Thornless Honeylo | cust. 50' | |
| 1 % to 2 in 3.50 | 30.00 | |
| 2 to $2\frac{1}{2}$ in 4.50 | 40.00 | |
| | | |
| Gordonia alatamaha. 20' | | |
| 4 to 5 ftB. & B. 15.00 | | |
| Gymnocladus dioica. Kentucky Coffeetree. | <i>40</i> ′ | |
| 5 to 6 ft 2.25 | 20.00 | 175.00 |
| 6 to 8 ft 3.00 | 25.00 | |
| 8 to 10 ft 4.00 | 35.00 | |
| 10 to 12 ft 5.00 | 40.00 | |
| 2 to 3 in 15.00 | | |

| Halesia tetraptera. Great Silverbell. 15' | | |
|---|---|---|
| 4 to 5 ft | $\begin{array}{c} \text{Per } 10 \\ 6.00 \end{array}$ | $\begin{array}{c} \mathrm{Per}100 \\ 50.00 \end{array}$ |
| | 7.00 | 60.00 |
| | 10.00 | 75.00 |
| • | 12.50 | 100.00 |
| • | $\frac{12.50}{20.00}$ | 150.00 |
| 10,00 == =0.00000000000000000000000000000 | 20.00 | 150.00 |
| o ou in an approximation | 7 001 | |
| Hamamelis japonica. Japanese Witchhaz | | 10000 |
| 18 to 24 in 1.50 | 12.50 | 100.00 |
| 2 to 3 ft 1.75 | 15.00 | 125.00 |
| japonica rubra. 20' | | |
| 18 to 24 in 2.00 | 17.50 | 150.00 |
| 2 to 3 ft | 20.00 | 175.00 |
| 3 to : 4 ft | 25.00 | |
| vernalis. Vernal Witch Hazel. 6' | | |
| 2 to 3 ft | 10.00 | 75.00 |
| 3 to 4 ft | 12.50 | 100.00 |
| 4 to 5 ft 2.00 | 17.50 | |
| vernalis tomentella. 6' | | • |
| 2 to 3 ft 2.00 | 15.00 | 125.00 |
| 3 to 4 ft 2.25 | 17.50 | 150.00 |
| 4 to 5 ft | 22.50 | |
| virginiana. Witch Hazel. 15' | | |
| 2 to 3 ft | 4.50 | 40.00 |
| 3 to 4 ft | 5.50 | 50.00 |
| 4 to 5 ft | 6.50 | 60.00 |
| 5, to 6 ft | 7.00 | 65.00 |
| in the first 6 to 8 ft | 8.50 | 75.00 |
| 61) 8 to 10 ft 1.50 | 12.50 | 100.00 |
| Hedera helix. English Ivy. 20' | | |
| 2 year, 4 in. pots50 | 4.00 | 30.00 |
| 3 year, 4 in. pots60 | 5.00 | 40.00 |
| helix baltica. 15' | | |
| 2 year, 3 in. pots75 | 6.00 | 50.00 |
| helix conglomerata. 10' | | |
| 2 year, 3 in. pots 1.00 | + | |
| helix gracilis. Small-leaved English | lvy. 10' | |
| 2 year, 3 in. pots50 | 4.00 | 30.00 |
| 3 year, 3 in. pots60 | 5.00 | 40.00 |
| Helwingia, japonica. 5' | | |
| 12 to 15 in., 3 in. pots 1.00 | 7.50 | |
| 22 to 20 1, o 1 pous 1.00 | 1.00 | |

| Hibiscus | syriacus. Shrub Althea. | 12' | | |
|----------|---|--|--|----------------------------------|
| 3 1 | 1 | Each | Per 10 | Per 100 |
| doui | ole varieties. | 9.5 | 0.50 | 10.00 |
| | 2 to 3 ft | .35 | 2.50 | 18.00 |
| | | .40 | 3.00 | 22.00 |
| | 4 to 5 ft | .50 | 3.50 | 30.00 |
| | 5 to 6 ft | .60 | | |
| . | 6 to 8 ft | | | 50.00 |
| | 8 to 10 ft. hvy. B. & B. | 5.00 | 40.00 | |
| | Ardens—Purple. Banner—Blush. | | | |
| | Jeanne d'Arc—White. | * 4 | | |
| | | hadad w | 1000 | |
| 1,14. | Lady Stanley—White, sl Rubra Plena—Red. | naueu r | ose. | |
| · | | | - | |
| | Speciosa Plena—Pink. | | | |
| sing | le varieties. | | | |
| | 2 to 3 ft | .35 | 2.50 | |
| | 3 to 4 ft | .40 | 3.00 | 22.00 |
| | 4 to 5 ft | .50 | 3.50 | 30.00 |
| | 5 to 6 ft | .60 | 5.00 | 40.00 |
| | Coelestis—Blue. | | | |
| | Rosea—White, crimson of | eye. | | |
| | Rubis—Red. | | | |
| | | | | |
| | Totus albus—White. | | | |
| varie | | l Althea | . 8' | |
| varie | Totus albus—White. | l Althea .35 | . 8' 3.00 | 25.00 |
| varie | Totus albus—White. egatus. Variegated leaved | | | $25.00 \\ 35.00$ |
| varie | Totus albus—White. egatus. Variegated leaved 2 to 3 ft | .35 | 3.00 | |
| | Totus albus—White. egatus. Variegated leaved 2 to 3 ft | .35 .50 .60 | 3.00 4.00 5.00 | 35.00 40.00 |
| | Totus albus—White. egatus. Variegated leaved 2 to 3 ft | .35 .50 .60 s Varie | 3.00 4.00 5.00 gated Althe | 35.00 40.00 a. 6' |
| | Totus albus—White. egatus. Variegated leaved 2 to 3 ft | .35 .50 .60 s Varie | 3.00 4.00 5.00 gated Althe 3.50 | 35.00 40.00 |
| vario | Totus albus—White. 2 to 3 ft | .35 .50 .60 s Varie .40 .50 | 3.00 4.00 5.00 gated Althe 3.50 4.50 | 35.00 40.00 a. 6' 30.00 |
| vario | Totus albus—White. 2 to 3 ft | .35 .50 .60 s Varie .40 .50 | 3.00 4.00 5.00 gated Althe 3.50 4.50 | 35.00 40.00 a. 6' 30.00 |
| vario | Totus albus—White. 2 to 3 ft | .35 .50 .60 s Varie .40 .50 75' 1.50 | 3.00 4.00 5.00 gated Althe 3.50 4.50 | 35.00 40.00 a. 6' 30.00 |
| vario | Totus albus—White. 2 to 3 ft | .35 .50 .60 s Varie .40 .50 75' 1.50 | 3.00 4.00 5.00 gated Althe 3.50 4.50 | 35.00 40.00 a. 6' 30.00 |
| vario | Totus albus—White. 2 to 3 ft | .35 .50 .60 s Varie .40 .50 75' 1.50 2.00 | 3.00 4.00 5.00 gated Althe 3.50 4.50 | 35.00 40.00 a. 6' 30.00 |
| vario | Totus albus—White. 2 to 3 ft | .35 .50 .60 s Varie .40 .50 75' 1.50 2.00 | 3.00 4.00 5.00 gated Althe 3.50 4.50 | 35.00 40.00 a. 6' 30.00 |
| vario | Totus albus—White. 2 to 3 ft | .35 .50 .60 s Varie .40 .50 75' 1.50 2.00 horn. 1 | 3.00 4.00 5.00 gated Althe 3.50 4.50 | 35.00 40.00 a. 6' 30.00 |
| vario | Totus albus—White. 2 to 3 ft | .35 .50 .60 s Varie .40 .50 75' 1.50 2.00 horn. 1 | 3.00 4.00 5.00 gated Althe 3.50 4.50 | 35.00 40.00 a. 6' 30.00 |
| vario | Totus albus—White. 2 to 3 ft | .35 .50 .60 s Varie .40 .50 75' 1.50 2.00 horn. 1 1.00 1.25 2.00 | 3.00 4.00 5.00 gated Althe 3.50 4.50 | 35.00 40.00 a. 6' 30.00 |
| vario | Totus albus—White. 2 to 3 ft | .35 .50 .60 s Varie .40 .50 75' 1.50 2.00 horn. 1 1.00 1.25 2.00 2.50 | 3.00 4.00 5.00 gated Althe 3.50 4.50 2' 7.50 10.00 15.00 | 35.00 40.00 a. 6' 30.00 |
| vario | Totus albus—White. 2 to 3 ft | .35 .50 .60 s Varie .40 .50 75' 1.50 2.00 horn. 1 1.00 1.25 2.00 2.50 3.00 | 3.00 4.00 5.00 gated Althe 3.50 4.50 7.50 10.00 15.00 20.00 | 35.00 40.00 a. 6' 30.00 |
| vario | Totus albus—White. 2 to 3 ft | .35 .50 .60 s Varie .40 .50 75' 1.50 2.00 horn. 1 1.00 1.25 2.00 2.50 3.00 | 3.00 4.00 5.00 gated Althe 3.50 4.50 7.50 10.00 15.00 20.00 | 35.00 40.00 a. 6' 30.00 |

| *Hovenia du | lcis. | Raisintree. | <i>6'</i> | | | |
|--------------|---------|-------------------|-----------|---------------------|---|--------------------|
| n 1 | | € 1 | | Each | Per 10 | Per 100 |
| 3 t | | ft | | $2.00 \\ 2.50$ | $\begin{array}{c} 15.00 \\ 20.00 \end{array}$ | $125.00 \\ 150.00$ |
| | | ft | | $\frac{2.50}{3.50}$ | 25.00 | 190.00 |
| 5 t | to 6 | ft | • • • | 5.50 | 25.00 | |
| Hydrangea a | arbore | escens. $Smod$ | oth E | Iydrange | ea. 6' | |
| _ • | | ft | | .40 | 3.00 | 25.00 |
| | | ft | | .50 | 4.00 | 35.00 |
| 4 t | o 5° | ft | • • • | .60 | 5.00 | 45.00 |
| arbores | cens g | randiflora. | Snor | vhill Hy | drangea. | 6' |
| 2 t | o 3 | ft | | .40 | 3.00 | 25.00 |
| 3 t | o 4 | ft | | .50 | 4.00 | 35.00 |
| 4 t | o 5 | ft | | .60 | 5.00 | 45.00 |
| cineria | sterili | is. Ashy Hy | ıdran | gea. 6' | | |
| | | ft | | | 4.00 | 30.00 |
| | | | | | | |
| - | | aksa. 3' | | 75 | C 00 | 50.00 |
| 4 | year. | • • • • • • • • • | • • • | .75 | 6.00 | 50.00 |
| opuloide | es The | os. Hogg. 3 | , | | | |
| 4 | year. | • • • • • • • • • | · . : | .75 | 6.00 | 50.00 |
| panicula | ata. I | Panicle Hydro | angea | . 10' | | |
| 2 t | o 3 | ft | | .35 | 2.50 | 20.00 |
| 3 t | o 4 | ft | | .45 | 3.50 | 30.00 |
| 4 t | to 5 | ft | | .60 | 5.00 | 40.00 |
| panicula | ata ør | andiflora. P | eeaee | Hudran | ngea. 10' | |
| 2 t | _ | ft | _ | .40 | 3.00 | 25.00 |
| | | ft | • | .45 | 3.50 | 30.00 |
| | | ft. tree form | | 1.00 | 7.50 | 30.00 |
| | | ft. tree form | | 1.25 | | |
| | | | | | | |
| _ | _ | aecox. 10' | | CO | F 00 | |
| | | ft | | .60 | 5.00 | |
| ડ ા | 0 4 | ft | • • • | .75 | 6.00 | |
| petiolar | is. Cl | limbing Hydr | angeo | ι. | | |
| 4 i | inch 1 | pots | | 1.00 | 8.50 | 75.00 |
| quercifo | olia. | Oakleaf Hydi | range | a. 4' | | |
| 2 t | o 3 | ft | | 1.00 | 7.50 | 60.00 |
| 3 t | o 4 | ft | | 1.25 | | |
| radiata. | Silv | erleaf Hydra | ngea. | 6 ' | | |
| | | ft | - | .50 | 4.00 | 35.00 |
| | | ft | | .60 | 5.00 | 40.00 |
| | | | | | | |

| Hypericum | arno | ldianum. | 5' | | | |
|--------------|-------------|----------------------|---------------|----------------|--------|---------|
| 12 | to 2 | 4 in | | Each .75 | Per 10 | Per 100 |
| | | | | | | |
| aureur | | folden St. 4 in | | t. 4' | 3.00 | 25.00 |
| | | 3 ft | | .40 | 3.50 | 30.00 |
| | | 4 ft | | .50 | 4.00 | 35.00 |
| | | | | | 4.00 | 33.00 |
| | | ountain St es | | | 5.00 | 40.00 |
| | | | • • • • • • | .60 | 5.00 | 40.00 |
| densifl | | | | 4.0 | 0.00 | 05.00 |
| | | $4 \text{ in} \dots$ | | .40 | 3.00 | 25.00 |
| | | 3 ft | | .45 | 3.50 | 30.00 |
| | | 4 ft | • • • • • • | .50 | 4.00 | 35.00 |
| kalmia | | • | | 4.0 | 0.00 | 25.00 |
| | | 4 in | | .40 | 3.00 | 25.00 |
| | | 3 ft | | .45 | 3.50 | 30.00 |
| | | 4 ft | • • • • • • | .50 | 4.00 | 35.00 |
| loboca | _ | | | | | |
| | | 3 ft | | .50 | 4.00 | 35.00 |
| 3 | to 4 | 4 ft | | .60 | 5.00 | 40.00 |
| moseri | anum | . Goldflo | rver. 2' | | | |
| 15 | to 18 | 3 in | | .50 | 4.00 | 35.00 |
| 18 | to 24 | 1 in | | .60 | 5.00 | 40.00 |
| patulu | m. J | Tapanese H | Hypericum | ı. 3' | | |
| 18 | to 24 | 4 in | | .60 | 5.00 | 40.00 |
| patulu | m he | nryi. Hen | ry Hyper | icum. 4' | | |
| 18 | to 24 | in | | .45 | 4.00 | 35.00 |
| 2 | to 3 | 3 ft | | .50 | 4.50 | |
| prolific | um. | Shrubby | $St.\ Johnst$ | wort. 5' | | |
| _ | | in | | | 3.00 | 25.00 |
| | | 3 ft | | .45 | 3.50 | |
| | | | | | | |
| Idesia polyo | _ | | | 4 F 0 . | 10 50 | |
| 2 | to a | 3 ft | | 1.50 | 12.50 | |
| Ilex cornut | a. C | hinese Hol | lly. 10' | | | |
| | | l in | - | 2.00 | | |
| | | panese Ho | | | | |
| | | | _ | 2.50 | 20.00 | 175.00 |
| | | | | | 30.00 | |
| | | ata. 10' | | | | |
| | | in | .B. & B. | 1.75 | 15.00 | 125.00 |
| | | folia. 10' | | | | |
| | | in | .B. & B. | 3.00 | 25.00 | |

| • | 9 | | | |
|---|---|---|----|--|
| Ł | ı | • | 37 | |
| ш | - | | х | |

| Each Per 10 | Per 100 |
|--|-----------------|
| crenata microphylla. Little Leaf Japanese Holly | . 10' |
| 18 inB. & B. 3.00 25.00 | |
| geniculata. 5' | |
| 3 to 4 ft 1.50 12.50 | |
| 4 to 5 ft 1.75 15.00 | ** |
| 1 1 Tulebours O' | |
| glabra. Inkberry. 8' 12 to 15 in | 125.00 |
| 12 to 15 inB. & B. 1.75 15.00 15 to 18 inB. & B. 2.00 17.50 | 150.00 |
| 18 to 24 inB. & B. 2.50 22.50 | 200.00 |
| 24 to 30 inB. & B. 3.00 27.50 | 250.00 |
| 30 to 36 inB. & B. 3.50 30.00 | 200.00 |
| 36 to 42 inB. & B. 5.00 40.00 | |
| 30 to 42 mb. & b. 5.00 40.00 | |
| laevigata. Smooth Winterberry. 6' | |
| 2 to 3 ft | 45.00 |
| 3 to 4 ft 1.00 7.50 | 60.00 |
| monticola. Mountain Winterberry. 10' | |
| 2 to 3 ft | |
| Amaniaan Haller 101 | |
| opaca. American Holly. 40' | 250.00 |
| 2 ftB. & B. 3.50 30.00 3 ftB. & B. 5.00 45.00 | 250.00 350.00 |
| 4 ftB. & B. 7.50 60.00 | 500.00 |
| 5 ftB. & B. 10.00 75.00 | 600.00 |
| 6 ftB. & B. 12.50 100.00 | 750.00 |
| 7 ftB. & B. 15.00 125.00 | 100.00 |
| 8 ftB. & B. 20.00 | |
| | |
| serrata. syn. sieboldi. Finetooth Holly. 12' | |
| | 75.00 |
| 3 to 4 ft 1.50 12.50 | |
| 4 to 5 ft 2.00 | |
| verticillata. Common Winterberry. 6' | |
| 2 to 3 ft | |
| 3 to 4 ft | |
| 4 to 5 ft | |
| 5 to 6 ft 1.00 8.50 | 75.00 |
| verticillata chrysocarpa. Yellow-fruited Winterb | erry. 6' |
| 2 to 3 ft 1.50 12.50 | • |
| | |
| Indigofera amblyantha. Pink Indigo. 6' | 75.00 |
| 2 to 3 ft 1.25 10.00 | 75.00 |

| Indigofera. | |
|-------------|--|
|-------------|--|

| indigotera. | Each | Don 10 | Do: 100 |
|-------------------------------------|-----------|--------------|---------|
| kirilowi. Kirilow Indigo. | 4' | Per 10 | Per 100 |
| 2 ft | 2.00 | | |
| potanini. Potanin Indigo. 5' | | | |
| 2 to 3 ft | 1.25 | 10.00 | 75.00 |
| 3 to 4 ft | | 12.50 | |
| 0 10 1 10, | 1.00 | 12.00 | 100.00 |
| Itea virginica. Sweetspire. 3' | | | |
| 2 to 3 ft | .75 | 6.00 | 50.00 |
| Jasminum nudiflorum. Winter Ja | smine. 3' | | |
| 15 to 18 in | .50 | 4.00 | 30.00 |
| 18 to 24 in | | 5.00 | 40.00 |
| stephanense. 3' | ••• | 0. 00 | 20.00 |
| • | 1.05 | 10.00 | 75.00 |
| 2 ft., 4 in. pots | 1.25 | 10.00 | 75.00 |
| Juglans cinerea. Butternut. 75' | | | |
| 6 to 8 ft | 1.50 | 12.50 | |
| 8 to 10 ft | | 15.00 | |
| 1½ to 1¾ in | | 17.50 | |
| 1 ¾ to 2 in | | | |
| 2 to 2½ in | | 30.00 | |
| nigra. Black Walnut. 80' | | | |
| 6 to 8 ft | 1.50 | 12.50 | 100.00 |
| 8 to 10 ft | | | 125.00 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | | | 150.00 |
| $1\frac{3}{4}$ to 2 in | | 22.50 | 200.00 |
| $\frac{1}{4}$ to $\frac{2}{2}$ in | | | 200.00 |
| $2\frac{1}{2}$ to 3 in | | 30.00 | |
| | | | |
| regia. English or Persian Wo | | | |
| 3 to 4 ft | | 12.50 | |
| 4 to 5 ft | 2.00 | 15.00 | |
| sieboldiana. Japanese Walnu | | | |
| 6 to 8 ft | | 12.50 | |
| 8 to 10 ft | | 15.00 | |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | | | |
| 1 % to 2 in | | | |
| 2 to 2½ in | | | |
| 2½ to 3 in | 5.00 | 40.00 | |

| Juniperus chinensis. Chinese Juniz | per. 20 | , | |
|------------------------------------|----------|---|--------------------|
| | Each | Per 10 | Per 100 |
| 2 ftB. & B. | | $\begin{array}{c} 20.00 \\ 30.00 \end{array}$ | 150.00 |
| 3 ftB. & B. | | | 250.00 |
| 4 ftB. & B. | • | | 350.00 |
| 5 ftB. & B. | | 55.00 | 450.00 |
| 6 ftB. & B. | | 70.00 | 600.00 |
| 7 ftB. & B. | | 80.00 | 750.00 |
| 8. ft | | 100.00 | |
| For larger sizes to 14 ft., add | ı ֆə.uu | per 100t. | · |
| chinensis albovariegata. Whi | teleaf C | hinese Junipe | er. 20' |
| 3 ftB. & B. | 6.00 | 50.00 | |
| 4 ftB. & B. | 7.00 | | \$ ** |
| 5 ftB. & B. | 8.00 | | |
| 6 ftB. & B. | 10.00 | | |
| chinensis columnaris. Colum | nar Chi | nese Juniper. | 20 ' |
| 4 ftB. & B. | 6.00 | 50.00 | 400.00 |
| 5 ftB. & B. | 7.50 | 60.00 | 500.00 |
| 6 ftB. & B. | 10.00 | 75.00 | 600.00 |
| chinensis globosa. Globe Chin | ese Jun | iper. 5' | |
| 18 inB. & B. | 3.50 | 30.00 | 250.00 |
| 24 inB. & B. | 4.00 | 35.00 | 300.00 |
| 36 inB. & B. | 5.00 | 40.00 | |
| chinensis mas. 10' | | | |
| 2 ftB. & B. | 3.00 | 25.00 | 200.00 |
| 2½ ftB. & B. | 4.00 | 35.00 | 300.00 |
| 3 ftB. & B. | 5.00 | 45.00 | 400.00 |
| 3 ½ ftB. & B. | 6.00 | 55.00 | |
| 4 ftB. & B. | 7.50 | 60.00 | |
| chinensis neaboriensis. Conic | al Chin | ese Juniper. | <i>10</i> ′ |
| 3 ftB. & B. | 4.00 | | |
| 4 ftB. & B. | 5.00 | | |
| 5 ftB. & B. | 6.00 | | |
| 6 ftB. & B. | 7.50 | | |
| 7 ftB. & B. | 10.00 | . & | |
| 8 ftB. & B. | 12.50 | | |
| 9 ftB. & B. | 15.00 | , | |
| chinensis oblonga. 8' | | | |
| 3 ftB. & B. | 4.00 | | |
| 4 ftB. & B. | | | |
| 5 ftB. & B. | 7.50 | | |

Juniperus

| perus | Each | Per 10 | Per 100 |
|-------------------------------|-------------|------------|-----------|
| chinensis pfitzeriana. Pfitze | | | 1 01 100 |
| 18 to 24 in.sprd.B.&H | _ | 15.00 | 125.00 |
| 2 to 2½ ft.sprd.B. & I | | 20.00 | 150.00 |
| 2½ to 3 ft.sprd.B. & I | | 25.00 | 200.00 |
| 3 to 3½ ft.sprd.B. & B | | 35.00 | 300.00 |
| 3½ to 4 ft.sprd.B. & H | | 45.00 | 400.00 |
| 4 to 4½ ft.sprd.B. & I | 3. 7.00 | 60.00 | 500.00 |
| 4½ to 5 ft.sprd.B. & H | 8.50 | 75.00 | 650.00 |
| 5 to 6 ft.sprd.B. & H | 3. 10.00 | 90.00 | 800.00 |
| 6 to 7 ft.sprd.B. & I | 3. 12.50 | 110.00 | 1000.00 |
| (Upright form can be furn | ished in si | zes 18" | to 4') |
| | | | |
| chinensis sargenti. Sargent | Juniper. | 2 ' | |
| 18 inB. & F | 3.00 | 27.50 | 250.00 |
| 24 in | 3. 4.00 | 37.50 | 350.00 |
| 30 inB. & H | 3. 6.00 | 50.00 | |
| | 051 | | |
| communis. Common Juniper | | 17 50 | 150.00 |
| 2 ftB. & I | | 17.50 | 150.00 |
| 3 ftB. & F | | 22.50 | 200.00 |
| 4 ftB. & F | | 35.00 | 300.00 |
| 5 ftB. & F | | 45.00 | 400.00 |
| 6 ftB. & I | | 55.00 | 500.00 |
| 7 ftB. & F | | 65.00 | 600.00 |
| 8 ftB. & F | 3. 9.00 | 80.00 | 750.00 |
| communis dayi 25' | | | |
| 3 ftB. & I | 3.00 | 25.00 | |
| 4 ftB. & I | | 35.00 | |
| | | | |
| communis depressa Prostr | * | | |
| 18 to 24 in. sprd.B. & I | | 15.00 | 100.00 |
| 24 to 30 in. sprd.B. & I | | 17.50 | 150.00 |
| 2½ to 3 ft. sprd.B. & I | | 27.50 | 250.00 |
| 3 to 4 ft. sprd.B. & I | | 35.00 | _ |
| 4 to 5 ft. sprd.B. & I | 3. 5.00 | 45.00 | 400.00 |
| communis depressa aurea. | Kolden Pros | trate In | niver. 3' |
| 18 to 24 in.sprd.B. & I | | 20.00 | порон о |
| 24 to 30 in.sprd.B. & I | | 25.00 | |
| 2½ to 3 ft.sprd.B. & I | | 35.00 | |
| 3 to 3½ ft.sprd.B. & I | | 45.00 | |
| 3½ to 4 ft.sprd.B. & I | | 50.00 | |
| 4 to 5 ft.sprd.B. & I | | 65.00 | |
| • | | | |

Juniperus

| inperus | Each | Per 10 | Per 100 |
|------------------------------|------------|---------------|----------|
| communis depressa plumosa. | 230011 | 20110 | 1 01 100 |
| Purple Spreading Juniper. | <i>3</i> ′ | | |
| 18 to 24 in. B. & B. | 2.50 | 20.00 | 150.00 |
| 24 to 30 in. B. & B. | 3.00 | 25.00 | 200.00 |
| 2½ to 3 ft. B. & B. | 3.50 | 30.00 | |
| 3 to 3½ ft. B. & B. | 5.00 | 40.00 | |
| | | | |
| communis hibernica. Irish Ju | iniper. | 15' | |
| 2 ftB. & B. | 1.50 | 12.50 | 100.00 |
| 3 ftB. & B. | 2.00 | 17.50 | 150.00 |
| 4 ftB. & B. | 3.00 | 25.00 | 200.00 |
| 5 ftB. & B. | 4.00 | 35.00 | 300.00 |
| 6 ftB. & B. | 6.50 | 55.00 | 450.00 |
| 7 ftB. & B. | 8.50 | 75.00 | |
| 8 ftB. & B. | 10.00 | 90.00 | |
| communis kraccovica. Polish | Tuning | r 10° | |
| | _ | 1.0 | |
| 2 ftB. & B. | | | |
| 3 ftB. & B. | 2.50 | | |
| communis suecica. Swedish J | Juniper. | 25' | |
| 2 ftB. & B. | 1.75 | 15.00 | 125.00 |
| 3 ftB. & B. | | | 200.00 |
| 4 ftB. & B. | | | 300.00 |
| 5 ftB. & B. | | | |
| | . ~ | 7. 7. 7 | -• |
| communis suecica nana. Dwa | arf Swee | dish Juniper. | . 6' |
| 2 ftB. & B. | 3.00 | 25.00 | |
| 3 ftB. & B. | 4.00 | | |
| 4 ftB. & B. | 5.00 | 40.00 | |
| conferta. Shore Juniper. 5' | | | |
| 18 in | 3.00 | 25.00 | |
| 3 ft | 4.50 | | |
| 5 1t | 4.50 | 40.00 | |
| excelsa. Greek Juniper. 50' | | | |
| 3 ftB. & B. | 2.50 | 22.50 | |
| 4 ftB. & B. | 4.00 | 35.00 | |
| 5 ftB. & B. | 5.00 | 45.00 | |
| 6 ftB. & B. | 6.00 | 55.00 | |
| 7 ftB. & B. | 7.50 | 65.00 | 600.00 |
| 8 ftB. & B. | 9.00 | 80.00 | 750.00 |
| 9 ftB. & B. | 10.00 | 90.00 | 850.00 |
| 10 ftB. & B. | 12.00 | 100.00 | |
| | | | |

Juniperus

| · | Each | Per 10 | Per 100 |
|------------------------------|-----------|-------------------|------------------|
| excelsa stricta. Spiny Greek | | 6' | |
| 18 inB. & B. | | 17.50 | 150.00 |
| 2 ftB. & B. | | 25.00 | 200.00 |
| 2 ½ ftB. & B. | | 30.00 | 250.00 |
| 3 ftB. & B. | | 35.00 | 300.00 |
| 3 ½ ftB. & B. | | 45.00 | 400.00 |
| 4 ftB. & B. | | 60.00 | 500.00 |
| 4 ½ ftB. & B. | | 75.00 | |
| 5 ftB. & B. | | 85.00 | |
| 5 ½ ftB. & B. | | 100.00 | |
| 6 ftB. & B. | | 125.00 | |
| 7 ftB. & B. | | | |
| 8 ftB. & B. | 20.00 | | |
| | | | |
| horizontalis. Creeping Junip | | 4 = - ^ | 4 F 0 0 0 |
| 18 to 24 in.sprd.B. & B. | | 17.50 | 150.00 |
| 24 to 30 in.sprd.B. & B. | | 22.50 | 200.00 |
| 2 ½ to 3 ft.sprd.B. & B. | | 27.50 | 250.00 |
| 3 to 3½ ft.sprd.B. & B. | 4.00 | 35.00 | 300.00 |
| lasta de Dina Co | | | |
| horizontalis glauca. Blue Cr | | | 150.00 |
| 18 to 24 in.sprd.B. & B. | | 17.50 | 150.00 |
| 24 to 30 in.sprd.B. & B. | | | 200.00 |
| 2½ to 3 ft.sprd.B. & B. | | 27.50 | 250.00 |
| 3 to 3½ ft. sprd.B. & B. | 4.00 | 35.00 | 300.00 |
| japonica. Japanese Juniper. | <i>Q*</i> | | |
| 18 in | | 20.00 | 150.00 |
| 2 ftB. & B. | | | 200.00 |
| 3 ftB. & B. | | | 200.00 |
| 4 ftB. & B. | | | |
| 4 10 | , | 10.00 | |
| japonica aurea. Golden Japa | anese Jur | iper. 8' | |
| 18 inB. & B. | | | |
| 2 ftB. & B. | | | |
| 3 ftB. & B. | | • | |
| | | 1 | |
| recurva. Himalayan Juniper. | | | |
| 2 ftB. & B. | . 3.5U | | |
| rigida. Needle Juniper. 30' | | b ₁₁ , | |
| 2 ftB. & B. | 4.00 | 30.00 | |
| 3 ftB. & B. | | | |
| | | | |

| - 1 | | | • | | | | | |
|-----|---|---|---|---|---|---|---|---|
| J | u | n | 1 | p | e | r | u | S |

| • | | | | Each | Per 10 | Per 100 |
|-------------------|----------------|-----------------|-----------|---------|-------------------|---------|
| sabina. | | Juniper. 6' | | | | |
| 2 to | $2\frac{1}{2}$ | ft.sprd.B. & | | 2.00 | 17.50 | 150.00 |
| $2\frac{1}{2}$ to | 3 | ft.sprd.B. & | | 3.00 | 25.00 | 200.00 |
| 3 to | $3\frac{1}{2}$ | ft.sprd.B. & | В. | 3.50 | 30.00 | 250.00 |
| $3\frac{1}{2}$ to | 4 | ft.sprd.B. & | В. | 4.50 | 40.00 | 350.00 |
| 4 to | $4\frac{1}{2}$ | ft.sprd.B. & | В. | 6.50 | 55.00 | 450.00 |
| $4\frac{1}{2}$ to | 5 | ft.sprd.B. & | В. | 7.50 | 65.00 | |
| sahina t | amari | scifolia. Tar | nar | ix Savi | n. 2' | |
| | 24 | in.sprd.B. & | | 2.50 | 22.50 | 200.00 |
| | 30 | in.sprd.B. & | | 3.50 | 30.00 | 275.00 |
| $2\frac{1}{2}$ to | | - | | 4.00 | 35.00 | 325.00 |
| $\frac{2}{3}$ to | | ft.sprd.B. & | | 6.00 | 50.00 | 400.00 |
| 5 10 | J 72 | rt.spra.D. & | D. | 0.00 | 30.00 | 400.00 |
| scopulo | rum. | Colorado Juni | per | . 40' | | |
| 3 : | ft | B. & | В. | 4.00 | 35.00 | 300.00 |
| 4 : | ft | B. & | В. | 5.00 | 45.00 | 400.00 |
| 5 | ft | B. & | В. | 6.00 | 55.00 | 500.00 |
| 6 | ft | B. & | В. | 8.00 | 70.00 | 600.00 |
| 7 | ft | B. & | В. | 10.00 | 80.00 | 700.00 |
| 8 | ft | B. & | В. | 12.50 | 100.00 | |
| For | r large | er sizes to 16 | ft | ., add | \$5.00 per | foot. |
| sphaeric | 2 | | | | | |
| | | B. & : | R | 3.00 | 25.00 | |
| | | B. & | | 4.00 | 35.00 | |
| | | | | | | |
| | | panese Trailin | | | <i>3</i> ′ | |
| 2 to | $2\frac{1}{2}$ | ft. sprd.B. & | В. | 5.00 | | |
| squama | ta mev | veri. Meyer . | Jun | iper. A | ; ' | |
| | | nB. & | | | 25.00 | |
| | | nB. & | | | | |
| | | | | | | |
| | | Red Cedar. 40 | | 0.50 | 99.50 | 200.00 |
| | | B. & | | 2.50 | 22.50 | 200.00 |
| | | B. & | | 4.00 | | |
| | | B. & 1 | | 5.00 | | 400.00 |
| | | B. & | | 6.00 | | 500.00 |
| | | B. & | | 8.50 | | |
| 8 - | Ft | B. & | В. | 12.00 | 110.00 | 1000.00 |
| | | | | | | |
| 9 : | ft | В. & | В. | | 135.00 | 1250.00 |
| 9 : | ft ft | | В. В. | 17.50 | 160.00 | 1500.00 |

virginiana burki. Syn. virginiana venusta.

| - | | | ٠ | | | | |
|---|---|---|---|---|---|----|---|
| J | u | n | 1 | p | e | ru | S |

| iperus | | | | |
|-----------------------|----------------|-----------|-------------|--------------------|
| | | Each | Per 10 | Per 100 |
| virginiana cannarti. | Cannart | Red C | edar. 15' | |
| 3 ft | В. & В. | 3.50 | 32.50 | 300.00 |
| 4 ft | | | 47.50 | |
| 5 ft | | | 65.00 | 600.00 |
| 6 ft | | | | 800.00 |
| 7 ft | | | | 1000.00 |
| 8 ft | .В. & В. | 15.00 | 135.00 | 1250.00 |
| 9 ft | .B. & B. | 17.50 | 160.00 | 1500.00 |
| 10 ft | .B. & B. | 20.00 | 190.00 | 1800.00 |
| For larger sizes | to 18 ft | ., add | \$5.00 per | foot. |
| | | | | |
| virginiana elegantiss | ima. <i>Go</i> | ldtip R | ed Cedar. | <i>15</i> ′ |
| 2 ft | .В. & В. | 4.50 | 40.00 | |
| 3 ft | .B. & B. | 5.50 | 50.00 | |
| 4 ft | .B. & B. | 6.50 | 60.00 | |
| 5 ft | .B. & B. | 7.50 | | |
| 6 ft | | | | |
| 7 ft | .B. & B. | 15.00 | | |
| 8 ft | . B. & B. | 20.00 | | |
| virginiana glauca. S | lilver Red | l Cedar | . 25' | |
| 3 ft | .B. & B. | 3.50 | 32.50 | 300.00 |
| 4 ft | | | 47.50 | |
| 5 ft | . B. & B. | 7.50 | 65.00 | 600.00 |
| 6 ft | .B. & B. | 10.00 | 85.00 | 800.00 |
| 7 ft | .B. & B. | 12.00 | 110.00 | 1000.00 |
| 8 ft | .B. & B. | 15.00 | 135.00 | |
| 9 ft | .B. & B. | 20.00 | | |
| For larger sizes | to 18 ft. | ., add \$ | 35.00 per 1 | foot. |
| virginiana globosa. | Globe Re | ed Ceda | r. 4' | |
| 18 to 24 in | .B. & B. | 3.50 | 30.00 | 250.00 |
| 24 to 30 in | | | | |
| | | | | |
| virginiana keteleeri. | <i>15</i> ′ | | | |
| 2 ft | .B. & B. | 3.50 | 30.00 | 250.00 |
| 3 ft | | | | |
| 4 ft | | | | |
| 5 ft | | | 60.00 | |
| | | | | |

| Ju | ni | pe | er | us |
|----|----|----|----|----|

| Juniperus | TD 10 | TD 100 |
|---|---------------|---------|
| virginiana kosteri. Koster Red Cedar. | Per 10 4' | Per 100 |
| 2 to 2½ ft.sprd.B. & B. 3.00 | 25.00 | 225.00 |
| 2½ to 3 ft.sprd.B. & B. 4.00 | 35.00 | 300.00 |
| 3 to 3½ ft.sprd.B. & B. 4.50 | 40.00 | 375.00 |
| 3 ½ to 4 ft.sprd.B. & B. 6.00 | 50.00 | 3,0,00 |
| 4 to 4½ ft.sprd.B. & B. 7.50 | 65.00 | |
| 4 ½ to 5 ft.sprd.B. & B. 10.00 | 80.00 | |
| virginiana pendula. Weeping Red Cede | | |
| | <i>(1. 19</i> | |
| 6 ftB. & B. 12.00 | | |
| 7 ftB. & B. 15.00 | m | |
| virginiana schotti. Schott Red Cedar. | | 222 |
| 3 ftB. & B. 4.00 | 35.00 | 300.00 |
| 4 ftB. & B. 5.00 | 47.50 | |
| 5 ftB. & B. 7.50 | | |
| 6 ftB. & B. 10.00 | 85.00 | |
| 7 ft B. & B. 12.00 | 110.00 | |
| For larger sizes to 16 ft., add \$5 | .00 per | foot. |
| virginiana tripartita. Fountain Red Ce | edar. 5' | |
| 2 ftB. & B. 3.50 | 30.00 | |
| $2\frac{1}{2}$ ft | 35.00 | |
| 3 ftB. & B. 5.00 | | |
| virginiana venusta. 15' | | |
| 3 ftB. & B. 4.00 | 35.00 | 300.00 |
| 4 ftB. & B. 5.00 | 40.00 | 300.00 |
| 5 ftB. & B. 7.50 | 60.00 | |
| | 75.00 | |
| 7 ftB. & B. 12.50 | | |
| 8 ftB. & B. 15.00 | 125.00 | |
| o 1t B. & B. 15.00 | 125.00 | |
| Kalmia latifolia. Mountain Laurel. 6' | | |
| 18 to 24 inB. & B. 3.00 | 25.00 | 200.00 |
| 2 to 3 ftB. & B. 3.50 | 27.50 | 250.00 |
| 3 to 4 ftB. & B. 4.00 | 37.50 | 350.00 |
| Kerria japonica. Kerria. 4' | | |
| | 4.50 | 40.00 |
| 2 to 3 ft | 5.50 | |
| | | 50.00 |
| japonica florepleno. Double Kerria. 4 | | |
| 12 to 15 in | 6.00 | |
| Koelreuteria paniculata. Goldenrain Tree. | 25' | |
| 4 to 5 ft 1.50 | 12.50 | 100.00 |
| 5 to 6 ft 1.75 | 15.00 | 125.00 |
| 6 to 8 ft 2.75 | | 200.00 |
| | | |

| Kolkwitzia amabilis. Beauty Bush. 8' | |
|--|----------------|
| Each | Per 10 Per 100 |
| 2 to 3 ft | |
| 3 to 4 ft | |
| 4 to 5 ft 1.00 | |
| 5 to 6 ft 1.25 | 5 10.00 |
| *Laburnum alpinum. Scotch Laburnum | . <i>30'</i> |
| 4 to 5 ft 3.50 | |
| 5 to 6 ft 5.00 |) |
| *vulgare. Goldenchain. 20' | |
| 4 to 5 ft 2.00 | 15.00 |
| 5 to 6 ft 3.00 | 25.00 |
| 6 to 8 ft. heavy B. & B. 10.00 |) |
| 8 to 10 ft. heavy B. & B. 12.50 |) |
| 10 to 12 ft. heavy B. & B. 20.00 |) |
| *watereri. Waterer Laburnum. 20 | , |
| 4 ft | |
| | |
| $egin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| 0 10 12.90 | |
| Lagerstroemia indica rubra. Red Crape | myrtle. 12' |
| 18 to 24 in. from pots 1.25 | 5 10.00 |
| Larix dahurica. Dahurian Larch. 60' | |
| 5 to 6 ftB. & B. 2.75 | |
| 6 to 8 ftB. & B. 4.00 | |
| 8 to 10 ftB. & B. 5.00 | |
| europea. European Larch. 60' | |
| 5 to 6 ftB. & B. 4.00 | 35.00 300.00 |
| 6 to 8 ftB. & B. 5.00 | |
| 8 to 10 ftB. & B. 7.50 | |
| 10 to 12 ftB. & B. 12.50 | |
| 12 to 14 ftB. & B. 20.00 | |
| laricina. American Larch. 50' | |
| 6 to 8 ftB. & B. 6.00 | 50.00 |
| 8 to 10 ftB. & B. 7.50 | 60.00 |
| 10 to 12 ftB. & B. 10.00 | 75.00 |
| leptolepis. Japanese Larch. 50' | |
| 4 to 5 ftB. & B. 3.50 | 30.00 |
| 5 to 6 ftB. & B. 4.00 | 35.00 |
| 6 to 8 ftB. & B. 5.00 | 45.00 |
| 8 to 10 ftB. & B. 7.50 | 60.00 |
| 10 to 12 ftB. & B. 12.50 | 100.00 |
| '12 to 14 ftB. & B. 20.00 | 150.00 |

| Laurocerasus officinalis schipkaer | nsis. 10' | | |
|--|-----------|-------------|---------|
| 10 1 15 1 | Each | Per 10 | Per 100 |
| 12 to 15 in., 4 in. pots | | 7.50 | 100.00 |
| 18 to 24 inB. & B. | 1.50 | 12.50 | 100.00 |
| Leiophyllum buxifolium prostratu Allegheny Sandmyrtle. 2' | | | |
| 8 to 12 inB. & B. | 1.25 | 10.00 | |
| Lespedeza bicolor. Shrub Bushclo | | | |
| 2 to 3 ft | .45 | 3.50 | |
| 3 to 4 ft | .50 | 4.00 | |
| 4 to 5 ft | .60 | 5.00 | |
| 5 to 6 ft | 1.00 | 7.50 | |
| formosa syn. penduliflorum. | Purple H | Bushclover. | 4' |
| 2 year | .40 | 3.50 | 30.00 |
| 3 year | .50 | 4.00 | 35.00 |
| formosa albiflora. Japanese | Bushclove | r. 5' | |
| 2 year | .50 | 4.00 | 30.00 |
| Leucothoe catesbaei. Drooping Le | eucothoe. | 4 ° | |
| 15 to 18 inB. & B. | | 15.00 | 125.00 |
| 18 to 24 inB. & B. | 2.00 | 17.50 | 150.00 |
| 24 to 30 inB. & B. | 3.00 | | |
| Ligustrum acuminatum. 10' | | | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| | | | |
| acuminatum macrocarpum. I | | | |
| 2 to 3 ft | .35 | | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| amurense. Amur Privet. 15' | 2.0 | | 40.00 |
| 18 to 24 in | .20 | 1.50 | 12.00 |
| 2 to 3 ft | .30 | 2.00 | 15.00 |
| 3 to 4 ft | .35 | 2.50 | 20.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .65 | 5.50 | 45.00 |
| 6 to 8 ft | .85 | 7.00 | 60.00 |
| ibolium. Ibolium Privet. 8' | | | |
| 18 to 24 in | .25 | 1.80 | 12.00 |
| 2 to 3 ft | | 2.00 | 15.00 |
| 3 to 4 ft | .40 | 3.00 | 20.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |

| ¥ | • | | | | | | |
|---|----|----|---|---|---|---|---|
| L | 18 | 'u | S | t | r | u | m |

| gustrum | Each | Per 10 | Per 100 |
|---|------------|---------------------|----------|
| ibota. Ibota Privet. 10' | Each | 1 61 10 | 1 01 100 |
| 2 to 3 ft | .25 | 1.80 | 12.00 |
| 3 to 4 ft | .35 | 2.50 | 18.00 |
| 4 to 5 ft | .40 | 3.50 | 30.00 |
| The Design of Design of | o ! | | |
| ibota nanum. Pygmy Privet. 18 to 24 in | .30 | 2.00 | 15.00 |
| 2 to 3 ft | .35 | $\frac{2.00}{2.50}$ | 20.00 |
| 3 to 4 ft | | 3.00 | 25.00 |
| 4 to 5 ft | | 3.50 | 30.00 |
| | | 0.00 | 00.00 |
| ibota regelianum. Regel Pri | | | |
| 18 to 24 in. spread | .45 | 3.50 | 30.00 |
| 24 to 30 in. spread | .50 | 4.00 | 35.00 |
| $2\frac{1}{2}$ to 3 ft. spread | | 5.00 | 45.00 |
| 3 to 4 ft. spread | | 6.50 | 60.00 |
| 4 to 5 ft. spread | 1.25 | 10.00 | |
| lodense. Dwarf Privet. 3' | | | |
| 12 to 15 in | 30 | 2.50 | 18.00 |
| 15 to 18 in | 35 | 3.00 | 25.00 |
| 18 to 24 in | 40 | 3.50 | 30.00 |
| 24 to 30 in | 50 | 4.00 | 35.00 |
| ovalifolium. California Prive | et. 10' | | |
| 18 to 24 in | | 1.00 | 6.50 |
| 24 to 30 in | | 1.20 | 7.50 |
| | | | |
| ovalifolium variegatum. Gol | | | 05.00 |
| 15 to 18 in | | 3.00 | 25.00 |
| 18 to 24 in | 45 | 3.50 | 30.00 |
| vulgare. European Privet. | 12' | | |
| 2 to 3 ft | 30 | 2.00 | 15.00 |
| 3 to 4 ft | 35 | 3.00 | 25.00 |
| 4 to 5 ft | 45 | 3.50 | 30.00 |
| 5 to 6 ft | | 5.00 | 40.00 |
| 6 to 8 ft | .75 | 6.00 | 50.00 |
| vulgare foliosum. 10' | | | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| vulgare leucocarpum. Yellor | wberry Pr | ivet. 12' | |
| 2 to 3 ft | .40 | 3.00 | 25.00 |
| 3 to 4 ft | .50 | 3.50 | 30.00 |
| 4 to 5 ft | .60 | 5.00 | 40.00 |
| 5 to 6 ft | .75 | 6.00 | 50.00 |

| Lindera | benzoin | . (Se | e Benzoin d | aestivale). | | |
|----------|-------------------|--------|-----------------------|-------------|-------------|---------|
| *I :aida | mbau f | oum oc | ana Form | Each Sweet | Per 10 | Per 100 |
| Liquida | | | | | 6 | |
| | | | | | | |
| | | | | | 20.00 | |
| | | | | | | |
| *sty | | | veetgum. $	heta$ | | | |
| | | | ft | | 27.50 | 250.00 |
| | 8 to | | ft | | 30.00 | 275.00 |
| | $1\frac{1}{4}$ to | · – | in | | 35.00 | 300.00 |
| | | | in | | 40.00 | 350.00 |
| | 1 3/4 to | | in | | 45.00 | 400.00 |
| | 2 to | | in | | 50.00 | 450.00 |
| | $2\frac{1}{2}$ to | | in | | 75.00 | 600.00 |
| | 3 to | | in | | 125.00 | 1000.00 |
| | 4 to | 5 | in | 25.00 | | |
| 44 | 5 to | 6 | in | 40.00 | | |
| *Liriode | ndron c | hinen | se. Chines | se Tulip T | ree. 70' | |
| | | | | | | |
| 1 | | | | | | |
| +,,1; | nifera | Tulix | otree. 80' | | | |
| | 6 to | | ft | 1.25 | 11.00 | 100.00 |
| i r | 8 to | | ft | | 15.00 | |
| | | | in | | 20.00 | 175.00 |
| | | | in | | 27.50 | 250.00 |
| | 1 ½ to | | in | | 32.50 | 300.00 |
| | 2 to | | in | | 37.50 | |
| | $2\frac{1}{2}$ to | -,- | in | • | 50.00 | 400.00 |
| | 3 to | , | in | | | 400.00 |
| | $3\frac{1}{2}$ to | | in | | 125.00 | |
| | | | | | | |
| *tul | | - L | | | iptree. 70' | |
| ₹ | | , | ft | | | |
| • | | | ft | | | |
| | | | in | | | |
| | | | in | 15.00 | | |
| Lonicera | | | | _ ~ | | |
| 1 11 | | | | | | 50.00 |
| bell | | | hite Belle I | | | 00.00 |
| | | | • • • • • • • • • • • | | | 20.00 |
| , . | | | | | 3.00 | 25.00 |
| | | | • • • • • • • • • | | | 30.00 |
| | | | • • • • • • • • | | 5.00 | 40.00 |
| 1, | 6, to | 5 It | | 75 | 6.00 | 50.00 |

| T | | | ٠ | | | | |
|---|---|---|---|---|---|---|--------------|
| L | O | n | I | C | e | r | \mathbf{a} |

| nicera | | | |
|--------------------------------|---------------|---------------------|---------|
| bella rosea. Belle Honeysuckle | Each . 10' | Per 10 | Per 100 |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| | •00 | 0.00 | 10.00 |
| billardi. 8' | | | |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 3.50 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| browni plantierensis. Orange I | Honeysa | uckle. 4' | |
| 2 year | .50 | 4.00 | 35.00 |
| 3 year | .60 | 5.00 | |
| caprifolium. Sweet Honeysuckl | le 10' | | |
| 2 year | | 3.50 | 30.00 |
| | | | 00.00 |
| chrysantha. Coralline Honeysu | | | |
| 2 to 3 ft | .40 | 3.00 | 25.00 |
| 3 to 4 ft | .45 | 3.50 | 30.00 |
| 4 to 5 ft | .50 | 4.00 | 35.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| 6 to 8 ft | .75 | 6.00 | 50.00 |
| conjugialis. 8' | | | |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .45 | 3.50 | 30.00 |
| 5 to 6 ft | .55 | 4.50 | 35.00 |
| dioica. Limber Honeysuckle. | 10' | | |
| 2 to 3 ft | .40 | 3.50 | 30.00 |
| 3 to 4 ft | .50 | $\frac{3.50}{4.50}$ | 40.00 |
| 9 10 4 10 | .00 | 4.00 | 40.00 |
| fragrantissima. Winter Honey | suckle. | 8' · | |
| | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .45 | 3.50 | 30.00 |
| 4 to 5 ft | .60 | 4.50 | 40.00 |
| 5 to 6 ft | .75 | 6.00 | |
| fuchsioides. | | | |
| 2 year | .75 | | • |
| gracilipes. Spangled Honeysuc. | kle. 6' | | |
| 2 to 3 ft | .40 | 3.00 | 25.00 |
| 3 to 4 ft | .50 | 4.00 | 30.00 |
| heckrotti. Everblooming Honey | suckle. | 15' | |
| 2 year | .50 | 3.50 | 25.00 |

Lonicera

| nicera | Moch | Don 10 | Do:: 100 |
|------------------------------|--------------------|------------|-------------|
| henryi. Henry Honeysuckle. | Each 15' | Per 10 | Per 100 |
| 2 year | | | |
| hirsuta. Hairy Honeysuckle. | <i>15</i> ′ | | |
| 2 year | .50 | 4.00 | |
| 3 year | .60 | 5.00 | |
| japonica. Japanese Honeysuc | kle. 15' | | |
| 2 year | .25 | 2.00 | 15.00 |
| 3 year | .35 | 2.50 | 18.00 |
| japonica halleana. Hall Jap | anese Ho | neysuckle. | 20 ' |
| 2 year | .25 | 2.00 | 15.30 |
| 3 year | .35 | 2.50 | 18.00 |
| japonica reticulata aurea. | | | |
| Yellow Japanese Honeysuck | | | |
| 2 year | .35 | 2.50 | 20.00 |
| kesselringi. Black fruited H | | :le. 10' | |
| 3 to 4 ft | .40 | | |
| 5 to 6 ft | .60 | | |
| koehneana. 12' | | | |
| 18 to 24 in | .60 | 5.00 | 40.00 |
| 2 to 3 ft | .75 | 6.00 | 50.00 |
| korolkowi floribunda. Broad | Blueleaf | Honeysuc | kle. 10' |
| 2 to 3 ft | .40 | 3.50 | 30.00 |
| 3 to 4 ft | .50 | 4.50 | 40.00 |
| 4 to 5 ft | .60 | 5.50 | 50.00 |
| 5 to 6 ft | .75 | 6.50 | 60.00 |
| 6 to 8 ft | 1.00 | 8.50 | 75.00 |
| ledebouri. 10' | | | |
| 2 to 3 ft | .50 | 4.00 | |
| maacki. Amur Honeysuckle. | 10' | | |
| 2 to 3 ft | .40 | 3.00 | 25.00 |
| 3 to 4 ft | .45 | 3.50 | 30.00 |
| 4 to 5 ft | .60 | 5.00 | 45.00 |
| 5 to 6 ft | .75 | 6.50 | 60.00 |
| 6 to 8 ft | 1.00 | 7.50 | |
| maacki podocarpa. Late Ho | | | |
| 3 to 4 ft | .45 | 3.50 | |
| 4 to 5 ft | .60 | 5.00 | |
| 5 to 6 ft | .75 | 6.00 | |

| T | | | | | | | |
|---|---|---|---|---|---|---|---|
| L | O | n | 1 | C | e | r | a |

| onicera | | | - 40 | 70.0 |
|------------|------------------------|---|----------|---------|
| morrowi. | Morrow Honeysuc | Each kle. 8' | Per 10 | Per 100 |
| 2 to | 3 ft | | 2.50 | 20.00 |
| 3 to | 4 ft | | 3.00 | 25.00 |
| 4 to | 5 ft | | 4.50 | 35.00 |
| 5 to | 6 ft | | 5.50 | 45.00 |
| 0 00 | | | ` ` | |
| morrowi. | (Yellow Fruited) | | , | |
| 2 to | 3 ft., | | 2.50 | 20.00 |
| 3 to | 4 ft., | | 3.00 | 25.00 |
| 4 to | 5 ft | 60 | 4.50 | 35.00 |
| 5 to | 6 ft | 75 | 5.50 | 45.00 |
| muendeni | ensis. Muenden H | Ioneysuckle: | 8' | |
| 5 to | 6 ft | - | 5.00 | 40.00 |
| 6 to | 8 ft | 75 | 6.00 | 50.00 |
| | 10 ft | i i | 7.50 | 60.00 |
| | | | | |
| nitida. 3 | | | | |
| 6 to | 12 in | 45 | 3.50 | 30.00 |
| periclyme | num belgica. Dut | ch Woodbin | ne. 15' | |
| _ | ar | | 2.50 | 20.00 |
| _ | ar | | 3.50 | 30.00 |
| | Duim of III and a late | al. | | |
| _ | Privet Honeysuckle | | 1 50 | 40.00 |
| 0.00 | 12 in | 50 | 4.50 | 40.00 |
| prolifera | syn. sullivanti. G | rape Honey | suckle 5 | • |
| 3 yea | ar | 50 | 4.00 | 30.00 |
| auinauala | cularis. Mistletoe | Honouguald | 2 701 | |
| | 4 ft | | | |
| | | | | |
| | 5 ft | | | |
| 3 (0 | 6 ft | • | 0.00 | |
| ruprechtia | ana. Manchurian | Honey suckle | . 10' | |
| 2 to | 3 ft | 35 | 2.50 | 20.00 |
| 3 to | 4 ft | 40 | 3.00 | 25.00 |
| 4 to | 5. ft | 60 | 4.50 | 35.00 |
| | 6 ft | | | 45.00 |
| | c' | | | |
| saccata. | 3 ft | 724T | -9-6s . | 30.00 |
| | | | 4.00 | |
| | 4 ft | | 5.00 | 40.00 |
| | ens. Trumpet Ho | | | 0.0.0.0 |
| | ar | | | |
| 3 vea | ar | 40 | 3.00 | 25.00 |

Lonicera

| , intect a | Each | Per 10 | Per 100 |
|--------------------------------|-----------|---------------------|---------------|
| spinosa alberti. Thorn Honey | | 2' | Per 100 |
| 12 to 15 in | .45 | 3.50 | 30.00 |
| 15 to 18 in | .50 | 4.00 | 35.00 |
| 18 to 24 in | .60 | 5.00 | 40.00 |
| | | | |
| standishi. 5' | | | |
| 2 to 3 ft | .50 | 4.00 | 35.00 |
| 3 to 4 ft | .60 | 5.00 | 45.00 |
| 4 to 5 ft | .75 | 6.00 | 55.00 |
| syringantha. Lilac Honeysuck | 1e // | | |
| 15 to 18 in., 4 in. pots | | 5.00 | |
| 19 to 10 m., 4 m. pots | .10 | 0. 00 | |
| syringantha wolfi. Wolf Hon | eysuckle. | . <i>6</i> ′ | |
| 15 to 18 in., 4 in. pots | | 7.50 | |
| | | 408 | |
| tatarica. Red Tatarian Honey | | | 22.22 |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| 6 to 8 ft | .75 | 6.00 | |
| tatarica alba. White Tatarian | Honeys | suckle. 10' | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| | .75 | 6.00 | 50.00 |
| tatarica grandiflora. Pink Ta | tavian I | Ionovanaldo | . 10 ' |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | $\frac{2.50}{3.00}$ | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | | 40.00 |
| 6 to 8 ft | .75 | | |
| 0 10 0 11 | .10 | 0.00 | 30.00 |
| tatarica lutea. Yellow Tartari | an Hone | ysuckle. 10 | O' |
| 3 to 4 ft | .75 | | |
| tatarica siberica. Siberian Ho | neusuck | le. 10' | |
| 2 to 3 ft | .40 | 3.00 | 20.00 |
| 3 to 4 ft | | 3.50 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| 6 to 8 ft | .75 | 6.00 | 50.00 |
| | ,, , | 0.00 | 00.00 |

| T | | | ٠ | | | | |
|---|---|---|---|---|---|---|--------------|
| L | O | n | 1 | C | e | r | \mathbf{a} |

| . 11 | Each | Per 10 | Per 100 |
|----------------------------------|-----------|---------|---------|
| tellmanniana. 2 year | 1.00 | 9.00 | |
| thibetica. Tibetan Honeysuck | le. 4' | | |
| 2 year | | 10.00 | |
| tragophylla | | | |
| 2 year | 1.50 | | |
| verna. 5' | | | |
| 2 year | .50 | 3.50 | 25.00 |
| virginalis alba. Maiden Hon | eysuckle. | 10' | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| 6 to 8 ft | .75 | 6.00 | 50.00 |
| xylosteum. Fly Honeysuckle. | 8' | | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| 6 to 8 ft | .75 | 6.00 | 50.00 |
| Lycium chinense. Chinese Matrim | nony Vin | e. 5' | |
| 2 to 3 ft | .25 | 2.00 | 15.00 |
| 3 to 4 ft | .35 | 2.50 | 20.00 |
| halimifolium. Common Matri | imony V | ine. 6' | |
| 2 to 3 ft | .25 | 2.00 | 15.00 |
| 3 to 4 ft | .35 | 2.50 | 20.00 |
| Lyonia ligustrina. He-Huckleberr | y. 12' | | |
| 15 to 18 in | 1.25 | 10.00 | |
| 18 to 24 in | 1.50 | 12.50 | |
| Magnolia acuminata. Cucumber To | ree. 70' | | |
| 4 to 5 ftB. & B. | 2.50 | 20.00 | |
| 5 to 6 ftB. & B. | 3.00 | 25.00 | |
| 6 to 8 ftB. & B. | 3.75 | 30.00 | |
| 8 to 10 ftB. & B. | 5.00 | 40.00 | |
| conspicua. Yulan. 50' | | | |
| 3 to 4 ftB. & B. | 7.50 | | |
| 4 to 5 ftB. & B. | 10.00 | | |

Magnolia

| gnona | Tooh | Don 10 | Don 100 |
|------------------------------|------------|----------------|---------|
| glauca. Sweetbay. 25' | Each | Per 10 | Per 100 |
| 2 to 3 ftB. & B. | 2.50 | 20.00 | 150.00 |
| 3 to 4 ftB. & B. | | 27.50 | 250.00 |
| 4 to 5 ftB. & B. | | 37.50 | 350.00 |
| 5 to 6 ftB. & B. | | 55.00 | 500.00 |
| 6 to 8 ftB. & B. | 7.50 | 65.00 | 600.00 |
| 8 to 10 ftB. & B. | 10.00 | 75.00 | 700.00 |
| hypoleuca. Silver Magnolia. | <i>50'</i> | | |
| 4 to 5 ftB. & B. | 10.00 | 75.00 | |
| 5 to 6 ftB. & B. | 12.50 | 100.00 | |
| 6 to 8 ftB. & B. | 15.00 | 125.00 | |
| kobus. 30' | | | |
| 4 to 5 ftB. & B. | 5.00 | 40.00 | |
| 5 to 6 ftB. & B. | 7.50 | 65.00 | |
| 6 to 8 ftB. & B. | 10.00 | 90.00 | |
| 8 to 10 ftB. & B. | 12.50 | 100.00 | |
| lennei. Lenne Magnolia. 20' | | | |
| 2 to 3 ftB. & B. | 5.00 | | |
| 3 to 4 ftB. & B. | | | |
| 5 to 6 ftB. & B. | | | |
| macrophylla. Bigleaf Magnoli | | * | |
| 3 to 4 ftB. & B. | | | |
| 4 to 5 ftB. & B. | | | |
| 5 to 6 ftB. & B. | | | |
| 6 to 8 ftB. & B. | | | |
| | | | |
| parviflora. Oyama Magnolia. | | ~ 0 0 0 | |
| 2 to 3 ftB. & B. | | 50.00 | |
| 3 to 4 ftB. & B. | | 75.00 | |
| 4 to 5 ftB. & B. | 10.00 | | |
| soulangeana. Saucer Magnol | | | |
| 3 to 4 ftB. & B. | | | |
| 4 to 5 ftB. & B. | | | , |
| 5 to 6 ft B. & B. | 12.50 | | |
| soulangeana nigra. 20' | 4 = 00 | | |
| 5 to 6 ftB. & B. | 15.00 | , | |
| stellata. Star Magnolia. 8' | | 1 - 0 0 0 | |
| 2 to 3 ftB. & B. | | _ | |
| 3 to 4 ftB. & B. | | 75.00 | |
| 4 to 5 ftB. & B. | | | |
| 5 to 6 ftB. & B. | 17.50 | - | |

| Magnolia | | | |
|-----------------------------------|---|---------------|-------------------------|
| stellata rosea. Pinkstar Magn | Each | Per 10 | Per 100 |
| 2 to 3 ftB. & B. | | | |
| 3 to 4 ftB. & B. | | | |
| | | | |
| tripetala. Umbrella Magnolia. | | | |
| 5 to 6 ftB. & B. | 3.50 | 30.00 | |
| 6 to 8 ftB. & B. | 5.00 | 40.00 | |
| 8 to 10 ftB. & B. | 7.50 | 60.00 | |
| Mahonia aquifolium. Oregon Holly | ygrape. E | ō' | |
| 18 to 24 inB. & B. | 1.50 | 12.50 | 100.00 |
| 24 to 30 inB. & B. | 1.75 | 15.00 | 125.00 |
| 30 to 36 inB. & B. | 2.50 | 20.00 | 150.00 |
| Malus angustifolia. Southern Crab | . 25' | | |
| 3 to 4 ft | 1.00 | 8.50 | |
| 4 to 5 ft | 1.25 | 10.00 | |
| 5 to 6 ft | 1.50 | 12.50 | |
| arnoldiana. Arnold Crab. 12 | , | | |
| 3 to 4 ft | 1.00 | 7.50 | 60.00 |
| 4 to 5 ft | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft | 1.50 | 12.50 | 100.00 |
| 6 to 8 ft | 2.25 | 17.50 | 150.00 |
| baccata. Siberian Crab. 30' | | | |
| 3 to 4 ft | 1.00 | 7.50 | 60.00 |
| 4 to 5 ft | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft | 1.50 | 12.50 | 100.00 |
| 6 to 8 ft | 2.25 | 17.50 | 150.00 |
| 8 to 10 ft | 3.50 | 30.00 | 250.00 |
| baccata mandshurica. Manche | | | |
| 3 to 4 ft | 1.00 | 8.50 | |
| 4 to 5 ft | 1.25 | 10.00 | |
| 5 to 6 ft | 1.50 | 12.50 | • |
| brevipes. 12' | | | |
| 3 to 4 ft | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft | 2.00 | 15.00 | |
| coronaria. Wild Sweet Crab. | <i>30'</i> | | |
| 3 to 4 ft | 1.00 | 7.50 | |
| 4 to 5 ft | 1.25 | 10.00 | |
| 5 to 6 ft | $\begin{array}{c} 1.50 \\ 2.25 \end{array}$ | 12.50 | 150.00 |
| 6 to 8 ft | $\frac{2.25}{3.50}$ | 17.50 30.00 | $\frac{150.00}{250.00}$ |
| 8 to 10 ft | 6.00 | 50.00 | 200.00 |
| IU UU I4 IU | 0.00 | 00.00 | |

| uus | Each | Per 10 | Per 100 |
|------------------------------|----------|------------|---------|
| coronaria Charlotte. 15' | | | |
| 3 to 4 ft | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft | 1.75 | 15.00 | |
| 6 to 8 ft | 2.50 | 20.00 | |
| 1 1 47/ | | | • |
| dolga. 15' | 1.05 | 10.00 | 75.00 |
| 4 to 5 ft | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft | 1.50 | 12.50 | 100.00 |
| 6 to 8 ft | 2.25 | 17.50 | |
| Elisa Rathke. Weeping Flg. | Apple. | 8 ' | |
| 3 to 4 ft. spread | 2.00 | | |
| 4 to 5 ft. spread | 3.00 | | |
| | 001 | | |
| florentina. Florentine Crab. | | 10.00 | |
| 3 to 4 ft | 1.25 | 10.00 | |
| | 1.50 | 12.50 | |
| 5 to 6 ft | 2.00 | 15.00 | |
| floribunda. Japanese Flower | ing Crab | . 20' | |
| 3 to 4 ft | 1.00 | 7.50 | 60.00 |
| 4 to 5 ft | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft | 1.50 | 12.50 | 100.00 |
| 6 to 8 ft | 2.25 | 17.50 | 150.00 |
| 8 to 10 ft | 3.50 | 30.00 | 250.00 |
| | | | |
| floribunda atrosanguinea. Co | | | 20.00 |
| 3 to 4 ft | 1.00 | 7.50 | 60.00 |
| 4 to 5 ft | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft | 1.50 | 12.50 | 100.00 |
| 6 to 8 ft | 2.25 | 17.50 | 150.00 |
| 8 to 10 ft | 3.50 | 30.00 | 250.00 |
| 10 to 12 ft | 6.00 | 50.00 | |
| 8 to 10 ft. specimens | 10.00 | | |
| floribunda lemoinei. 15' | | | |
| 3 to 4 ft | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft | 2.00 | 15.00 | 125.00 |
| 6 to 8 ft | 2.75 | 22.50 | 175.00 |
| 8 to 10 ft | 3.50 | 30.00 | |
| fusca. Oregon Crab. 20' | | | |
| 4 to 5 ft | 1.50 | 12.50 | |
| 5 to 6 ft | 1.75 | 15.00 | |
| 6 to 8 ft | 2.50 | 20.00 | |

| lus | | | |
|-------------------------------|-----------------|-------------|---------|
| glaucescens. Dunbar Crab. | Each <i>12'</i> | Per 10 | Per 100 |
| 3 to 4 ft | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft | | 12.50 | 100.00 |
| 5 to 6 ft | | 15.00 | 100.00 |
| 0 00 0 10 | 2.00 | 15.00 | |
| halliana. Hall Crab. 15' | | | |
| 6 to 8 ft | 6.00 | 50.00 | |
| halliana parkmani. Parkman | Crab. | 15 ' | |
| 3 to 4 ft | 1.25 | 10.00 | 90.00 |
| 4 to 5 ft | 1.75 | 15.00 | 125.00 |
| 5 to 6 ft | | 17.50 | 150.00 |
| 6 to 8 ft | | | 200.00 |
| 8 to 10 ft | | | 200.00 |
| 0 10 10 10 | 4.00 | 33.00 | |
| hopa. Red Flowering Crab. | 12' | | |
| 4 to 5 ft | 1.25 | 10.00 | 85.00 |
| 5 to 6 ft | 1.50 | 12.50 | 100.00 |
| 6 to 8 ft | 2.25 | 17.50 | 150.00 |
| 8 to 10 ft | | 30.00 | |
| | | | |
| ioensis. Prairie Crab. 25' | | | |
| 3 to 4 ft | 1.00 | 7.50 | 60.00 |
| 4 to 5 ft | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft | 1.50 | 12.50 | |
| ioensis bechteli. Bechtel Cra | b. 15' | | |
| 3 to 4 ft | | 10.00 | 75.00 |
| 4 to 5 ft | · | 12.50 | 100.00 |
| 5 to 6 ft | | 15.00 | 125.00 |
| | | | |
| | | 22.50 | 175.00 |
| 8 to 10 ft | | 30.00 | 250.00 |
| 10 to 12 ft | 6.00 | 50.00 | |
| micromalus. Midget Crab. | 10 ' | | |
| 3 to 4 ft | 1.00 | 7.50 | 60.00 |
| 4 to 5 ft | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft | 1.50 | 12.50 | 100.00 |
| 6 to 8 ft | 2.25 | 17.50 | 150.00 |
| 8 to 10 ft | | 30.00 | 250.00 |
| niedzwetzkyana. Redvein Ca | rab. 20' | | |
| 3 to 4 ft | | 7.50 | 60.00 |
| 4 to 5 ft | | 10.00 | 75.00 |
| | | | |
| 5 to 6 ft | | 12.50 | 100.00 |
| 6 to 8 ft | 2.25 | 17.50 | |

| aaius | Each | Per 10 | Per 100 |
|------------------------------|-----------|-------------|----------|
| Oekonemurat Echtermeyer. | | 1 61 10 | 1 01 100 |
| 3 to 4 ft | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft | 2.00 | 15.00 | |
| purpurea. Purple Crab. 15' | | | |
| 3 to 4 ft | 1.00 | 7.50 | 60.00 |
| 4 to 5 ft | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft | 1.50 | 12.50 | 100.00 |
| 6 to 8 ft | 2.25 | 17.50 | 150.00 |
| 8 to 10 ft | 3.50 | 30.00 | 250.00 |
| purpurea aldenhamensis. 15' | | | |
| 3 to 4 ft | 1.35 | 12.50 | 100.00 |
| 4 to 5 ft | 1.50 | 13.50 | 125.00 |
| 5 to 6 ft | 2.00 | 17.50 | 150.00 |
| 6 to 8 ft | 3.00 | 25.00 | 200.00 |
| purpurea eleyi. Eley Floweri | ing Crab. | <i>15</i> ′ | |
| 3 to 4 ft | 1.00 | 7.50 | 60.00 |
| 4 to 5 ft | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft | 1.50 | 12.50 | 100.00 |
| 6 to 8 ft | 2.25 | 17.50 | |
| prunifolia rinki. Chinese Ap | _ | | |
| 4 to 5 ft | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft | 2.00 | 15.00 | 125.00 |
| 6 to 8 ft | 2.75 | 22.50 | 175.00 |
| 8 to 10 ft | 3.50 | 30.00 | |
| robusta. Cherry Crab. 15' | | | |
| 3 to 4 ft | 1.25 | 10.00 | 75.00 |
| 4 to 5 ft | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft | 2.00 | 15.00 | |
| robusta fastigiata. 15' | | | |
| 3 to 4 ft | 1.25 | 10.00 | |
| 4 to 5 ft | 1.50 | 12.50 | |
| 5 to 6 ft | 2.00 | 15.00 | |
| 6 to 8 ft | 2.75 | 22.50 | |
| robusta persicifolia. 12' | | | |
| 4 to 5 ft | 1.50 | 12.50 | |
| 5 to 6 ft | 2.00 | 15.00 | |
| 6 to 8 ft | 3.00 | | |
| 8 to 10 ft | 4.00 | | |

| us | TP1- | Don 10 | Do: 100 |
|-------------------------------|------------|-------------|---------|
| sargenti. Sargent Crab. 6' | Each | Per 10 | Per 100 |
| 3 to 4 ft | . 1.50 | 12.50 | 100.00 |
| 4 to 5 ft | . 1.75 | 15.00 | 125.00 |
| 5 to 6 ft | | 20.00 | |
| scheideckeri. Scheidecker C | rab. 20' | | |
| 3 to 4 ft | | 7.50 | 60.00 |
| 4 to 5 ft | | 10.00 | 75.00 |
| 5 to 6 ft | | 12.50 | 100.00 |
| 6 to 8 ft | • | 17.50 | 150.00 |
| sieboldi. Toringo Crab. 15' | | | |
| 3 to 4 ft | . 1.00 | 7.50 | 60.00 |
| 4 to 5 ft | | 10.00 | 75.00 |
| 5 to 6 ft | | 12.50 | 100.00 |
| 6 to 8 ft | | 17.50 | 150.00 |
| 8 to 10 ft | | 30.00 | 250.00 |
| 10 to 12 ft | | 50.00 | 200.00 |
| | | | |
| spectabilis. Chinese Flowerin | | 15' | 20.00 |
| 3 to 4 ft | | 7.50 | 60.00 |
| 4 to 5 ft | | 10.00 | 75.00 |
| 5 to 6 ft | | 12.50 | 100.00 |
| 6 to 8 ft | . 2.25 | 17.50 | |
| spectabilis alba plena. Dbl | . White Ci | hinese Cral | . 15' |
| 3 to 4 ft | . 1.00 | 8.50 | |
| 4 to 5 ft | . 1.25 | 10.00 | |
| 5 to 6 ft | . 1.50 | 12.50 | |
| 6 to 8 ft | . 2.25 | 17.50 | |
| 8 to 10 ft | . 3.50 | | |
| sublobata. Yellow Autumn | | | |
| 4 to 5 ft | . 1.50 | 12.50 | |
| 5 to 6 ft | | 15.00 | |
| 6 to 8 ft | | 22.50 | |
| 8 to 10 ft | . 3.50 | 30.00 | |
| theifera. Tea Crab. 20' | | 40 70 | |
| 4 to 5 ft | | 12.50 | |
| 5 to 6 ft | | 15.00 | |
| 6 to 8 ft | . 2.75 | 22.50 | |
| theifera rosea. 20' | 1 50 | 10.50 | |
| 4 to 5 ft | | 12.50 | |
| 5 to 6 ft | | 15.00 | |
| 6 to 8 ft | | 22.50 | |
| 8 to 10 ft | . 3.50 | 30.00 | |

| M | al | u | s |
|---|----|---|---|
| | | | |

| | a, | Each | Per 10 | Per 100 |
|------------------------------------|-----------------|------------|-----------|---------|
| | Cutleaf Crab. | | | |
| 4 to 5 | ft | . 1.25 | 10.00 | |
| 5 to 6 | ft | . 1.50 | 12.50 | |
| 6 to 8 | | . 2.25 | 17.50 | |
| tschonoski. | 20 ' | | | |
| 3 to 4 | ft | . 1.25 | 10.00 | 75.00 |
| 4 to 5 | ft | . 1.50 | 12.50 | 100.00 |
| | ft | | 15.00 | 125.00 |
| | ft | | 22.50 | 175.00 |
| yunnanensis | | | | |
| • | ft | . 1.25 | 10.00 | 75.00 |
| | ft | | 12.50 | |
| | ft | | 17.50 | |
| $oldsymbol{zumi.} oldsymbol{Zumi}$ | | . 2.20 | 11.00 | |
| | ft | . 1.25 | 10.00 | 85.00 |
| | ft | | 12.50 | 100.00 |
| | ft | | 17.50 | 150.00 |
| | ft | | 30.00 | 250.00 |
| | | | 50.00 | 230.00 |
| | ft | . 0.00 | 50.00 | |
| zumi calocar | - | 4.05 | 10.00 | 7500 |
| | ft | | 10.00 | 75.00 |
| | ft | | 12.50 | 100.00 |
| | ft | | 17.50 | 150.00 |
| 8 to 10 | ft | . 3.50 | 30.00 | |
| Morus alba pendi | ula Weening I | Mulberry. | 10' | |
| _ | 5 to 7 ft. stem | | | |
| o jii nowas, | | 5 0.00 | | |
| alba tatarica | . Russian Mul | berry. 60' | • | |
| 5 to | 6 ft | 60 | 5.00 | 40.00 |
| 6 to | 8 ft | . 1.00 | 7.50 | 50.00 |
| 8 to | 10 ft | . 1.25 | 10.00 | 75.00 |
| 1½ to | 1 3/4 in | . 1.50 | 12.50 | 100.00 |
| 1 3/4 to | 2 in | . 2.00 | 15.00 | 125.00 |
| 2 to | 2½ in | . 2.50 | 20.00 | |
| | | | | |
| Myrica carolinens | | | <i>5'</i> | |
| | in | | 5.00 | 40.00 |
| 24 to 30 | in | 75 | 6.00 | 50.00 |
| corifora | outhern Waxmyrt | tle. 5' | | |
| | in | | 5.00 | 40.00 |
| | ft | | 5.00 | |
| | | | 6.00 | 50.00 |
| | ft | | 7.00 | 60.00 |
| 4 10 0 | 10 | . 1.00 | 8.50 | 75.00 |
| | | | | |

| Myrica. | | | |
|---|-------------|--------------------|---------------|
| gale. Sweetgale. 4' | Each | Per 10 | Per 100 |
| 18 to 24 inB. & 1 | B. 1.25 | 10.00 | |
| 2 to 3 ftB. & 1 | | 12.50 | |
| NI I I I I I | 01 | | |
| Nandina domestica. Nandina. 18 to 24 inB. & 1 | | 17.50 | |
| 10 00 24 11 | D. 2.00 | 17.00 | |
| Neillia longeracemosa. 10' | | | |
| 2 to 3 ft | | 6.00 | 50.00 |
| 3 to 4 ft | | 7.50 | 60.00 |
| 4 to 5 ft | . 1.25 | 10.00 | 75.00 |
| sinensis. Tube Neillia. 6' | | 0.00 | 5 0.00 |
| 2 to 3 ft | | 6.00 | 50.00 |
| 3 to 4 ft | | 7.50 | 60.00 |
| 4 to 5 ft | . 1.25 | 10.00 | 75.00 |
| Nemopanthus mucronatus. Mou | ntain Holly | . 10' | |
| 2 to 3 ft | . 1.00 | 7.50 | |
| 3 to 4 ft | . 1.50 | | |
| *Nyssa aquatica. Big Tupelo. | 40' | | |
| 2 to 3 ft | | | |
| *sylvatica. Tupelo. 40' | _,, | | |
| 3 to 4 ft | . 1.60 | 12.50 | 100.00 |
| 4 to 5 ft | . 2.00 | 16.00 | 125.00 |
| 5 to 6 ft | . 2.25 | 20.00 | 150.00 |
| 6 to 8 ft | . 3.50 | 25.00 | 200.00 |
| 8 to 10 ft | . 4.50 | 35.00 | 300.00 |
| 10 to 12 ft | . 6.00 | 50.00 | |
| Osmanthus aquifolium. Holly | Demanthue | <i>15</i> ' | |
| 2 to 3 ftB. & 1 | | 10 | |
| Ostrya virginiana. American H | | . 40' | |
| 5 to 6 ft | _ | 10.00 | |
| 6 to 8 ft | | 12.50 | |
| 8 to 10 ft | | 15.00 | |
| 10 to 12 ft | | 25.00 | |
| *Oxydendrum arboreum. Sour | | | |
| 2 to 3 ft | | 7.50 | 65.00 |
| 3 to 4 ft | | 12.50 | 90.00 |
| 4 to 5 ft | | 16.00 | 125.00 |
| 5 to 6 ft | _ | 22.50 | 200.00 |
| 6 to 8 ft | | 30.00 | 250.00 |
| 8 to 10 ft | | 50.00 | 400.00 |
| 10 to 12 ft | | 75.00 | |
| | | | |

| Pachistima canbyi. Canby Pachis | tima. 1' | | |
|--|-------------|-------------|--------|
| 9 . 1 | Each | | |
| 3 inch pots | .'75 | 6.00 | 50.00 |
| Paeonia suffruticosa. Tree Peony | ı. 6' | | |
| 8 to 10 in., 3 year | | 25.00 | |
| D 1 | | 0.01 | |
| Paulownia tomentosa. Royal Pau | | | |
| 6 to 8 ft | | | |
| 8 to 10 ft | | 35.00 | |
| 10 to 12 ft | 5.00 | | |
| Periploca graeca. Silk Vine. 30' | | | |
| 2 year | .50 | 4.00 | 30.00 |
| 3 year | .60 | 5.00 | 35.00 |
| sepium. Chinese Silkvine. 25 | • | | |
| 2 year | | | |
| 2 y 3 3 2 1 1 1 1 1 1 1 1 1 1 | _,,, | | |
| Perowskia atriplicifolia. 4' | | | |
| 2 to 3 ft | 1.50 | 12.50 | |
| 3 to 4 ft | 2.00 | 15.00 | |
| Phellodendron amurense. Amur (| Corktree. | 50 ' | |
| 6 to 8 ft | 1.50 | | 100.00 |
| 8 to 10 ft | | | 150.00 |
| 1 1/4 to 1 1/2 in | | | |
| 1½ to 1¾ in | 2.75 | 25.00 | 225.00 |
| | 3.50 | 32.50 | 300.00 |
| 2 to $2\frac{1}{2}$ in | 5.00 | 40.00 | 350.00 |
| $2\frac{1}{2}$ to 3 in | 6.00 | 50.00 | 400.00 |
| 3 to $3\frac{1}{2}$ in | 10.00 | 75.00 | |
| $3\frac{1}{2}$ to 4 in | 12.50 | 100.00 | |
| chinense. Chinese Corktree. | <i>9</i> ∩! | | |
| | 2.25 | 20.00 | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 2.75 | 25.00 | |
| , | 3.00 | 27.50 | |
| $1\frac{3}{4}$ to 2 in | 4.00 | 35.00 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 5.00 | 40.00 | |
| 2 00 2 /2 111 | 0.00 | 10.00 | |
| sachalinense. Sakhalin Corktr | ee. 50' | | |
| 6 to 8 ft | 3.00 | 25.00 | |
| 8 to 10 ft | 3.50 | 30.00 | |
| 1½ to 1¾ in | | 35.00 | |
| 1 3/4 to 2 in | 4.50 | 40.00 | |
| 2 to 2½ in | 6.00 | 50.00 | |

| Philadelphus Albatre. 6' | | | |
|------------------------------|-----------|--------|---------|
| 0.1 0.01 | Each | Per 10 | Per 100 |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | |
| Argentine. 5' | | | |
| 2 to 3 ft | .40 | 3.00 | |
| 3 to 4 ft | .50 | 4.00 | |
| Avalanche. 5' | | | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | |
| Banniere. 8' | | | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| Bouquet Blanc. 5' | | | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| coronarius. Sweet Mockorar | • | | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| 6 to 8 ft | .75 | 6.00 | 50.00 |
| coronarius aureus. Golden I | Mockorang | ie. 4' | |
| 18 to 24 in | .40 | 3.00 | 22.00 |
| 24 to 30 in | .50 | 3.50 | 30.00 |
| 3 to 4 ft | .60 | 4.50 | 40.00 |
| 4 to 5 ft | .75 | 6.00 | 50.00 |
| coronarius nanus. 4' | | | |
| 12 to 15 in | .50 | 4.00 | |
| 15 to 18 in | .60 | 5.00 | |
| coronarius multiflorus plenu | s. 6' | | |
| 2 to 3 ft | .40 | 3.00 | 25.00 |
| Dame Blanche. 6' | | | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| dianthiflorus plenus. 4' | | | |
| 18 to 24 in | | 2.00 | 18.00 |
| 2 to 3 ft | | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | |

Philadelphus

| naueiphus | | Each | Per 10 | Per 100 |
|-------------|--------------------|-----------|------------|---------|
| falconeri. | Star Mockorange. | | Let 10 | rer 100 |
| 3 to | 4 ft | .50 | 4.00 | 30.00 |
| 4 to | 5 ft | .60 | 5.00 | 40.00 |
| 5 to | 6 ft | .75 | 6.00 | 50.00 |
| 6 to | 8 ft | | 7.50 | 60.00 |
| Favorite. | 10 ' | | | |
| 2 to | 3 ft | .35 | 2.50 | 20.00 |
| 3 to | 4 ft | | 3.00 | 25.00 |
| Carba da | Neige. 6' | | | |
| | 3 ft | .35 | 2.50 | 20.00 |
| | 4 ft | | 3.00 | 25.00 |
| | | •40 | 3.00 | 20.00 |
| Glacier. | | 4.0 | 2.00 | 2 |
| | 3 ft | | 3.00 | 25.00 |
| | 4 ft | | 3.50 | 30.00 |
| 4 to | 5 ft | .50 | 4.50 | |
| gordonian | us. Gordon Mocko | range. 12 | , * | |
| 2 to | | | 2.50 | 20.00 |
| 3 to | 4 ft | .40 | 3.00 | 25.00 |
| 4 to | 5 ft | .50 | 4.00 | 30.00 |
| 5 to | 6 ft | .60 | 5.00 | 40.00 |
| 6 to | 8 ft | .75 | 6.00 | 50.00 |
| | us. Big Scentless | | ge. 8' | |
| 2 to | 3 ft | .35 | 2.50 | 20.00 |
| 3 to | 4. ft | .40 | 3.00 | 25.00 |
| 4 to | 5 ft | .50 | 4.00 | 30.00 |
| 5 to | 6 ft | .60 | 5.00 | 40.00 |
| 6 to | 8 ft | .75 | 6.00 | 50.00 |
| lemoinei e | erectus. δ' | | | |
| 2 to | 3 ft | .35 | 2.50 | 20.00 |
| 3 to | 4 ft | .40 | 3.00 | 25.00 |
| 4 to | 5 ft | .50 | 4.00 | 35.00 |
| lewisi. L | ewis Mockorange. | 10' | , | |
| 3 to | 4 ft | | 3.00 | 25.00 |
| 4 to | 5 ft | | 4.00 | 30.00 |
| | 6 ft | .60 | 5.00 | 40.00 |
| 6 to | 8 ft | | 6.00 | 50.00 |
| Magdalene | e. 6' | | | |
| 2 to | | .35 | 2.50 | 20.00 |
| 3 to | 4 ft | .45 | 3.50 | |
| | | | | |

| Philadelphus |
|--------------|
|--------------|

| madeiphus | | | |
|---|--------------------|---------------------|---------|
| nepalensis. Nepal Mockorange. | ach 10' | Per 10 | Per 100 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| 6 to 8 ft | .75 | 6.00 | 50.00 |
| 0 00 0 10000000000000000000000000000000 | | | 00.00 |
| nivalis. Snowbank Mockorange. | <i>10</i> ′ | | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| 6 to 8 ft | .75 | 6.00 | 50.00 |
| Norma. 8' | | | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| | | | |
| Ophelia. 6' | ۰. | 0 50 | 20.00 |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft., | .40 | 3.00 | 25.00 |
| Pavillon Blanc. 8' | | | |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | -40.00 |
| 6 to 8 ft | .75 | 6.00 | 50.00 |
| pyramidale. 6' | | | |
| 3 to 4 ft | .40 | 3.00 | |
| 4 to 5 ft | .50 | 4.00 | |
| 5 to 6 ft | .60 | 5.00 | |
| Sybille. 5' | | | |
| 2 to 3 ft | .50 | 3.50 | 25.00 |
| | | | |
| virginal. 8' 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | $\frac{2.50}{3.00}$ | ~ ~ ~ ~ |
| | | | • |
| 4 to 5 ft | .50 | 4.00 | 35.00 |
| 5 to 6 ft | .60 | 5.00 | 45.00 |
| Voie Lactee. 6' | | | |
| 2 to 3 ft | .45 | 3.50 | 25.00 |
| 3 to 4 ft | .50 | 4.00 | 30.00 |
| 4 to 5 ft | .60 | 5.00 | |
| | | | |

| Philadelphus | | | |
|---|-----------------|---------------------|---------|
| zeyheri. Zeyher Mockorang | Each <i>10'</i> | Per 10 | Per 100 |
| 3 to 4 ft | | 3.00 | 25.00 |
| 4 to 5 ft | | 4.00 | 30.00 |
| 5 to 6 ft | | 5.00 | 40.00 |
| 6 to 8 ft | | 6.00 | |
| | | | |
| Photinia villosa. 8' | | | |
| 3 to 4 ft | 75 | 6.00 | 50.00 |
| 4 to 5 ft | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft | 1.50 | 12.50 | 100.00 |
| 6 to 8 ft | 2.00 | 17.50 | 150.00 |
| 8 to 10 ft | 3.00 | 25.00 | |
| villosa laevis. 15' | | | |
| 4 to 5 ft | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft | | 12.50 | 100.00 |
| 6 to 8 ft | | 17.50 | 150.00 |
| | | | |
| Physocarpus intermedius parvis | | arf Nineba | rk. 4' |
| 2 to 3 ft | | 3.50 | 30.00 |
| 3 to 4 ft | 50 | 4.00 | 35.00 |
| monogynus. 3' | | | |
| 2 to 3 ft | 1.00 | | |
| opulifolius. Ninebark. 10' | | | |
| 2 to 3 ft | 35 | 2.50 | 20.00 |
| 3 to 4 ft | 40 | 3.00 | 25.00 |
| 4 to 5 ft | 50 | 4.00 | 30.00 |
| 5 to 6 ft | 60 | 5.00 | 40.00 |
| 6 to 8 ft | 75 | 6.00 | 50.00 |
| 8 to 10 ft | 1.00 | 7.50 | 60.00 |
| opulifolius luteus. Goldlea | f Ninebark | 10' | |
| 2 to 3 ft | | 2.50 | 20.00 |
| 3 to 4 ft | | $\frac{2.50}{3.00}$ | 25.00 |
| 4 to 5 ft | | | 30.00 |
| 2 00 0 10000000000000000000000000000000 | | 2,00 | 50.00 |
| opulifolius nanus. 5' | | | |
| 2 to 3 ft | 50 | 4.00 | 30.00 |
| 3 to 4 ft | | 5.00 | 40.00 |
| | | 0.00 | 20,00 |

| Picea alba. | White Spruce. | 50 ' | | | |
|---------------|--------------------|-------------|----------|---------------|-----------------|
| 0 | ft D | 0 10 | Each | | Per 100 |
| $\frac{2}{3}$ | | | | | 150.00 200.00 |
| _ | ftB | | | | 300.00 |
| 5 | | | | | 400.00 |
| 6 | | | | | 500.00 |
| 7 | | | | | 650.00 |
| 8 | | | | | 800.00 |
| 9 | ftB | | | | |
| 10 | ftB | | | 150.00 | |
| For | c larger sizes to | 18 ft., | , add \$ | 35.00 per f | oot. |
| alba g | loriosa. 30' | | | | |
| 2 | ftB | 8. & B. | 7.50 | | |
| 3 | ftB | 8. & B. | 10.00 | | |
| 4 | ftB | . & B. | 12.50 | | |
| alcocki | ana. Alcock Spr | uce. 7 | 75' | | |
| 8 | ftB | . & B. | 18.00 | | |
| 9 | | | | | |
| 11 | ftB | . & В. | 30.00 | | |
| canade | nsis. Black Hills | s Sprue | ce. 60' | | |
| 2 | ftB | . & B. | 2.00 | 17.50 | 150.00 |
| | ftB | | | 25.00 | 200.00 |
| | ftB | | | 35.00 | 300.00 |
| | ftB | | | 45.00 | 400.00 |
| | ftB | | | 55.00 | |
| 7 | | | | 70.00 90.00 | |
| 8 | ftB | | | | |
| | or larger sizes to | | | | foot |
| | _ | | | | 1000. |
| | anni. Engelmana | | | | |
| | ftB ftB | | | | |
| | ftB | | | • | |
| | or larger sizes to | | | \$5.00 ner | foot |
| 1.0 | or larger sizes to | 14 10 | ., auu | φο.00 per . | 1000. |
| | . Norway Sprue | | | | |
| $\frac{2}{2}$ | | | 1.50 | 12.50 | 100.00 |
| 3 | | | 2.00 | 17.50 | 150.00 |
| | ftB | | 3.50 | | 250.00 |
| 5 | | | 4.50 | | 350.00 |
| 6 | ftB | . & B. | 5.00 | 45.00 | 400.00 |

Picea excelsa

| ea exceisa | | | |
|------------------------------|-----------------|---|---------|
| 7 ftB. & B. | Each | Per 10 | Per 100 |
| 8 ft | | | 300.00 |
| 9 ftB. & B. | | | |
| 10 ftB. & B. | | 20.00 | |
| For larger sizes to 25 ft. | | 3 00 ner f | oot |
| ror larger sizes to 20 rt. | , auu φ | o.oo per 1 | 000. |
| excelsa aurea. Golden Norwa | y Spruc | e. 75' | |
| 2 ftB. & B. | | | |
| 3 ftB. & B. | 10.00 | | |
| 4 ftB. & B. | | | |
| 5 ftB. & B. | | | |
| 6 ftB. & B. | 18.00 | • | |
| 7 ftB. & B. | | | |
| 8 ftB. & B. | 27.50 | | |
| excelsa clanbrasiliana. 7' | | | |
| 15 in | 4.00 | 30.00 | |
| 18 in | | | |
| 10 III | 0.00 | 40.00 | |
| excelsa maxwelli. Maxwell S | pruce. | 6' | |
| 18 to 24 inB. & B. | 6.00 | | |
| 24 to 30 inB. & B. | 7.50 | | |
| excelsa nana compacta. Dred | arf Sprue | ce. 4' | |
| 18 to 24 inB. & B. | - | | 500.00 |
| 24 to 30 inB. & B. | | | |
| 30 to 36 inB. & B. | | | |
| excelsa nana pyramidalis. Py | | | ce l' |
| 18 inB. & B. | | $\mathcal{D}\omega_{f}$. \approx_{f} | 00. 4 |
| 2 ftB. & B. | | | |
| excelsa pendula. Weeping Sp | | 0' | |
| 3 ftB. & B. | | | |
| 4 ftB. & B. | | | |
| 5 ftB. & B. | | | |
| 6 ftB. & B. | | | , |
| excelsa pygmea. Pygmy Nort | | uce. 20' | |
| 18 to 24 inB. & B. | | 55.00 | |
| 24 to 30 inB. & B. | | 65.00 | |
| 30 to 36 inB. & B. | | | |
| 36 to 42 inB. & B. | | | |
| excelsa remonti. Remont Spi | | | |
| 18 to 24 inB. & B. | | 55.00 | 500.00 |
| 24 to 30 inB. & B. | | | |
| 30 to 36 inB. & B. | | | |
| 36 to 42 inB. & B. | | | |
| | | | |

Picea

| | | | Each | Per 10 | Per 100 |
|----------|-------------|-----------------|-------------|------------|---------|
| glauca | conica. | Dwarf Alber | ta Spri | ıce. 6' | |
| 18 | in | B. & B | 5.00 | 40.00 | |
| 2 | ft | B. & B | 6.00 | 50.00 | |
| <u>-</u> | n n Dl muli | | | | |
| | | Spruce. 30' | 0.50 | 00 50 | |
| | | B. & B. | | | |
| | | B. & B. | | _ | |
| | | B. & B. | | | |
| | | B. & B. | | | |
| | | B. & B. | | | |
| | | B. & B. | | | |
| F' | or larger | sizes to 13 fe | et, add | \$5.00 per | foot. |
| | | ti. Doumet S | | | |
| | | B. & B. | | | |
| 2 | ft | B. & B. | 5.00 | 40.00 | |
| 3 | ft | B. & B. | 6.00 | 50.00 | |
| am anil | - Sarbio | ın Spruce. 50 | , | | |
| | | \dots B. & B. | | | |
| | | B. & B. | | | |
| 4 | 16 | В. « В. | 19.00 | | |
| orienta | dis. Orie | ental Spruce. | 75' | | |
| | | B. & B. | | | |
| 9 | ft | B. & B. | 20.00 | | |
| | | B. & B. | | | |
| | | Spruce. 75' | | | |
| • | • | B. & B. | 19 50 | | |
| 7 | | B. & B. | | | |
| 8 | | B. & B. | | | |
| 9 | | B. & B. | | | |
| 10 | | | | | |
| | | B. & B. | | | |
| | | B. & B. | | | |
| 12 | 16 | B. & B. | 55.00 | | |
| pungen | s. Color | ado Spruce. | 60 ' | | |
| 2 | ft | B. & B. | 2.50 | 22.50 | 200.00 |
| 3 | ft | B. & B. | 3.50 | 32.50 | 300.00 |
| 4 | ft | B. & B. | 5.00 | 45.00 | 400.00 |
| 5 | ft | B. & B. | 7.50 | 65.00 | 500.00 |
| 6 | ft | B. & B. | 8.50 | 75.00 | 600.00 |
| 7 | ft | B. & B. | 10.00 | 85.00 | 750.00 |
| 8 | ft | B. & B. | 12.50 | 100.00 | |
| Fo | r larger | sizes to 18 ft | ., add s | \$5.00 per | foot. |
| | | | | | |

Picea

| ea | | | |
|-------------------------------|---------|------------------|---------|
| 777 | Each | Per 10 | Per 100 |
| pungens glauca. Blue Colora | do Spr | uce. 60' | |
| 2 ftB. & B. | 5.00 | 45.00 | 400.00 |
| 3 ftB. & B. | 6.50 | 60.00 | 550.00 |
| 4 ftB. & B. | 8.50 | 75.00 | 700.00 |
| 5 ftB. & B. | 10.00 | 90.00 | 800.00 |
| 6 ftB. & B. | | 125.00 | |
| 7 ftB. & B. | 18.00 | 150.00 | |
| 8 ftB. & B. | 25.00 | 200.00 | |
| 9 ftB. & B. | 35.00 | 300.00 | |
| For larger sizes to 17 ft | ., add | \$5.00 per | foot. |
| | | <u>Constants</u> | |
| pungens kosteri. Koster Blue | e Snruc | ce. 50' · | 1.00 |
| pungens Rostern 1100001 Brade | Sprac | . 00 | |
| 2 ftB. & B. | 5.50 | 50.00 | 450.00 |
| 2 ½ ftB. & B. | 6.00 | 55.00 | 500.00 |
| 3 ftB. & B. | 7.50 | 70.00 | 650.00 |
| 3 ½ ftB. & B. | 10.00 | 90.00 | 850.00 |
| 4 ftB. & B. | 12.00 | 110.00 | 1000.00 |
| 4 ½ ftB. & B. | 14.00 | 130.00 | 1200.00 |
| 5 ftB. & B. | 16.00 | 150.00 | 1400.00 |
| 5 ½ ftB. & B. | 17.50 | 160.00 | 1500.00 |
| 6 ftB. & B. | 20.00 | 180.00 | |
| 7 ftB. & B. | 25.00 | 200.00 | |
| 8 ftB. & B. | 30.00 | 250.00 | |
| 10 ft. specB. & B. | | | |
| 12 ft. specB. & B. | | | |
| 13 ft. specB. & B. | | | |
| 14 ft. specB. & B. | 90.00 | | |
| | | | |
| | | | |
| pungens moerheimi. 40' | | | , |
| 2½ ftB. & B. | 7.00 | 65.00 | |
| 3 ftB. & B. | 8.50 | 80.00 | |
| 3½ ftB. & B. | 12.00 | 100.00 | |
| | | | |
| | | • | |
| rubra. Red Spruce. 60' | | | |
| 4 ftB. & B. | 5.00 | 40.00 | 350.00 |
| 4. | 6.00 | | |
| | 7.50 | | 550.00 |
| 7 ftB. & B. | | 75.00 | |
| | | | |

| Pieris floribunda. Mountain Andr | omeda. | 4 ' | |
|---|--------------------------|--|-------------------|
| 18 to 24 inB. & B. | $rac{	ext{Each}}{4.00}$ | $\begin{array}{c} \mathrm{Per}10 \\ 35.00 \end{array}$ | Per 100 300.00 |
| | | | |
| japonica. Japanese Andromeda | . 10 ' | | |
| 15 to 18 inB. & B. | $\frac{10}{2.50}$ | 20.00 | |
| 18 to 24 inB. & B. | 3.00 | 25.00 | |
| | | | |
| mariana. Staggerbush. 4' | | | |
| 15 to 18 inB. & B. | 1.50 | 12.50 | |
| 18 to 24 inB. & B. | 2.00 | 15.00 | |
| 24 to 30 inB. & B. | 3.00 | | |
| | | | |
| Pinus banksiana. Jack Pine. 60' | | | |
| 3 ftB. & B. | 3.50 | 30.00 | 250.00 |
| 4 ftB. & B. | 4.00 | 35.00 | 300.00 |
| 5 ftB. & B. | 5.00 | 45.00 | 400.00 |
| 6 ftB. & B. | 6.00 | 55.00 | 500.00 |
| 7 ftB. & B. | 8.50 | 75.00 | 650.00 |
| 8 ftB. & B. | 10.00 | 85.00 | 750.00 |
| 9 ftB. & B. | 12.00 | 100.00 | 850.00 |
| 10 ftB. & B. | 15.00 | 125.00 | 1000.00 |
| 11 ftB. & B. | 18.00 | 150.00 | 1400.00 |
| For larger sizes to 24 ft. | , add \$8 | 0.00 per 1 | oot. |
| | | | |
| densiflora. Japanese Red Pin | ne. 60' | | |
| 3 ftB. & B. | 2.50 | 22.50 | 200.00 |
| 4 ftB. & B. | | 35.00 | 300.00 |
| 5 ftB. & B. | | | |
| 6 ftB. & B. | | | |
| 7 ftB. & B. | | | 650.00 |
| 8 ftB. & B. | | 80.00 | |
| 9 ftB. & B. For larger sizes to 17 ft. | | 90.00 | not |
| roi larger sizes to 17 1t. | i, auu pe | o.oo per r | |
| flexilis. Limber Pine. 30' | | | |
| 4 ftB. & B. | 6.00 | | |
| 5 ftB. & B. | 7.50 | | |
| 6 ftB. & B. | | | |
| 7 ftB. & B. | | | |
| For larger sizes to 20 ft. | ., add \$5 | 5.00 per f | oot. |

Pinus

| us | | | | |
|-----------|-------------------|----------|-------------------|---------|
| | | Eac | eh Per 10 | Per 100 |
| montana. | Swiss Mountain | Pine. | 10' | |
| 18 | inB. & | B. 2. | 00 17.50 | 150.00 |
| 2 | ftB. & | B. 2. | 50 22.50 | 200.00 |
| 2 ½ | ftB. & | | 00 35.00 | 300.00 |
| 3 | ftB. & | B. 6. | 00 50.00 | 450.00 |
| 3 1/2 | ftB. & | B. 7. | 50 65.00 | 600.00 |
| 4 | ftB. & | B. 10. | 00 90.00 |) |
| 5 | ftB. & | B. 15. | 00 125.00 |) · |
| 6 | ftB. & | B. `20. | 00 | |
| montana | mughus. Dwarf | Mount | ain Pine. 4' | |
| 15 to 1 | 18 in.sprd.B. & | B. 1. | 50 12.50 | 100.00 |
| 18 to 2 | - | | 00 17.50 | |
| 2 to | 2½ ft.sprd.B. & | | 50 22.50 | 200.00 |
| 2 ½ to | 3 ft.sprd.B. & | | 00 35.00 | 300.00 |
| 3 to | 3½ ft.sprd.B. & | | 00 50.00 | 450.00 |
| 3½ to | 4 ft.sprd.B. & | B. 7. | 50 65.00 | 600.00 |
| 4 to | 5 ft.sprd.B. & | B. 10. | 00 90.00 | 800.00 |
| ~ | ustrian Pine. 50' | B. 2. | $50 \qquad 20.00$ | 175.00 |
| 3 ft. | B. & : | B. 3. | 50 30.00 | 250.00 |
| 4 ft. | | B. 5. | 00 45.00 | 400.00 |
| 5 ft | B. & 1 | B. 6. | 00 	 55.00 | 500.00 |
| 6 ft. | B. & : | B. 7. | 50 	 70.00 | 600.00 |
| 7 ft. | B. & 1 | B. 10. | 00 85.00 | 750.00 |
| 8 ft. | B. & 1 | B. 12. | 50 	 110.00 | 1000.00 |
| 9 ft. | B. & 1 | B. 15.0 | 00 135.00 | 1250.00 |
| 10 ft. | B. & 1 | B. 18. | 00 	 150.00 | 1400.00 |
| For la | erger sizes to 16 | ft., ad | d \$5.00 per | foot. |
| ponderosa | a. Western Yellow |) Pine. | <i>60'</i> | |
| | B. & 1 | | | 175.00 |
| | B. & 1 | | | 250.00 |
| 9 ft. | B. & 1 | B. 12.0 | 00 | |
| 10 ft. | B. & 1 | 3. 15.0 | 00 | |
| For la | rger sizes to 18 | ft., ade | d \$5.00 per | foot. |

Pinus

| n . I n' rot | Each | Per 10 | Per 100 |
|------------------------------|----------|------------|---------|
| resinosa. Red Pine. 50' | 0 = 0 | 20.00 | 250.00 |
| 3 ftB. & B. | | 30.00 | 250.00 |
| 4 ftB. & B. | | 45.00 | 400.00 |
| 5 ftB. & B. | | 55.00 | 500.00 |
| 6 ftB. & B. | | 70.00 | 600.00 |
| 7 ftB. & B. | | 85.00 | 750.00 |
| 8 ftB. & B. | | 110.00 | |
| 9 ftB. & B. | 15.00 | 135.00 | |
| strobus. White Pine. 75' | | | |
| 2 ftB. & B. | 2.00 | 17.50 | 150.00 |
| 3 ftB. & B. | | 22.50 | 200.00 |
| 4 ftB. & B. | | 32.50 | 300.00 |
| 5 ftB. & B. | | 45.00 | 400.00 |
| 6 ftB. & B. | | 55.00 | 500.00 |
| 7 ftB. & B. | _ | 80.00 | 700.00 |
| 8 ft | | 100.00 | 100.00 |
| 6 It | 12,00 | 100.00 | |
| sylvestris. Scotch Pine. 50' | | | |
| 3 ftB. & B. | 3.00 | 27.50 | 250.00 |
| 4 ftB. & B. | 4.00 | 35.00 | 300.00 |
| 5 ftB. & B. | 5.00 | 45.00 | 400.00 |
| 6 ftB. & B. | 6.00 | 55.00 | 500.00 |
| 7 ftB. & B. | 7.50 | 70.00 | 650.00 |
| 8 ftB. & B. | 9.00 | 80.00 | 750.00 |
| 9 ftB. & B. | 10.00 | 90.00 | 850.00 |
| 10 ftB. & B. | | 110.00 | 1000.00 |
| 11 ftB. & B. | 15.00 | 135.00 | 1250.00 |
| 12 ftB. & B. | 20.00 | 180.00 | 1500.00 |
| For larger sizes to 18 ft | ., add 8 | \$5.00 per | foot. |
| .1 1 • 7 |) | n.* | |
| thunbergi. Japanese Black I | | | |
| 4 ftB. & B. | | | |
| 5 ftB. & B. | | | |
| 6 ftB. & B. | | | |
| 7 ftB. & B. | | 85.00 | |
| 8 ftB. & B. | | 6 | C |
| For larger sizes to 12 f | t., add | \$5.00 per | root. |
| | | | |

| Platanus | occi | den | talis. | American . | Planetree. | 75' |
|----------|-------|-----|----------------|------------|------------|-------|
| | 8 | to | 10 | ft | 2.00 | 15:00 |
| | 11/4 | to | 1 ½ | in | 2.50 | 20.00 |
| | 1 1/2 | to | $1\frac{3}{4}$ | in | 3.50 | 30.00 |
| | 1 3/4 | to | 2 | in | 5.00 | 40.00 |

| Platan | us |
|--------|----|
|--------|----|

| Platanus | | | |
|-------------------------------------|--------------------|--------|---------|
| orientalis. European Planetre | Each <i>e.</i> 80' | Per 10 | Per 100 |
| 6 to 8 ft | 1.75 | 15.00 | 125.00 |
| 8 to 10 ft | 2.00 | 17.50 | 150.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 2.50 | 22.50 | 200.00 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 2.75 | 25.00 | 225.00 |
| 1 % to 2 in | 3.25 | 30.00 | 275.00 |
| 2 to $2\frac{1}{2}$ in | 4.50 | 40.00 | 350.00 |
| Polygonum auberti. China Fleecer | vine. 25' | • | |
| 2 year | .60 | 5.00 | 40.00 |
| Populus alba. White Poplar. 60' | | | |
| 8 to 10 ft | 1.50 | 12.50 | 100.00 |
| 10 to 12 ft | 1.75 | 15.00 | |
| berolinensis. Volga Poplar. | <i>40</i> ′ | | |
| 6 to 8 ft | 1.50 | 12.50 | 100.00 |
| 8 to 10 ft | 1.75 | 15.00 | 125.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 2.00 | 17.50 | 150.00 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 2.50 | 22.50 | 200.00 |
| bolleana. Bolleana Poplar. 5 | <i>'0'</i> | | |
| 6 to 8 ft | 1.50 | 12.50 | 100.00 |
| 8 to 10 ft | 1.75 | 15.00 | 125.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 2.00 | 17.50 | 150.00 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 2.50 | 22.50 | 200.00 |
| 1 % to 2 in | 3.50 | 30.00 | 250.00 |
| 2 to $2\frac{1}{2}$ in | 4.50 | 40.00 | 350.00 |
| $2\frac{1}{2}$ to 3 in | 5.50 | 45.00 | |
| 3 to $3\frac{1}{2}$ in | 7.50 | 65.00 | |
| 4 to $4\frac{1}{2}$ in | 10.00 | | |
| certinensis. Certinensis Popla | r. 40' | | |
| 6 to 8 ft | 1.50 | 12.50 | 100.00 |
| 8 to 10 ft | 1.75 | 15.00 | 125.00 |
| 10 to 12 ft | 2.00 | 17.50 | 150.00 |
| maximowiczi. Japanese Popl | • | | |
| 8 to 10 ft | | 20.00 | |
| 10 to 12 ft | 3.00 | 25.00 | |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 3.50 | 30.00 | |
| nigra italica. Lombardy Popl | | | |
| 6 to 8 ft. low brnchd. | | 6.00 | 50.00 |
| 8 to 10 ft. low brnchd. | | 7.50 | 65.00 |
| 10 to 12 ft. low brnchd. | | 10.00 | 85.00 |
| 1½ to 1¾ in. low brnchd. | | 15.00 | 125.00 |
| 1 % to 2 in. low brnchd. | | 20.00 | 175.00 |
| 2 to 2½ in. low brnchd. | 3.00 | 25.00 | |

| Populus |
|---------|
|---------|

| 2 opulus | Each | Per 10 | Per 100 |
|-------------------------------------|-------------|-------------|-------------|
| simoni. Simon Poplar. 35' | | | 2 02 200 |
| 6 to 8 ft | .75 | 6.00 | |
| 8 to 10 ft | 1.00 | 7.50 | |
| tremuloides. Quaking Aspen. | 50 ' | | |
| 6 to 8 ft | 1.75 | 15.00 | 125.00 |
| 8 to 10 ft | 2.00 | 17.50 | 150.00 |
| 10 to 12 ft | 3.00 | 25.00 | |
| trichocarpa. Black Cottonwood | od. 40' | | |
| 8 to 10 ft | 1.75 | 15.00 | 125.00 |
| 10 to 12 ft | 2.00 | 17.50 | 150.00 |
| Potentilla fruticosa. Shrubby Cinq | quefoil. | 4 ′ | |
| 18 to 24 in | .40 | 3.00 | 25.00 |
| 2 to 3 ft | .50 | 4.00 | 35.00 |
| Prinsepia sinensis. Cherry Prinsepi | ia. 6' | | |
| 9 to 12 in., from pots | 1.25 | 10.00 | |
| D | 001 | | |
| Prunus americana. American Plus | | F 00 | 40.00 |
| 4 to 5 ft | .60 | 5.00 | 40.00 |
| 5 to 6 ft | .75 | 6.00 | 50.00 |
| 6 to 8 ft | 1.00 | 8.50 | 75.00 |
| 8 to 10 ft | 1.25 | 11.50 | |
| 10 to 12 ft | 2.00 | 16.50 | 150.00 |
| americana Newport. Purple- | leaved A | merican Pla | um. 20' |
| 3 to 4 ft | .60 | 5.00 | 45.00 |
| 4 to 5 ft | .75 | 6.00 | 55.00 |
| 5 to 6 ft | 1.00 | 8.00 | 75.00 |
| 6 to 8 ft | 1.25 | 11.00 | 100.00 |
| armeniaca sibirica. Siberian | Apricot. | 12' | |
| 4 to 5 ft | 2.00 | 15.00 | |
| 5 to 6 ft | 2.50 | 20.00 | |
| 6 to 8 ft | 3.00 | 25.00 | |
| *avium plena. Double White | Flowerin | ng Cherry. | <i>30</i> ′ |
| 5 to 6 ft | 2.00 | 15.00 | 125.00 |
| 6 to 8 ft | 3.00 | 25.00 | 225.00 |
| 8 to 10 ft | 5.00 | 40.00 | 300.00 |
| 10 to 12 ft | 6.00 | 50.00 | 400.00 |
| 3 to 4 in. specimens | 25.00 | | |
| besseyi. Bessey Cherry. 8' | | | |
| 2 to 3 ft | .50 | 4.00 | 30.00 |
| 3 to 4 ft | .60 | 5.00 | 40.00 |
| 4 to 5 ft | .75 | 6.00 | 50.00 |
| | | | · · |

| runus | | | | |
|------------|----------------------|---------------|-----------------------|---------|
| cerasifera | pissardi. Purpleled | Each of Plum. | Per 10 <i>12</i> ' | Per 100 |
| 4 to | 5 ft | .75 | 6.00 | 55.00 |
| 5 to | 6 ft | .90 | 8.00 | 75.00 |
| 6 to | 8 ft | 1.25 | 11.00 | 100.00 |
| 8 to | 10 ft | 1.75 | 15.00 | 125.00 |
| cistena. | Purpleleaf Sand Cher | ry. 20' | | |
| 3 to | 4 ft | .75 | 6.00 | 50.00 |
| 4 to | 5 ft | .80 | 7.00 | 60.00 |
| demissa. | Western Chokecherry | y. 30' | | |
| 3 to | 4 ft | .60 | 5.00 | |
| 4 to | 5 ft | .75 | | |
| dunbari. | Dunbar Plum. 6' | | | |
| 2 to | 3 ft | .85 | 7.00 | 60.00 |
| 3 to | 4 ft | 1.00 | 8.50 | 75.00 |
| 4 to | | 1.25 | 11.00 | 100.00 |
| 5 to | 6 ft | 1.50 | 12.50 | |
| | | 7 401 | | |
| - | a. Flowering Almon | | | 22.22 |
| 2 to | 3 ft | .50 | 4.00 | 30.00 |
| | 4 ft | .60 | 5.00 | 40.00 |
| 4 to | 5 ft | .75 | 6.00 | 50.00 |
| glandulosa | a albiplena. | | | |
| Double | Whiteflowering Almo | nd. 6' | | |
| 2 to | 3 ft | .65 | 5.00 | 40.00 |
| 3 to | 4 ft | .75 | 6.50 | 60.00 |
| 2 to | 3 ft. own roots | 1.50 | 12.50 | |
| glandulos | a sinensis. | | | |
| Double | Pinkflowering Almone | d. 6' | | |
| 2 to | 3 ft | .65 | 5.00 | 40.00 |
| 3 to | 4 ft | .75 | 6.50 | 60.00 |
| 2 to | 3 ft. own roots | 1.50 | 12.50 | |
| 3 to | 4 ft. own roots | 2.00 | 15.00 | |
| hortulana | . Hortulan Plum. 30 |)* | | |
| 4 to | 5 ft | 1.00 | 7.50 | |
| 5 to | 6 ft | 1.25 | 10.00 | |
| 6 to | 8 ft | 1.75 | 15.00 | |
| incisa. M | Iame Cherry. 15' | | | |
| 4 to | 5 ft | 1.75 | 15.00 | 125.00 |
| 5 to | 6 ft | 2.00 | 17.50 | 150.00 |
| 6 to | 8 ft | 2.50 | 22.50 | 200.00 |
| | | | | |

| Prunus | | | | | |
|---------|--------------|--------------------|--------------------|---------------|--------------------|
| japoni | ca. 0 | hinese Bush Cherry | Each <i>y. 12'</i> | Per 10 | Per 100 |
| • - | | ft | 1.25 | 10.00 | |
| 3 | | ft | 1.50 | 12.50 | |
| ate ¶ | | TTU | 201 | | |
| | | Hitoye Cherry. | <i>30'</i> | 10 50 | 100.00 |
| | | ft ft | 1.50 1.75 | 12.50 15.00 | $100.00 \\ 125.00$ |
| O | 10 0 | 10 | 1.70 | 10.00 | 120.00 |
| *lanne | siana | Amayadori. 30' | | | |
| 4 | to 5 | ft | 1.50 | 12.50 | |
| 5 | to 6 | ft | 2.00 | 15.00 | |
| *lanne | siana | Jonioi. 25' | | | |
| | | ft | 2.00 | | |
| | | | | | |
| | | sirotae. Mt. Fuj | • | | |
| | | ft | 1.50 | 12.50 | |
| | | ft | 2.00 | 15.00 | |
| б | to 8 | ft | 3.00 | 25.00 | |
| maack | i. <i>A1</i> | nur Cherry. 12' | | | |
| 3 | | ft | .50 | 4.00 | 30.00 |
| 4 | to 5 | ft | .60 | 5.00 | 40.00 |
| 5 | to 6 | ft | .75 | 6.00 | 50.00 |
| 6 | to 8 | ft | 1.00 | 7.50 | 60.00 |
| maritii | ma. B | Seech Plum. 12' | | | |
| 2 | to 3 | ft | .60 | 5.00 | 45.00 |
| 3 | to 4 | ft | .75 | 6.50 | 60.00 |
| 4 | to 5 | ft | 1.00 | 7.50 | 70.00 |
| moseri | fl. pl. | . 12' | | | |
| 5 | to 6 | ft | .75 | 6.00 | 50.00 |
| 6 | to 8 | ft | 1.25 | 10.00 | 75.00 |
| 8 | to 10 | ft | 1.50 | 12.50 | |
| mume. | Japa | anese Apricot. 15' | • | | |
| 5 | to 6 | ft | 1.25 | 10.00 | 75.00 |
| 6 | to 8 | ft | 1.50 | 12.50 | 100.00 |
| padus. | Euro | opean Bird Cherry. | . <i>30'</i> | | |
| _ | | ft | .60 | 5.00 | 40.00 |
| 5 | to 6 | ft | .75 | 6.00 | 50.00 |
| 6 | to 8 | ft | 1.00 | 7.50 | 60.00 |
| | | ft | 1.25 | 10.00 | 75.00 |
| 10 | to 12 | ft | 1.50 | 12.50 | 100.00 |

| nus | | | |
|----------------------------------|-------------|------------|------------|
| pennsylvanica. Pin Cherry. | Each | Per 10 | Per 100 |
| _ | | 0.00 | F0.00 |
| 5 to 6 ft | | 6.00 | 50.00 |
| 6 to 8 ft | | 7.50 | 60.00 |
| 8 to 10 ft | | 10.00 | 75.00 |
| 10 to 12 ft | 1.75 | 15.00 | |
| persica. (See Amygdalus). | | | |
| persica. (See Amygaaras). | | | |
| pumila. Sand Cherry. 5' | | | |
| 2 to 3 ft | .60 | 5.00 | 40.00 |
| 3 to 4 ft | .75 | 6.00 | 50.00 |
| | | | |
| serotina. Wild Black Cherry. | 60 ' | | |
| 5 to 6 ft | .60 | 5.00 | 45.00 |
| 6 to 8 ft | 1.00 | 7.50 | 60.00 |
| 8 to 10 ft | 1.25 | 10.00 | 75.00 |
| 10 to 12 ft | 1.75 | 15.00 | |
| * I Out out all Olympia | 101 | | |
| *serrulata. Oriental Cherry. | | 10.00 | 75.00 |
| 4 to 5 ft | 1.25 | 10.00 | 75.00 |
| 5 to 6 ft | 1.50 | 12.50 | 100.00 |
| 6 to 8 ft | | 17.50 | 150.00 |
| 8 to 10 ft | 2.50 | 22.50 | 200.00 |
| * serrulata Higantakura. Db | l. White | Flg. Cherr | y. 30' |
| 4 to 5 ft | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft | 2.00 | 15.00 | 125.00 |
| 6 to 8 ft | | 25.00 | |
| 8 to 10 ft | | 40.00 | |
| *serrulata Hisakura. Dbl. P | ink Fla. | Cherry, 30 |) <i>'</i> |
| 4 to 5 ft | | | 100.00 |
| 5 to 6 ft | | | |
| 6 to 8 ft | | | 225.00 |
| 8 to 10 ft | | | 220.00 |
| | | | 01 |
| *serrulata James H. Veitch. | | | |
| 4 to 5 ft | | 12.50 | 100.00 |
| 5 to 6 ft | | | |
| 6 to 8 ft | | | 225.00 |
| *serrulata sachalinensis. syn. | Sargen | tı. | |
| Yama Cherry. 50' | | 40.70 | 400.00 |
| 4 to 5 ft | | 12.50 | 100.00 |
| 5 to 6 ft | | 15.00 | 125.00 |
| 6 to 8 ft | | 25.00 | 225.00 |
| 8 to 10 ft | | 40.00 | 300.00 |
| 10 to 12 ft | 6.00 | 50.00 | 400.00 |
| | | | |

| **:-L-1J: | | Each | Per 10 | Per 100 |
|------------|-----------------------|--------------------|-----------|-------------|
| | syn. Naden. Siebold | _ | · | 105.00 |
| 5 to | 6 ft | 2.00 | 15.00 | 125.00 |
| 6 to | 8 ft | 3.00 | | 225.00 |
| 8 to | 10 ft | 5.00 | 40.00 | |
| spinosa. | Blackthorn. 12' | | | |
| 3 to | 4 ft | .60 | 5.00 | 40.00 |
| 4 to | 5 ft | .75 | 6.00 | 50.00 |
| 5 to | 6 ft | .85 | 7.50 | 60.00 |
| 6 to | 8 ft | 1.00 | 8.50 | 75.00 |
| 8 to | 10 ft | 1.50 | 12.50 | 100.00 |
| *subhirte | lla. Higan Cherry. | <i>30</i> ′ | | |
| 4 to | 5 ft | 1.50 | 12.50 | 100.00 |
| 5 to | 6 ft | 2.00 | 15.00 | 125.00 |
| 6 to | 8 ft | 3.00 | 25.00 | 225.00 |
| | 10 ft | 5.00 | 40.00 | 300.00 |
| | 12 ft | 6.00 | 50.00 | |
| | | | | |
| | lla ascendens. Shiro- | | 20' | |
| 4 to | 5 ft | 1.50 | 12.50 | |
| 5 to | 6 ft | 2.00 | 15.00 | |
| 6 to | 8 ft | 3.00 | 25.00 | |
| *subhirte | lla autumnalis. | | | |
| Autumn | r Flowering Higan Che | erry. 30' | • | |
| 5 to | 6 ft | 3.50 | 30.00 | |
| 6 to | 8 · ft | 5.00 | 40.00 | |
| 8 to | 10 ft | 7.50 | | |
| 10 to | 12 ft | 10.00 | | , |
| *subhirte | lla pendula. Weeping | Higan (| Cherry. I | !5 ' |
| | hds, 4 to 6 ft. stem | | | 250.00 |
| tomentosa | . Nanking Cherry. 8 | 8 ' | | |
| 2 to | 3 ft | .50 | 4.50 | 40.00 |
| 3 to | 4 ft | .60 | 5.50 | 50.00 |
| 4 to | 5 ft | .75 | 6.50 | 60.00 |
| 5 to | 6 ft | 1.00 | 8.50 | 75.00 |
| 6 to | 8 ft | 1.50 | 12.50 | 100.00 |
| triloba. | Single Flowering Plur | n. 10' | | |
| 4 to | 5 ft | 2.50 | | |
| triloba pl | ena. Double Floweri | ing Plum | . 10' | |
| 3 to | 4 ft | .65 | 5.50 | 50.00 |
| 4 to | 5 ft | .75 | 6.50 | 60.00 |
| 5 to | 6 ft | 1.25 | 10.00 | 75.00 |
| | | | | |

| 140 | | | |
|------------------------------|-------------|--------|---------|
| | Each | Per 10 | Per 100 |
| virginiana. Chokecherry. 30' | | | |
| 3 to 4 ft | .50 | 4.00 | 35.00 |
| 4 to 5 ft | .60 | 5.00 | 40.00 |
| 5 to 6 ft | .75 | 6.00 | 50.00 |
| 6 to 8 ft | 1.00 | 7.50 | 60.00 |
| 8 to 10 ft | 1.25 | 10.00 | 75.00 |
| *yedoensis. Yoshino Cherry. | <i>35</i> ′ | | |
| 4 to 5 ft | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft | 2.00 | 15.00 | 125.00 |
| 6 to 8 ft | 3.00 | 25.00 | 200.00 |
| 8 to 10 ft | 5.00 | 40.00 | 300.00 |
| *yedoensis taizanfukun. | | | |
| 4 to 5 ft | 1.50 | 12.50 | 100.00 |
| 5 to 6 ft | 2.00 | 15.00 | 125.00 |
| 6 to 8 ft | 3.00 | 25.00 | 225.00 |
| 8 to 10 ft | 5.00 | 40.00 | 300.00 |
| | | | |

We can also supply in limited quantity the following varieties of Japanese Flowering Cherries from the collection at Highland Park, Rochester. They are available in the 4 to 5 ft., 5 to 6 ft., and 6 to 8 ft. grades at \$1.50, \$2.00 and \$3.00 each, respectively.

Amanogawa—semi-double pale pink
Hata-zakura—semi-double white
Horaisan—double pink
Hosokawanioi—semi-double flesh
Kwanzan—double deep pink
Miyako—double pink
Sumizome—double purplish pink

Our named varieties of Japanese Flowering Cherries are grown on the Japanese type stocks. While the common practice of grafting on the European Mazzard stock is a cheaper method of propagation, it results in short-lived trees, which difficulty is overcome by using Japanese stocks.

| Pseudotsuga douglasi. | Douglas Fir. | 70' | | |
|-----------------------|--------------|------|-------|--------|
| 2 ft | B. & B. | 2.00 | 17.50 | 150.00 |
| 3 ft | B. & B. | 2.75 | 25.00 | 225.00 |
| 4 ft | B. & B. | 4.00 | 37.50 | 350.00 |
| 5 ft | B. & B. | 5.50 | 50.00 | 450.00 |

| Pseudotsuga douglasi | | | |
|-----------------------------------|------------------|---|--------|
| 6 ftB. & B. | Each | $\begin{array}{c} \text{Per 10} \\ 65.00 \end{array}$ | |
| 7 ftB. & B. | | | |
| 8 ftB. & B. | | | |
| 9 ftB. & B. | | | |
| 10 ftB. & B. | | | |
| For larger sizes to 20 ft. | | | |
| 2 01 101261 21262 00 20 20 | , u aa 40 | oo per r | 000. |
| Pseudolarix kaempferi. Golden Le | arch. 50' | | |
| 7 ftB. & B. | | | |
| 8 ftB. & B. | 25.00 | | |
| Ptelea trifoliata. Hoptree. 20' | | | |
| 4 to 5 ft | .75 | 6.00 | 50.00 |
| 5 to 6 ft | .85 | 7.00 | 60.00 |
| 6 to 8 ft | 1.00 | 8.50 | 75.00 |
| 8 to 10 ft | 1.50 | 12.50 | 100.00 |
| Pueraria thunbergiana. Kudzu-bee | an. 40' | | |
| 2 year | | 3.00 | 20.00 |
| · | | | |
| Pyracantha. (See Crataegus). | | | |
| Pyrus calleryana. Callery Pear. 2 | ?0 ' | | |
| 4 to 5 ft | | 10.00 | |
| 5 to 6 ft | 1.50 | 12.50 | |
| 6 to 8 ft | 2.00 | 17.50 | |
| salicifolia. Willowleaf Pear. | <i>30'</i> | • | |
| 4 to 5 ft | 1.50 | 12.50 | |
| 5 to 6 ft | 2.00 | 17.50 | |
| serrulata. 20' | | | |
| 5 to 6 ft | 2.00 | 15.00 | |
| 6 to 8 ft | 2.50 | 20.00 | |
| Quercus alba. White Oak. 75' | | | |
| 6 to 8 ft | 3.50 | 30.00 | |
| 1½ to 1½ in | 4.50 | 40.00 | |
| 1½ to 1¾ in | 5.00 | 45.00 | |
| 1 % to 2 in | 6.00 | 55.00 | |
| 2 to 2½ in | 9.00 | 75.00 | |
| 2½ to 3 in | 12.50 | 100.00 | |
| 3 to 3½ in | 15.00 | 125.00 | |

Quercus

| ercus | | | | | 131- | The 4.0 | 70 100 |
|-------|----------------|------------|----------------|-------------|-------------|---------|---------|
| bicol | or. | Sz | vamn | White Oak. | | Per 10 | Per 100 |
| | 6 | | _ | ft | | | |
| | | | | in | | | |
| | | | | in | | | |
| | | | | in | | • | |
| | | | | in | | | |
| | | | | in | | | |
| | _ ,_ | | | | | | |
| cerri | e. | Har | onean. | Turkey Oak | . 80' | | |
| 00111 | | | _ | in | | | |
| | | | | in | | | |
| | 1 /4 | | | | 0.00 | | |
| cocc | inea | . s | carlet | Oak. 75' | | | |
| | 6 | to | 8 | ft | 3.50 | 30.00 | 250.00 |
| | 1 1/4 | to | $1\frac{1}{2}$ | in | 4.50 | 40.00 | |
| | 1 ½ | to | $1\frac{3}{4}$ | in | 5.00 | 45.00 | |
| | $1\frac{3}{4}$ | to | 2 | in | 6.00 | 55.00 | |
| | 2 | to | $2\frac{1}{2}$ | in | 9.00 | 75.00 | |
| | | | | in | 12.50 | 100.00 | |
| | | | | in | | | |
| | | | | | | | |
| lyrat | a. | Ove | ercup | Oak. 75' | | | |
| | $1\frac{1}{4}$ | to | $1\frac{1}{2}$ | in | 7.50 | | |
| | $1\frac{1}{2}$ | to | $1\frac{3}{4}$ | in | 10.00 | | |
| | | | | | | | |
| macı | roca | rpa. | Mo | ssycup Oak. | 75 ' | | |
| | $1\frac{1}{2}$ | to | $1\frac{3}{4}$ | in | 5.00 | 45.00 | 400.00 |
| | $1\frac{3}{4}$ | to | 2 | in | 6.00 | 55.00 | 500.00 |
| | 2 | to | $2\frac{1}{2}$ | in | 9.00 | 75.00 | 650.00 |
| | $2\frac{1}{2}$ | to | 3 | in | 12.50 | 100.00 | 850.00 |
| | 3 | to | $3\frac{1}{2}$ | in | 15.00 | 125.00 | 1000.00 |
| palu | stris | . <i>F</i> | Pin Oa | ık. 75' | | | |
| | 6 | to | 8 | ft | 2.00 | 17.50 | 150.00 |
| | 11/4 | to | $1\frac{1}{2}$ | in | 3.00 | 25.00 | 200.00 |
| | 1 ½ | to | $1\frac{3}{4}$ | in | 3.50 | 30.00 | 250.00 |
| | 1 3/4 | to | 2 | in | 4.50 | 40.00 | 350.00 |
| | 2 | to | $2\frac{1}{2}$ | in | 6.00 | 55.00 | 500.00 |
| | 2 ½ | to | 3 | in | 7.50 | 65.00 | 600.00 |
| | 3 | to | 3 ½ | in | 9.00 | 80.00 | 700.00 |
| | 3 ½ | to | 4 | in | 12.50 | 100.00 | 900.00 |
| | 4 | to | 5 | in | 25.00 | 200.00 | 1800.00 |
| | 5 | to | 6 | in | 35.00 | | |
| | | | | | | | |

| O | | | | | | |
|---|---|---|---|---|---|---|
| U | u | е | r | C | u | S |

| cicus | | | | • | T) 1 | TD - 4.0 | TD 400 |
|-------|-----------------------|-------|----------------|-------------|-------|----------|---------|
| phell | los. | Wi | llow | Oak. 40' | Each | Per 10 | Per 100 |
| | 3 | to | 3 ½ | in | 20.00 | | |
| | 4 | to | | | 25.00 | | |
| | 5 | to | 6 | in | 40.00 | | |
| | | | | | | | |
| print | 18. | Che | stnut | Oak. 50' | | | |
| | 6 | to | 8 | ft | 3.00 | 27.50 | |
| | $1\frac{1}{4}$ | to | $1\frac{1}{2}$ | in | 4.00 | 37.50 | |
| | 1 1/2 | to | $1\frac{3}{4}$ | in | 5.00 | 47.50 | |
| | 1 3/4 | to | 2 | in | 6.50 | 60.00 | |
| | 2 | to | $2\frac{1}{2}$ | in | 7.50 | | |
| | $2\frac{1}{2}$ | to | 3 | in | 10.00 | | |
| | | | | | | | |
| robu | r. | Engle | lish C | 0ak. 80' | | | |
| | 6 | to | 8 | ft | 3.50 | 30.00 | 250.00 |
| | $1\frac{1}{2}$ | to | $1\frac{3}{4}$ | in | 5.00 | 45.00 | 400.00 |
| | 2 | to | $2\frac{1}{2}$ | in | 7.00 | 60.00 | |
| | $2\frac{1}{2}$ | to | 3 | in | 8.50 | 75.00 | |
| | 3 | to | 3 ½ | in | 10.00 | 90.00 | |
| | | | | | | | |
| rubr | a. i | Red | Oak. | 75 ' | | | |
| | 6 | to | 8 | ft | 3.00 | 27.50 | 250.00 |
| | 1 1/4 | to | $1\frac{1}{2}$ | in | 4.00 | 37.50 | 350.00 |
| | $1\frac{1}{2}$ | to | $1\frac{3}{4}$ | in | 5.00 | 47.50 | 450.00 |
| | $1\frac{3}{4}$ | to | 2 | in | 6.50 | 60.00 | 550.00 |
| | 2 | to | $2\frac{1}{2}$ | in | 9.00 | 75.00 | 650.00 |
| | 2 ½ | to | 3 | in | 12.50 | 100.00 | 850.00 |
| | 3 | to | 3 ½ | in | 15.00 | 125.00 | |
| | 3 ½ | to | 4 | in | 20.00 | 150.00 | |
| texai | na. | 75' | | | | | |
| | 6 | to | 8 | ft | 3.50 | 30.00 | |
| | 1 1/4 | to | $1\frac{1}{2}$ | in | 4.50 | 40.00 | |
| | 1 ½ | to | $1\frac{3}{4}$ | in | 5.00 | 45.00 | |
| | 1 3/4 | to | 2 | in | 6.00 | 55.00 | |
| | 2° | to | $2\frac{1}{2}$ | in | 9.00 | 75.00 | |
| 1 | | 70.7 | last. | 0 ~1. ~0. | | | |
| | | | | Oak. 70' in | 10.00 | | |
| | 4 7 2 3 | | | in | | | |
| | | | | in | | | |
| | 3 ½ 1 | | | in | | | |
| | 4 | to | J | 111 | 20.00 | | |

Retinospora. (See Chamaecyparis).

| Rhamnus caro | liniana. | Carolina B | uckthorn. | 25 ' | |
|---|--|-------------------------------------|--|--|---|
| 9.40 | 0 ft | | Each | Per 10 | Per 100 |
| 2 to | | • • • • • • • • | .45 | 3.00 | 25.00 |
| 3 to | | • • • • • • • • | .50 | 4.00 | 35.00 |
| 4 to | 5 11 | • • • • • • • | .65 | 5.50 | 50.00 |
| cathartica | . Buckt | horn. 12' | | | |
| 3 to | 4 ft | | . 50 | 4.00 | 30.00 |
| 4 to | 5 ft | | .60 | 5.00 | 40.00 |
| 5 to | 6 ft | • • • • • • • • • | .75 | 6.00 | 50.00 |
| dahurica. | Dahuri | an Buckthor | | | |
| 2 to | | | .40 | 3.00 | 25.00 |
| 3 to | 4 ft | | .50 | 4.00 | 30.00 |
| 4 to | 5 ft | | .60 | 5.00 | 40.00 |
| 5 to | 6 ft | | .75 | 6.00 | 50.00 |
| 6 to | 8 ft | • • • • • • • • | .90 | 7.50 | 60.00 |
| frangula. | Glossy | Buckthorn. | 12' | | |
| 3 to | 4 ft | | .50 | 4.00 | 30.00 |
| 4 to | 5 ft | | .60 | 5.00 | 40.00 |
| 5 to | 6 ft | | .75 | 6.00 | 50.00 |
| 6 to | 8 ft | | .90 | 7.50 | 60.00 |
| 8 to | 10 ft | • • • • • • • • | 1.00 | 9.00 | 75.00 |
| frangula asplenifolia. Fernleaf Rhamnus. 12' | | | | | |
| frangula a | asplenifo | lia. Fernle | eaf Rhami | nus. 12' | |
| frangula a 3 to | _ | lia. Fernle | eaf $Rhami$ 2.50 | nus. 12' 20.00 | |
| _ | 4 ft | | | | |
| 3 to | 4 ft 5 ft | | 2.50 | 20.00 | |
| 3 to 4 to koraiensis | 4 ft 5 ft | | 2.50 3.50 | 20.00 | |
| 3 to 4 to koraiensis 3 to | 4 ft 5 ft 4 ft | | 2.50 3.50 1.50 | 20.00 | : |
| 3 to 4 to koraiensis 3 to | 4 ft 5 ft 4 ft Casca | | 2.50 3.50 1.50 | 20.00 | 30.00 |
| 3 to 4 to koraiensis 3 to purshiana 3 to | 4 ft 5 ft 12' 4 ft Casca 4 ft | ra Buckthor | 2.50 3.50 1.50 | 20.00 | |
| 3 to 4 to koraiensis 3 to purshiana 3 to 4 to | 4 ft 5 ft 12' 4 ft Casca 4 ft 5 ft | ra Buckthor | 2.50 3.50 1.50 m. 12' .50 | 20.00 30.00 4.00 | 30.00 40.00 |
| 3 to 4 to koraiensis 3 to purshiana 3 to 4 to 5 to | 4 ft 5 ft 4 ft Casca 4 ft 5 ft 6 ft | ra Buckthor | 2.50 3.50 1.50 m. 12' .50 .60 | 20.00 30.00 4.00 5.00 | 30.00 40.00 50.00 |
| 3 to 4 to koraiensis 3 to purshiana 3 to 4 to 5 to 6 to | 4 ft 5 ft 12' 4 ft Casca 4 ft 5 ft 6 ft 8 ft | ra Buckthor | 2.50 3.50 1.50 m. 12' .50 .60 .75 | 20.00 30.00 4.00 5.00 6.00 | 30.00 40.00 50.00 |
| 3 to 4 to koraiensis 3 to purshiana 3 to 4 to 5 to 6 to | 4 ft 5 ft 12' 4 ft Casca 4 ft 5 ft 6 ft 8 ft 10 ft | ra Buckthor | 2.50 3.50 1.50 m. 12' .50 .60 .75 .90 1.00 | 20.00 30.00 4.00 5.00 6.00 7.50 9.00 | 30.00 40.00 50.00 60.00 75.00 |
| 3 to 4 to koraiensis 3 to purshiana 3 to 4 to 5 to 6 to 8 to 8 to | 4 ft 5 ft 6 ft 6 ft 7 ft 7 ft 8 ft 10 ft | ra Buckthor | 2.50 3.50 1.50 m. 12' .50 .60 .75 .90 1.00 | 20.00 30.00 4.00 5.00 6.00 7.50 9.00 | 30.00 40.00 50.00 60.00 75.00 |
| 3 to 4 to koraiensis 3 to purshiana 3 to 4 to 5 to 6 to 8 to 7 Rhododendron 2 to | 4 ft 5 ft 6 ft 6 ft 7 ft 6 ft 7 ft 8 ft 10 ft | ra Buckthor | 2.50 3.50 1.50 n. 12' .50 .60 .75 .90 1.00 | 20.00 30.00 4.00 5.00 6.00 7.50 9.00 dodendron 37.50 | 30.00 40.00 50.00 60.00 75.00 |
| 3 to 4 to koraiensis 3 to purshiana 3 to 4 to 5 to 6 to 8 to 7 Rhododendron 2 to catawbien | 4 ft 5 ft 12' 4 ft Casca 4 ft 5 ft 6 ft 8 ft 10 ft carolini 3 ft se. Cat | anum. Care | 2.50 3.50 1.50 n. 12' .50 .60 .75 .90 1.00 clina Rhoot 4.50 codendron. | 20.00 30.00 4.00 5.00 6.00 7.50 9.00 dodendron 37.50 8' | 30.00 40.00 50.00 60.00 75.00 |
| 3 to 4 to koraiensis 3 to purshiana 3 to 4 to 5 to 6 to 8 to 7 Rhododendron 2 to catawbien | 4 ft 5 ft 12' 4 ft Casca 4 ft 5 ft 6 ft 8 ft 10 ft carolini 3 ft se. Cat 3 ft | anum. CaraB. & B. | 2.50 3.50 1.50 n. 12' .50 .60 .75 .90 1.00 blina Rhoo 4.50 odendron. 4.50 | 20.00 30.00 4.00 5.00 6.00 7.50 9.00 dodendron 37.50 8' 37.50 | 30.00 40.00 50.00 60.00 75.00 |
| 3 to 4 to koraiensis 3 to purshiana 3 to 4 to 5 to 6 to 8 to 8 to 7 Rhododendron 2 to catawbien 2 to 3 to | 4 ft 5 ft 12' 4 ft Casca 4 ft 5 ft 6 ft 8 ft 10 ft carolini 3 ft 4 ft | anum. Caro | 2.50 3.50 1.50 1.50 .60 .75 .90 1.00 blina Rhod 4.50 bdendron. 4.50 5.75 | 20.00 30.00 4.00 5.00 6.00 7.50 9.00 dodendron 37.50 8' 37.50 50.00 | 30.00 40.00 50.00 60.00 75.00 6' 325.00 |
| 3 to 4 to koraiensis 3 to purshiana 3 to 4 to 5 to 6 to 8 to 8 to Rhododendron 2 to catawbien 2 to 3 to maximum. | 4 ft 5 ft 6 ft 6 ft 7 ft 6 ft 8 ft 10 ft 2 carolini 3 ft 4 ft 4 ft | anum. CaraB. & B. awba RhodoB. & B. | 2.50 3.50 1.50 n. 12' .50 .60 .75 .90 1.00 olina Rhod 4.50 odendron. 4.50 5.75 | 20.00 30.00 4.00 5.00 6.00 7.50 9.00 dodendron 37.50 8' 37.50 50.00 | 30.00 40.00 50.00 60.00 75.00 6' 325.00 |
| 3 to 4 to koraiensis 3 to purshiana 3 to 4 to 5 to 6 to 8 to 7 Rhododendron 2 to catawbien 2 to 3 to maximum. 2 to | 4 ft 5 ft 6 ft 6 ft 8 ft 10 ft 2 carolini 3 ft 4 ft 5 ft 6 ft 8 ft 10 ft 10 ft 10 ft | ra Buckthor | 2.50 3.50 1.50 1.50 .60 .75 .90 1.00 0lina Rhoo 4.50 odendron. 4.50 5.75 adron. 15' 4.00 | 20.00 30.00 4.00 5.00 6.00 7.50 9.00 dodendron 37.50 8' 37.50 50.00 | 30.00 40.00 50.00 60.00 75.00 . 6' 325.00 450.00 |

| Rhodora cana | densis. Rhodora. 3' | | | |
|-----------------|-----------------------------------|------------|---------------------|---------------|
| | | Each | Per 10 | Per 100 |
| 15 to | 18 inB. & B. | 2.00 | 17.50 | |
| Dhadatan a la | anniaidae Iothoad | e ! | | |
| 2 to | errioides. $Jetbead$. (3 ft | | 9.00 | 25.00 |
| 3 to | | .40 | 3.00 | 25.00 |
| | | .50 | 3.50 | 30.00 |
| 4 to | 5 ft | .60 | 4.00 | 35.00 |
| Rhus canaden | sis. Fragrant Sumac. | 6' | | |
| 2 to | _ | .40 | 3.50 | 30.00 |
| 3 to | | .50 | 4.50 | 40.00 |
| 4 to | | .60 | 5.00 | 45.00 |
| 5 to | | .75 | 6.00 | 50.00 |
| 0 00 | V 2000 C C C C C C C C C C | ••• | | |
| copallina | . Shining Sumac. 20' | | | |
| 2 to | 3 ft | .55 | 4.50 | 40.00 |
| 3 to | 4 ft | .65 | 5.50 | 50.00 |
| 4 to | 5 ft | .75 | 6.50 | 60.00 |
| 5 to | 6 ft | .90 | 8.00 | 75.00 |
| 6 to | 8 ft | 1.00 | 9.00 | 85.00 |
| 8 to | 10 ft | 1.25 | 11.00 | 100.00 |
| | | | | |
| | Purple Fringe or Smo | | | |
| 3 to | | | | 50.00 |
| 4 to | | .85 | | 75.00 |
| 5 to | 6 ft | 1.00 | 9.00 | 85.00 |
| 6 to | 8 ft | 1.50 | 12.50 | 100.00 |
| 8 to | 10 ft | 1.75 | 15.00 | 125.00 |
| glabra. | Smooth Sumac. 12' | | | |
| glabra. 2 to | | .30 | 2.00 | 15.00 |
| | | .40 | 3.00 | 20.00 |
| 3 to | 4 ft | .40 | 3.00 | 20.00 |
| | syn. osbecki. Java S | | <i>18</i> ′ | <i>c</i> o oo |
| 4 to | | 1.00 | 7.50 | 60.00 |
| 5 to | | 1.25 | 10.00 | |
| | 8 ft | 1.50 | 12.50 | |
| 8 to | 10 ft | 2.50 | 20.00 | |
| typhina. | Staghorn Sumac. 25' | | | |
| 2 to | | .30 | 2.00 | 15.00 |
| | 3 ft | .50 | 2.00 | 15.00 |
| 3 to | | .35 | $\frac{2.00}{2.50}$ | 20.00 |
| 3 to 4 to | 4 ft | | | |

| Rh | us |
|----|----|
|----|----|

| Rhus | | | ; |
|------------------------------------|------------|---------------|---------|
| typhina laciniata. $Shredded$ Su | mac. | Per 10 25' | Per 100 |
| 2 to 3 ft | .40 | 3.00 | 25.00 |
| 3 to 4 ft | .45 | 3.50 | 30.00 |
| 4 to 5 ft | .55 | 4.50 | 40.00 |
| 5 to 6 ft | .75 | 6.00 | 50.00 |
| | 1.00 | 7.50 | 60.00 |
| Ribes alpinum. Mountain Currant. | 4 ' | | |
| 18 to 24 in | .40 | 3.50 | 30.00 |
| 2 to 3 ft | .50 | 4.00 | 35.00 |
| 3 to 4 ft | .60 | 5.00 | 40.00 |
| aureum. Slender Golden Curran | et. 10 |) ' | |
| 2 to 3 ft | .40 | 3.00 | 25.00 |
| 3 to 4 ft | .45 | 3.50 | 30.00 |
| fasciculatum. Winterberry Curr | ant. | 4' | |
| 18 to 24 in | .45 | 4.00 | 35.00 |
| 2 to 3 ft | .50 | 4.50 | 40.00 |
| gordonianum. Gordon Currant. | 8 ' | | |
| 3 to 4 ft | .60 | 5.00 | |
| sanguineum. Ruby Winter Cur | rant. | <i>8'</i> | |
| 2 to 3 ft | .60 | 4.50 | |
| 3 to 4 ft | .65 | 5.00 | |
| Robinia fertilis. 25' | | | |
| | 2.50 | 20.00 | |
| 5 to 6 ft | 3.00 | 25.00 | |
| hispida. Rose Acacia. | 3.00 | 20.00 | |
| - | 1.75 | 15.00 | |
| | 2.00 | | |
| | 2.00 | 11.00 | |
| holdti. Holdt Locust. 25' | 0.50 | | |
| | 3.50 | | |
| kelseyi. Kelsey Locust. 8' | | | |
| | 2.50 | | |
| 4 to 5 ft | 3.00 | | |
| pseudoacacia. Common Locust. | | • | |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| | .75 | 6.50 | 60.00 |
| | 2.00 | 15.00 | 100.00 |
| | 3.00 | 25.00 | |
| pseudoacacia bessoniana. Bess | | • | |
| 3 to 4 ft | 2.00 | 15.00 | |

Robinia

| Robinia | Each | Don 10 | Per 100 |
|---|------------|-------------|---------|
| pseudoacacia decaisneana. | | Locust. | 40' |
| 5 to 6 ft | | | |
| 6 to 8 ft | | | |
| | | | |
| viscosa. Clammy Locust. 10 | | | |
| 2 to 3 ft | | 4.50 | 40.00 |
| 3 to 4 ft | | 5.50 | 50.00 |
| 4 to 5 ft | . 1.00 | 7.50 | 60.00 |
| | | | |
| Rosa acicularis. Prickly Rose. 5' | • | | |
| 18 to 24 in | 40 | 3.00 | 25.00 |
| 2 to 3 ft | 50 | 4.00 | 30.00 |
| | • | | |
| blanda. Meadow Rose. 5' | | | |
| 18 to 24 in | | 3.50 | |
| 2 to 3 ft | | 4.50 | |
| 3 to 4 ft | 75 | 6.00 | 50.00 |
| canina. Dogbrier. 8' | | | |
| 2 to 3 ft | 40 | 3.00 | 25.00 |
| 3 to 4 ft | | 4.00 | 30.00 |
| 0 00 4 10 | | 4.00 | 90.00 |
| coriifolia froebeli. Froebel | Rose. 5' | | |
| 18 to 24 in | 40 | 3.00 | 25.00 |
| 2 to 3 ft | 50 | 3.50 | 30.00 |
| 3 to 4 ft | 60 | 5.00 | 40.00 |
| davurica. Dahurian Rose. 6 | · · | • | |
| 18 to 24 in | | 7 50 | |
| 18 to 24 m | . 1.00 | 7.50 | |
| ecae. Eca Rose. 6' | | | |
| 2 to 3 ft | 50 | 4.00 | 35.00 |
| 3 to 4 ft | 60 | 5.00 | 40.00 |
| 4 to 5 ft | 75 | 6.00 | 50.00 |
| | ., | | |
| foetida. Austrian Copper R | • | = - | 20.00 |
| 2 to 3 ft | . 1.00 | 7.50 | 60.00 |
| foetida persiana. Persian Ye | ellow Rose | 3 . | |
| 2 year | | 6.00 | |
| | | - 100 | |
| fujisanensis. Mt. Fuji Rose. | | | |
| 3 to 4 ft | 75 | 6.00 | 50.00 |
| helenae. Helen Rose. 6' | | | |
| 18 to 24 in | 50 | 4.00 | 30.00 |
| 2 to 3 ft | | 5.00 | |
| 200 0 100000000000000000000000000000000 | 00 | 0.00 | ±0.00 |

Rosa

| .034 | Each | Per 10 | Per 100 |
|---|------------|---------------------|-----------|
| hugonis. Hugonis Rose. 6' | 2001. | 2 02 20 | 1 01 100 |
| 2 to 3 ft | .60 | 5.00 | 40.00 |
| 3 to 4 ft | .75 | 6.00 | 50.00 |
| 1 will Destrice Dece 51 | | | |
| humilis. Pasture Rose. 5' | 40 | 2 50 | 20.00 |
| 18 to 24 in | .40 | 3.50 | 30.00 |
| 2 to 3 ft | .50 | 4.00 | 35.00 |
| lucida. Virginia Rose. 6' | | | |
| 18 to 24 in | .40 | 3.50 | 30.00 |
| 2 to 3 ft | .50 | 4.00 | 35.00 |
| marreti. Marret Rose. 6' | | | |
| 3 to 4 ft.: | 1.25 | 10.00 | |
| 0 00 1 10 | 1.20 | 10.00 | |
| moyesi. Moyes Rose. 10' | | | |
| . 2 to 3 ft | 1.25 | 10.00 | |
| multiflora. Japanese Rose. 8 | ? ₹ | | |
| 2 to 3 ft | .50 | 3.50 | 25.00 |
| 3 to 4 ft | .55 | 4.00 | 30.00 |
| 4 to 5 ft | .60 | 5.00 | 40.00 |
| | | | 10.00 |
| multiflora cathayensis. Catha 3 to 4 ft | .60 | 5.00 | 40.00 |
| nitida. Bristly Rose. 3' | .00 | 5.00 | 40.00 |
| 18 to 24 in | .40 | 3.50 | 30.00 |
| 2 to 3 ft | .50 | $\frac{3.50}{4.50}$ | 40.00 |
| 3 to 4 ft | .75 | 6.00 | 50.00 |
| palustris. Swamp Rose. 8' | .10 | 0.00 | 00.00 |
| 18 to 24 in | .40 | 3.50 | 30.00 |
| 2 to 3 ft | .50 | 4.00 | 35.00 |
| 3 to 4 ft | .60 | 5.00 | 40.00 |
| rouletti. | | | |
| 12 to 15 in., 4 in. pots | .75 | 6.00 | 50.00 |
| 15 to 18 in., F. G | .60 | 5.00 | 40.00 |
| rubiginosa. Sweetbriar. 6' | | | |
| 2 to 3 ft | .40 | 3.50 | 30.00 |
| 3 to 4 ft | .50 | 4.00 | 35.00 |
| 4 to 5 ft | .60 | 5.00 | 40.00 |
| 5 to 6 ft | .75 | 6.00 | 50.00 |
| rubiginosa hybrids. $Lady$ | Penzance, | Lord | Penzance, |
| Green Mantle, Lucy As | hton, Je | annie De | eans, and |
| Flora McIvor. 6' | | | |
| 2 to 3 ft | .75 | 6.00 | |
| 3 to 4 ft | 1.00 | 7.50 | |

Rosa

| rubrifolia. Redleaf Rose. 6' | Each | Per 10 | Per 100 |
|-------------------------------|-----------|-------------|---------|
| 18 to 24 in | | 3.00 | 25.00 |
| 2 to 3 ft | | 4.00 | 30.00 |
| 3 to 4 ft | | 5.00 | 45.00 |
| | | 0,00 | 10.00 |
| rugosa. Rugosa Rose. 6' | | | |
| 18 to 24 in | | 2.50 | 20.00 |
| 2 to 3 ft | | 3.00 | 25.00 |
| 3 to 4 ft | .50 | 4.00 | 35.00 |
| rugosa alba. White Rugosa | Rose. 6' | | |
| 18 to 24 in | | 3.50 | 30.00 |
| 2 to 3 ft | | 4.00 | 35.00 |
| 3 to 4 ft | .60 | 5.00 | |
| rugosa hybrids. 5' | | | |
| 2 to 3 ft | .60 | 5.00 | 40.00 |
| 3 to 4 ft | .75 | 6.00 | |
| Varieties:—Blanche de | Coubert, | C. F. Me | yer, |
| C. F. Worth, Agnes (| Carmen, 1 | New Cent | ury, |
| Nova Zembla, Mad. (| Geo. Brua | ant, Mrs. | An- |
| thony Waterer, Belle | Poitevine | e, Sir Tho | mas |
| Lipton, Hansa, Agne | s, F. J. | Grootendo | orst. |
| sericea. 4' | | | |
| 2 to 3 ft | .60 | 5.00 | 40.00 |
| 3 to 4 ft | | 6.00 | 50.00 |
| setigera. Prairie Rose. 6' | | | |
| 2 to 3 ft | .40 | 3.50 | 30.00 |
| 3 to 4 ft | - · · · - | | 35.00 |
| 4 to 5 ft | | 4.50 | 40.00 |
| | | | |
| spinosissima altaica. Altai I | • | 4 50 | 40.00 |
| 18 to 24 in | | 4.50 | 40.00 |
| 2 to 3 ft | | 5.50 6.00 | 50.00 |
| 3 to 4 ft | .75 | 0.00 | |
| spinosissima hispida. Bristly | Scotch I | Rose. 6' | |
| 2 to 3 ft | .75 | 6.00 | 50.00 |
| 3 to 4 ft | 1.00 | 7.50 | |
| spinosissima hybrids. 5' | | | |
| 2 to 3 ft | | | |
| 3 to 4 ft | | | |
| Grahamstown, Townsen | • | • | Dbl. |
| Blush, Dbl. White, Dbl. | Pink, F | ulgens. | |

Rosa

| - wichuraiana. Wichurian Rose | Each 2' | Per 10 | Per 100 |
|----------------------------------|---------|--------|---------|
| 2 year | .40 | 3.00 | 25.00 |
| 3 year | .50 | 4.00 | 35.00 |
| | | | |

wichuraiana hybrids. 2'

Roses

Hybrid Perpetuals. 2 year No. 1 .60 5.00

| Anne de Diesbach | J. B. Clark |
|---------------------|---------------------|
| Baroness Rothchild | Mme. Albert Barbier |
| Baron de Bonstettin | Mrs. John Laing |
| Earl of Dufferin | Magna Charta |
| Clio | M. P. Wilder |
| Eugene Furst | Margaret Dickson |
| Frau Karl Druschki | Paul Neyron |
| Gen. Jacqueminot | Tom Wood |
| Geo. Arends | Ulrich Brunner |

| Madame Butterfly |
|----------------------|
| Mrs. Henry Bowles |
| Mrs. Henry Morse |
| Pres. Hoover |
| Radiance |
| Rev. F. Page-Roberts |
| Sunburst |
| White Killarney |
| Willowmere |
| |

Climbing roses.

| American Beauty (climbing). | .50 | 4.00 | |
|-----------------------------|-----|------|-------|
| American Pillar | .50 | 4.00 | 30.00 |
| Aviateur Bleriot | .50 | 4.00 | |
| Dr. W. Van Fleet | .60 | 4.50 | 35.00 |
| Dorothy Perkins, 2 year | .45 | 3.50 | 25.00 |
| Dorothy Perkins, 3 year | .50 | 4.00 | 30.00 |

| Climbing Roses | | | |
|--|------------|---------------------|-------------|
| Emanles | Each | Per 10 | Per 100 |
| Excelsa | .50 | 4.00 | 30.00 |
| Gardenia | .50 | 4.00 | 30.00 |
| Hiawatha | .50 .60 | 4.00 | 30.00 |
| Mary Wallace | | 5.00 | |
| Max Graf. (Climbing Rugosa) Paul's Scarlet Climber | .75 .50 | $6.00 \\ 4.00$ | |
| Silver Moon | .60 | 4.00 4.50 | 25.00 |
| Star of Persia | .60 | $\frac{4.50}{5.00}$ | 35.00 |
| | | | 40.00 |
| White Dorothy Perkins | .50 | 4.00 | 30.00 |
| Roses-Baby Rambler. | | | |
| Erna Teschendorf | .50 | 4.50 | |
| Ellen Poulsen | .50 | 4.50 | |
| Rubus deliciosus. Boulder Raspbe | erry. 5' | | |
| 2 to 3 ft | 1.25 | 10.00 | 75.00 |
| 3 to 4 ft | 1.50 | 12.50 | 100.00 |
| | | | |
| odoratus. Flowering Raspber | ~ | 0 = 0 | 0000 |
| 2 to 3 ft | .45 | 3.50 | 30.00 |
| 3 to 4 ft | .50 | 4.00 | 35.00 |
| 4 to 5 ft | .60 | 5.00 | 40.00 |
| 5 to 6 ft | .75 | 6.00 | 50.00 |
| phoenicolasius. Wineberry. 8 | 3 ' | | |
| 3 to 4 ft | 1.00 | 7.50 | |
| Salix babylonica. Babylon Weepin | ng Willow. | <i>50</i> ′ | |
| 6 to 8 ft | 1.50 | 12.50 | 100.00 |
| 8 to 10 ft | 1.75 | 15.00 | 125.00 |
| 1½ to 1½ in | 2.25 | 20.00 | |
| babylonica dolorosa. Wiscons | sin Weepin | g Willow. | 40 ' |
| 6 to 8 ft | 1.50 | 12.50 | 100.00 |
| 8 to 10 ft | 1.75 | 15.00 | 125.00 |
| 1 1/4 to 1 1/2 in | 2.25 | 20.00 | 175.00 |
| babylonica salamoni. Salamo | n Weeping | Willow. | <i>50'</i> |
| 6 to 8 ft | 1.50 | 12.50 | 100.00 |
| 8 to 10 ft | 1.75 | 15.00 | 125.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 2.25 | 20.00 | 175.00 |
| 1½ to 1¾ in | 2.50 | 22.50 | 200.00 |
| $1 \frac{3}{4}$ to 2 in | 2.75 | 25.00 | 225.00 |
| 2 to $2\frac{1}{2}$ in | 3.50 | 30.00 | 275.00 |
| $2\frac{1}{2}$ to 3 in | 4.00 | 35.00 | |
| 3 to 3½ in | 6.00 | 50.00 | |
| $3\frac{1}{2}$ to 4 in | 10.00 | | |
| 4 to 5 in | 15.00 | | |

Salix

| Each | Per 10 | Per 100 |
|------------|--|--|
| .75 | 6.00 | 50.00 |
| .85 | 7.50 | 65.00 |
| 1.25 | 10.00 | 90.00 |
| | | |
| .75 | 6.00 | 50.00 |
| .85 | 7.50 | 65.00 |
| 1.25 | 10.00 | 90.00 |
| | | |
| 1.25 | | |
| ping Wille | rw. 50' | |
| 1.50 | 12.50 | 100.00 |
| 1.75 | 15.00 | 125.00 |
| 2.25 | 20.00 | 175.00 |
| 2.50 | 22.50 | 200.00 |
| 2.75 | 25.00 | |
| Rosemary | Willow. | 20' |
| .45 | 3.50 | 30.00 |
| .55 | 4.50 | 40.00 |
| .60 | 5.00 | |
| 12' | | |
| | | 50.00 |
| | | 60.00 |
| | | |
| | | 100.00 |
| 2.00 | 15.00 | |
| | | |
| 1.50 | | |
| | | |
| | 6.00 | 50.00 |
| | | 60.00 |
| 1.25 | 10.00 | 75.00 |
| 1.75 | 15.00 | |
| | | |
| | 5.00 | 40.00 |
| .75 | 6.00 | 50.00 |
| | | |
| 1.00 | 8.50 | 75.00 |
| | .75 .85 1.25 .75 .85 1.25 1.25 1.25 1.25 1.25 1.50 2.75 Rosemary .45 .55 .60 12' .75 1.00 1.25 1.50 2.00 1.50 35' .75 1.00 1.25 1.75 .60 .75 | .75 6.00 .85 7.50 1.25 10.00 .75 6.00 .85 7.50 1.25 10.00 1.25 10.00 1.25 ping Willow. 50' 1.50 12.50 1.75 15.00 2.25 20.00 2.50 22.50 2.75 25.00 Rosemary Willow45 3.50 .55 4.50 .60 5.00 12' .75 6.00 1.00 7.50 1.25 10.00 1.50 12.50 2.00 15.00 1.50 35' .75 6.00 1.50 35' .75 6.00 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1 |

| ~ | 1 | | |
|---|---|---|---|
| 2 | a | 1 | x |

| × | Each | Per 10 | Per 100 |
|------------------------------|------------|------------|---------|
| nigricans cotinifolia. 12' | | | |
| 3 to 4 ft | | | |
| 4 to 5 ft | 1.50 | | |
| niobe. Niobe Weeping Willow | v. 30' | | |
| 6 to 8 ft | | 12.50 | 100.00 |
| 8 to 10 ft | | 15.00 | 125.00 |
| 10 to 12 ft | 2.25 | 20.00 | 175.00 |
| pentandra. Laurel Willow. | <i>30'</i> | | |
| 6 to 8 ft | | 7.50 | 65.00 |
| 8 to 10 ft | | 12.50 | |
| 1 1/4 to 1 1/2 in | | | |
| 1½ to 1¾ in | | | |
| | | | |
| purpurea nana. Dwf. Purpl | | | 20.00 |
| 2 to 3 ft | 1.00 | 7.50 | 60.00 |
| regalis. Royal Willow. 30' | | | |
| 5 to 6 ft | .90 | 8.00 | 75.00 |
| 6 to 8 ft | 1.25 | 10.00 | 90.00 |
| sieboldiana. Siebold Willow. | <i>30'</i> | | |
| 5 to 6 ft | | 7.50 | 65.00 |
| 6 to 8 ft | 1.25 | 10.00 | |
| uralensis. 15' | | | |
| 4 to 5 ft | .60 | 5.00 | 40.00 |
| 5 to 6 ft | | 6.00 | 50.00 |
| 6 to 8 ft | | 9.00 | 75.00 |
| vitellina. Golden Willow. 30 |) , | | |
| 6 to 8 ft | | , 8.50 | 75.00 |
| 8 to 10 ft | | 12.50 | 100.00 |
| 1 1/4 to 1 1/2 in | | 15.00 | 125.00 |
| 1½ to 1¾ in | | 20.00 | 160.00 |
| 1 3/4 to 2 in | | 22.50 | 200.00 |
| vitellina britzensis. Bronze | Golden W | illow. 30' | |
| 6 to 8 ft | | 12.50 | 100.00 |
| 8 to 10 ft | 1.75 | 15.00 | 125.00 |
| 1½ to 1¾ in | 2.25 | 20.00 | 175.00 |
| 1 % to 2 in | 2.75 | 25.00 | |
| vitellina glauca. Blue Russi | an Willor | v. 20' | |
| 5 to 6 ft | .75 | 6.00 | 50.00 |
| 6 to 8 ft | | 7.50 | 65.00 |
| 8 to 10 ft | 1.25 | 10.00 | 75.00 |

| | | 1 | ٠ | |
|---|---|---|---|---|
| • | 2 | ı | ¥ | X |
| _ | | м | | - |

| Salix | | | | | |
|--------------|-----------|---|------------|--------------------|---------|
| | | | Each | Per 10 | Per 100 |
| vitellina j | pendula. | Golden W | eeping W | illow. 40' | |
| 6 | to 8 | ft | 1.75 | 15.00 | 125.00 |
| 8 | to 10 | ft | 2.00 | 17.50 | 150.00 |
| wentwort | hi. 50' | | , | | |
| | | C I | 1 50 | 10.50 | 100.00 |
| | | ft | 1.50 | 12.50 | 100.00 |
| | | in | | 20.00 | 150.00 |
| 1 % | to 2 | in | 2.75 | 25.00 | 200.00 |
| Sambucus can | adonsis | Amarican 1 | Eldov 10 |) / | |
| ÷ | | | | | 20.00 |
| 2 to | | • • • • • • • • • | • | 2.50 | 20.00 |
| | | • • • • • • • • • | | 3.00 | 25.00 |
| | | • • • • • • • • | | | 30.00 |
| 5 to | 6 ft | • | .60 | 5.00 | 40.00 |
| canadensi | s acutilo | ba. Cutlear | ved Elder | . 10' | |
| 2 to | 3 ft | | .40 | 3.00 | 20.00 |
| 3 to | 4 ft | | .45 | 3.50 | 25.00 |
| 4 to | 5 ft | • • • • • • • • • | .55 | 4.50 | 35.00 |
| . 7 | ` ' | 7717 ~~ | | | |
| nigra. | guropean | Elder. 15' | | | |
| | | | .60 | 5.00 | 40.00 |
| 5 to | 6 ft | • • • • • • • • | .75 | 6.00 | 50.00 |
| nigra aur | ea. Go | lden Europe | an Elder. | <i>15</i> ′ | |
| 2 to | 3 ft | | .35 | 2.50 | 20.00 |
| 3 to | | | .40 | 3.00 | 25.00 |
| 4 to | | | .50 | 4.00 | 30.00 |
| 5 to | | | .60 | 5.00 | 40.00 |
| | | | | | 20.00 |
| _ | | Variegated . | | U' | |
| 3 to | | • • • • • • • • | .50 | 4.00 | |
| 4 to | 5 ft | • • • • • • • • | .60 | 5.00 | |
| pubens. | Scarlet I | Elder. 8' | | | |
| 3 to | 4 ft | | .50 | 4.00 | 35.00 |
| 4 to | 5 ft | | .65 | 5.50 | 50.00 |
| 5 to | 6 ft | | .75 | 6.50 | 60.00 |
| racemosa | Euror | ean Red Ele | ler. 8' | | |
| 3 to | _ | | .50 | 4.00 | 35.00 |
| 4 to | | | .65 | 5.50 | 50.00 |
| 5 to | | | .75 | 6.50 | 60.00 |
| 6 to | | | 1.00 | 8.00 | 30.00 |
| 0 00 | O ±0 | | 2.00 | 0.00 | |

| Sassafras variifolium. Sassafras. | . 50 ' | | |
|------------------------------------|---------------|-------------|---------|
| Dassailas valiliolium. Suotay rati | Each | Per 10 | Per 100 |
| 5 to 6 ft | | 12.50 | 100.00 |
| 6 to 8 ft | | 15.00 | 125.00 |
| 8 to 10 ft | | 17.50 | |
| | | | |
| 10 to 12 ft | . 2.50 | 22.50 | 200.00 |
| Schizophragma hydrangeoides. 2 | 20' | | |
| Japanese Hydrangea-vine | | | |
| from pots | . 1.00 | 8.50 | 75.00 |
| Trom pous | . 1.00 | 0.00 | 10.00 |
| Sciadopitys verticillata. Umbrel | la Pine. | 60 ' | |
| 2 ½ ftB. & B | . 12.50 | | • |
| 3 ftB. & B | . 15.00 | | |
| | | | |
| Shepherdia argentea. Silver Buf. | | 1. 15' | |
| 2 to 3 ft | 60 | 5.00 | |
| 3 to 4 ft | 75 | 6.00 | |
| 4 to 5 ft | . 1.00 | 7.50 | 60.00 |
| 5 to 6 ft | . 1.25 | 10.00 | 75.00 |
| 6 to 8 ft | | 12.50 | 100.00 |
| | | | |
| Skimmia japonica. Japanese Skin | nmia. 5' | • | |
| 6 in. bushy, 4 in. pots. | . 1.50 | 12.50 | |
| | | | |
| Smilax rotundifolia. Horsebrier. | | | |
| 18 to 24 in | 50 | 4.00 | 30.00 |
| 2 to 3 ft | 60 | 5.00 | 40.00 |
| Solanum dulcamara. True Bitte | marma at | | |
| | | 2 00 | 25.00 |
| 2 year | 40 | 3.00 | 25.00 |
| *Sophora japonica. Chinese Scho | olar tree. | 25 ' | |
| 2 to 3 ft | . 1.00 | 8.50 | 75.00 |
| 3 to 4 ft | | 11.00 | 100.00 |
| 4 to 5 ft | | 16.00 | |
| 5 to 6 ft | | | 100.00 |
| 6 to 8 ft | | | |
| | | | |
| 5 to 6 ft. spec. B. & B | | J | |
| 6 to 8 ft. spec. B. & B | 3. 10.00 | | |
| vicifolia. Vetchleaf Sophora | . 6' | | |
| 2 to, 3 ft | | | |
| | | | |
| Sorbaria aitchisoni. Kashmir Fe | _ | | 00.00 |
| 3 to 4 ft | | 3.50 | |
| 4 to 5 ft | | 4.50 | |
| 5 to 6 ft | 75 | 6.00 | 50.00 |

Sorbaria

| Sorbaria | Each | Per 10 | Per 100 |
|-------------------------------------|----------|-------------|----------|
| arborea glabrata. 15' | 124011 | 10110 | 1 01 100 |
| 3 to 4 ft | .60 | 5.00 | 40.00 |
| 4 to 5 ft | .75 | 6.00 | 50.00 |
| 5 to 6 ft | .85 | 7.00 | 60.00 |
| lindleyana. Lindley False Sy | niraea. | 8 ' | |
| 3 to 4 ft | .45 | 3.50 | 30.00 |
| 4 to 5 ft | .55 | 4.50 | 40.00 |
| sorbifolia. Ural False Spirae | ea. 6' | | |
| 2 to 3 ft | .35 | 3.00 | 25.00 |
| 3 to 4 ft | .40 | 3.50 | 30.00 |
| 4 to 5 ft | | 4.00 | 35.00 |
| 5 to 6 ft | | 5.00 | 40.00 |
| Sorbus americana. American Mon | ıntain 4 | leh 25' | |
| 5 to 6 ft | | | |
| 6 to 8 ft | | | |
| 8 to 10 ft | | 20.00 | |
| aria latifolia. White Beam-tr | | | |
| 6 to 8 ft | • | 15.00 | |
| 8 to 10 ft | | | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | | | |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | | | |
| aucuparia. European Mounte | | | |
| 6 to 8 ft | | | 125.00 |
| 8 to 10 ft | 1.75 | 16.00 | 150.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 2.50 | 22.50 | 200.00 |
| 1½ to 1¾ in | 3.00 | 27.50 | 250.00 |
| 1 % to 2 in | 3.50 | 30.00 | 275.00 |
| 2 to $2\frac{1}{2}$ in | 5.00 | 40.00 | 350.00 |
| $2 \frac{1}{2}$ to 3 in | 7.50 | 60.00 | |
| commixta. Japanese Mounta | in Ash. | 25 ' | |
| 4 to 5 ft | 2.75 | 25.00 | |
| 5 to 6 ft | 3.50 | | |
| quercifolia. Oak-leaf Mounta | in Ash. | <i>25</i> ′ | |
| 6 to 8 ft | 1.50 | 13.50 | 125.00 |
| 8 to 10 ft | 2.00 | 17.50 | 150.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 3.00 | 25.00 | |
| 1½ to 1¾ in | 3.50 | 30.00 | |
| 1 3/4 to 2 in | 4.00 | 35.00 | |
| $\frac{2}{2}$ to $\frac{2}{2}$ in | 5.00 | 40.00 | |
| 2½ to 3 in | 7.50 | 60.00 | |
| 3 to $3\frac{1}{2}$ in | 10.00 | 75.00 | |

| Sorbus | | | nt e |
|---------------------------------------|------------|---|---------------|
| 151 | Each | Per 10 | Per 100 |
| spuria. 15' 6 to 8 ft | 2.50 | 20.00 | |
| 8 to 10 ft | 3.00 | 25.00 | |
| 1 1/4 to 1 1/2 in | 3.50 | 30.00 | |
| | | | |
| Spirea arguta. Garland Spiraea. | | 0.50 | 20.00 |
| 2 to 3 ft | .35 $.40$ | 2.50 3.00 | 20.00 25.00 |
| 3 to 4 ft | .50 | 4.00 | 30.00 |
| 5 to 6 ft | .60 | 5.00 | 40.00 |
| aitchisoni. (See Sorbaria). | ••• | 0.00 | 10.00 |
| · | | | |
| billiardi. Billiard Spiraea. 6 | | 0.50 | 00.00 |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| bumalda. Bumalda Spiraea. | 3' | | |
| 18 to 24 in | .35 | 2.50 | 20.00 |
| 24 to 30 in | .40 | 3.00 | 25.00 |
| bumalda Anthony Waterer. | | | |
| Anthony Waterer Spiraea. | 3' | | |
| 18 to 24 in | | 2.50 | 20.00 |
| 24 to 30 in | .40 | 3.00 | 25.00 |
| bumalda walluffi. 3' | | | |
| 18 to 24 in | .35 | 2.50 | |
| 24 to 30 in | | 3.00 | |
| callosa alba. (See japonica d | |). | |
| chamaedryfolia ulmifolia. E | | | |
| 2 to 3 ft | | 4.50 | |
| dasyantha. 8' | | | (|
| 3 to 4 ft | 1.25 | 10.00 | |
| douglasi. Douglas Spiraea. | <i>8</i> ′ | | |
| 2 to 3 ft | .35 | 2.50 | 18.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| fortunei. Fortune Spiraea. 4 | | | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| froebeli. Froebel Spiraea. 4' | | 2.00 | 25.00 |
| 2 to 3 ft | .40 $.50$ | $\begin{array}{c} 3.00 \\ 3.50 \end{array}$ | 25.00 |
| 3 to 4 ft japonica. Japanese Spiraea. | | 5.50 | 30.00 |
| 18 to 24 in | .35 | 2.50 | 20.00 |
| 24 to 30 in | .40 | $\frac{2.50}{3.00}$ | 25.00 |
| | | | |

Spiraea

| Iaca | Each | Per 10 | Don 100 |
|--------------------------------------|------------|--|---------|
| japonica ovalifolia. White | | | Per 100 |
| 18 to 24 in | 35 | 2.50 | 20.00 |
| 24 to 30 in | 40 | 3.00 | 25.00 |
| · | I | ······································ | |
| japonica ruberrima. Pink J 2 to 3 ft | _ | _ | 25.00 |
| 3 to 4 ft | | 3.00 | 25.00 |
| 5 to 4 1t | 50 | 4.00 | 30.00 |
| latifolia. Pink Meadow Spir | raea. 6' | | |
| 2 to 3 ft | 35 | 2.50 | 20.00 |
| 3 to 4 ft | 40 | 3.00 | 25.00 |
| lindleyana. (See Sorbaria). | | | |
| margaritae. Margarita Spir | raea. 5' | | |
| 2 to 3 ft | | 3.00 | 25.00 |
| | w Winan | Quinaa 10 | , |
| nipponica rotundifolia. Big | | 4.00 | |
| 4 to 5 ft | | 5.00 | |
| 5 to 6 ft | | 6.00 | |
| 0 00 0 10 | 10 | 0.00 | |
| prunifolia. Bridal Wreath. | 8 ' | | |
| 2 to 3 ft | | 3.00 | 22.00 |
| 3 to 4 ft | 45 | 3.50 | 30.00 |
| 4 to 5 ft | | 4.50 | 40.00 |
| 5 to 6 ft | 75 | 6.00 | |
| pubescens. 6' | | | |
| 3 to 4 ft | 60 | 5.00 | |
| 4 to 5 ft | | 6.00 | |
| | | | |
| reevesiana. Reeves Spiraea | | 2.00 | 0.7 |
| 2 to 3 ft | | 3.00 | 25.00 |
| 3 to 4 ft | 45 | 3.50 | 30.00 |
| reevesiana lanceata. Doubl | | Spiraea. 8' | |
| 2 to 3 ft | | 3.00 | 25.00 |
| 3 to 4 ft | | 3.50 | |
| salicifolia. Willowleaf Spirae | ea. 5' | | |
| 2 to 3 ft | | 2.50 | 18.00 |
| 3 to 4 ft | 40 | 3.00 | 22.00 |
| 4 to 5 ft | 50 | 4.00 | 30.00 |
| sorbifolia. (See Sorbaria). | | | |
| superba. Striped Spiraea. | 4' | | |
| 18 to 24 in | | 3.00 | 25.00 |
| 2 to 3 ft | 50 | 4.00 | |

| | | ٠ | | | | |
|---|---|---|---|---|---|---|
| S | n | 1 | r | а | e | a |
| ~ | r | ^ | • | • | _ | _ |

| Lilaa Smiraaa | Each | Per 10 | Per 100 |
|---------------------------------|-----------|------------|---------|
| syringiflora. Lilac Spiraea. | | 4.50 | |
| 18 to 24 in | .50 | 4.50 | |
| thunbergi. Thunberg Spiraea. | 5' | • | |
| 18 to 24 in | .35 | 2.50 | 20.00 |
| 2 to 3 ft | .40 | 3.00 | 25.00 |
| 3 to 4 ft | .45 | 3.50 | 30.00 |
| 4 to 5 ft | .50 | 4.50 | 40.00 |
| | | | |
| tomentosa. Hardhack. 4' | | | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | |
| | | | |
| trichocarpa. Korean Spiraea. | 4' . | | |
| 2 to 3 ft | .40 | 3.00 | 25.00 |
| 3 to 4 ft | .45 | 3.50 | 30.00 |
| | | | |
| van houttei. Vanhoutte Spira | iea. 10' | | |
| 2 to 3 ft | .25 | 1.80 | 15.00 |
| 3 to 4 ft | .35 | 2.50 | 18.00 |
| 4 to 5 ft | .40 | 3.00 | 25.00 |
| 5 to 6 ft | .50 | 4.00 | 30.00 |
| | | | |
| veitchi. Veitch Spiraea. 12' | | | |
| 2 to 3 ft | .50 | 4.00 | |
| 3 to 4 ft | .60 | 5.00 | |
| wilsoni. Wilson Spiraea. 6' | | | |
| 3 to 4 ft | 1.00 | 7.50 | |
| 0 00 ± 10 | 1.00 | 1.00 | |
| Staphylea bumalda. Bumalda Blac | ddernut. | 8 ' | |
| | .60 | 5.00 | 40.00 |
| 3 to 4 ft | .75 | 6.00 | 50.00 |
| | 1.00 | 7.50 | 00.00 |
| | | ***** | |
| colchica. Colchis Bladdernut. | 12' | | |
| 3 to 4 ft | 1.60 | 12.50 | |
| 4 to 5 ft | 2.00 | | |
| pinnata. European Bladdern | ut. 12' | | |
| 3 to 4 ft | .60 | 5.00 | 40.00 |
| 4 to 5 ft | .75 | 6.00 | |
| 5 to 6 ft | | | |
| | | | |

| Staphylea | | | | |
|---------------|--------------------------|--------------------|---------------------|---------------|
| trifolia. | American Bladdernu | Each <i>t. 12'</i> | Per 10 | Per 100 |
| 2 t | | .50 | 4.00 | 30.00 |
| 3 t | o 4 ft | .60 | 5.00 | 40.00 |
| | | .75 | 6.00 | 50.00 |
| 5 t | o 6 ft | .85 | 7.00 | 60.00 |
| 6 t | o 8 ft | 1.00 | 8.50 | 75.00 |
| Stephanandra | a flexuosa. Cutleaf S | tephana | ndra. 6' | |
| 2 t | o 3 ft | .35 | 2.50 | 20.00 |
| 3 to | o 4 ft | .40 | 3.50 | |
| Stewartia pe | ntagyna. Mountain S | Itewartio | ı. 15' | |
| - | o 4 ftB. & B. | | 30.00 | |
| 4 t | o 5 ftB. & B. | 4.00 | 35.00 | |
| 5 to | o 6 ftB. & B. | 6.00 | 50.00 | |
| 6 to | 8 ftB. & B. | 7.50 | | |
| pseudoca | amellia. Japanese St | ewartia. | 25' | |
| | 3 ftB. & B. | | | |
| 3 to | 4 ftB. & B. | 5.00 | | |
| Stranvaesia o | davidiana. 5' | | | |
| | o 15 in., from pots. | 1.25 | 10.00 | 75.00 |
| *Styrax japo | nica. Japanese Snowl | bell. 20' | | |
| | 4 ft | | 7.50 | 60.00 |
| | 5 ft | | | 75.00 |
| 5 to | | 1.75 | 15.00 | |
| 6 to | | 2.50 | 20.00 | |
| *ohassia | . Fragrant Snowbell. | 20' | | |
| 4 to | • | 3.00 | 25.00 | |
| 5 to | | 4.00 | 30.00 | |
| S | | | | |
| | oos chenaulti. <i>5'</i> | .35 | 2.50 | 20.00 |
| | 4 ft | .40 | $\frac{2.50}{3.00}$ | 20.00 25.00 |
| | | | 3.00 | 20.00 |
| | Spreading Snowberry. | | 2 2 2 | 22.22 |
| 2 to | | .35 | 2.50 | 20.00 |
| 3 to | 4 ft | .40 | 3.00 | 25.00 |
| | alis. Western Snowber | | | |
| 2 to | | .40 | 3.00 | 25.00 |
| | 4 ft | .50 | 4.00 | 35.00 |
| o. heyeri | | . . | | |
| 2 to | 3 ft | .50 | 3.50 | 25.00 |

| Symphoricarp | us | | | |
|--|--|--|--|----------------|
| racemosu | s. Snowberry. 6' | Each | Per 10 | Per 100 |
| 2 to | 3 ft | .35 | 2.50 | 20.00 |
| | 4 ft | .40 | $\frac{2.50}{3.00}$ | 25.00 |
| | 5 ft | .50 | $\frac{3.00}{4.00}$ | 30.00 |
| 4 10 | υ 16 | .50 | 4.00 | 30.00 |
| vulgaris. | Coralberry. 5' | | | |
| 2 to | 3 ft | .35 | 2.50 | 20.00 |
| 3 to | 4 ft | .40 | 3.00 | 25.00 |
| *Symplocos pa | aniculata. syn. crata | egoides. | | |
| | Sweetleaf. 10' | | | |
| 2 to | 3 ft | 1.00 | 7.50 | 60.00 |
| 3 to | 4 ft | 1.50 | 10.00 | 75.00 |
| 4 to | 5 ft | 2.00 | 15.00 | 100.00 |
| 5 to | 6 ft | 2.50 | 20.00 | |
| Syringa affini | s. Early Lilac. 12' | | | |
| • | 4 ft | 1.50 | | |
| | | T 11 4 | al. | |
| | raldi. Purple Early | | | |
| 2 to | | 1.25 | 10.00 | |
| | 4 ft | 1.50 | 12.50 | |
| | 5 ft | 2.00 | 15.00 | |
| 5 to | 6 ft | 2.50 | 20.00 | |
| chinensis. | syn. rothomagensis | . Chinese | e Lilac. 10 | O ' |
| 2 to | 3 ft | .40 | 3.00 | 25.00 |
| 3 to | 4 ft | .50 | 4.00 | 35.00 |
| 4 to | 5 ft | .60 | F 00 | |
| 5 to | | ••• | 5.00 | 45.00 |
| 0 00 | 6 ft | .75 | 6.00 | 45.00 55.00 |
| | 6 ft | .75 | | |
| | | .75 | 6.00 | |
| chinensis | alba. White Chinese | .75 e <i>Lilac</i> | 6.00 10' | |
| chinensis 2 to 3 to | alba. White Chinese | .75 2 Lilac 1.00 | 6.00 10' 7.50 | |
| chinensis 2 to 3 to | alba. White Chinese 3 ft. 4 ft. 5 ft. | .75 e Lilac. 1.00 1.25 | 6.00 10' 7.50 10.00 | |
| chinensis 2 to 3 to 4 to 5 to | alba. White Chinese 3 ft. 4 ft. 5 ft. | .75 2 Lilac. 1.00 1.25 1.50 | 6.00 7.50 10.00 12.50 | |
| chinensis 2 to 3 to 4 to 5 to | alba. White Chinese 3 ft | .75 2 Lilac. 1.00 1.25 1.50 | 6.00 7.50 10.00 12.50 15.00 | |
| chinensis 2 to 3 to 4 to 5 to chinensis 3 to | alba. White Chinese 3 ft. 4 ft. 5 ft. 6 ft. | .75 Lilac. 1.00 1.25 1.50 1.75 | 6.00 7.50 10.00 12.50 | |
| chinensis 2 to 3 to 4 to 5 to chinensis 3 to 4 to | alba. White Chinese 3 ft. 4 ft. 5 ft. 6 ft. metensis. 10' 4 ft. 5 ft. | .75 Lilac. 1.00 1.25 1.50 1.75 | 6.00 7.50 10.00 12.50 15.00 | |
| chinensis 2 to 3 to 4 to 5 to chinensis 3 to 4 to chinensis | alba. White Chinese 3 ft | .75 Lilac. 1.00 1.25 1.50 1.75 1.25 1.50 Chinese L | 6.00 7.50 10.00 12.50 15.00 10.00 12.50 rilac. 10' | 55.00 |
| chinensis | alba. White Chinese 3 ft | .75 Lilac. 1.00 1.25 1.50 1.75 1.25 1.40 | 6.00 7.50 10.00 12.50 15.00 10.00 12.50 3.00 | 55.00 25.00 |
| chinensis 2 to 3 to 4 to 5 to chinensis 3 to 4 to chinensis 2 to 3 to | alba. White Chinese 3 ft | .75 2 Lilac. 1.00 1.25 1.50 1.75 1.25 1.50 Chinese L .40 .50 | 6.00 10' 7.50 10.00 12.50 15.00 10.00 12.50 4.00 | 25.00 35.00 |
| chinensis 2 to 3 to 4 to 5 to chinensis 3 to 4 to chinensis 2 to 3 to 4 to | alba. White Chinese 3 ft | .75 Lilac. 1.00 1.25 1.50 1.75 1.40 .50 .60 | 6.00 7.50 10.00 12.50 15.00 10.00 12.50 3.00 | 55.00 25.00 |

Syringa

| уугі | nga | | | | | Each | Per 10 | Per 100 |
|------|---------|-----|-------------|-----------------|-------------|----------------|------------------|---------|
| | emodi. | | Hin | nalayan L | Lilac. 8' | Each | rei iv | 161 100 |
| | 3 | to | 4 | ft | | 1.00 | 7.50 | |
| | 4 | to | 5 | ft | | 1.50 | 10.00 | |
| | | | | • | ė. | | | |
| | japonio | ca. | $J\epsilon$ | apanese T | ree Lilac | . 20' | | |
| | - | to | | ft | | .60 | 5.00 | 45.00 |
| | 4 | to | | ft | | .75 | 6.50 | 60.00 |
| | 5 | to | | ft | | 1.00 | 8.00 | 75.00 |
| | 6 | to | 8 | ft | | 1.50 | 12.50 | 100.00 |
| | | | | ft | | 2.00 | 15.00 | 125.00 |
| | 10 | to | 12 | ft | | 5.00 | 40.00 | |
| | • | | | | | | | |
| | josikae | a. | H | ungarian | Lilac. | 10 ' | | |
| | _ | to | | ft | | .40 | 3.00 | 25.00 |
| | | to | | ft | | .45 | 3.50 | 30.00 |
| | | to | | ft | | .50 | 4.00 | 35.00 |
| | | to | | ft | | .60 | 5.00 | |
| | | to | | ft | | .75 | 6.00 | 50.00 |
| | | | | | | | | |
| | micron | hvl | la. | Little leaf | Lilac. | 10 ' | 1 . | |
| | - | to | | ft | | 1.50 | 12.50 | |
| | | | | ft | | 2.00 | 17.50 | |
| | | | | ft | | 2.50 | 22.50 | |
| | | | | | | | | |
| | oblata. | | 12' | | | 4 ° = 0 | 10 50 | |
| | | | | ft | | 1.50 | 12.50 | |
| | 4 | to | 5 | ft | • • • • • | 1.75 | 15.00 | |
| | oblata | તા | ata | ta. <i>12</i> ′ | | | | |
| | | | | ft | | 1.00 | 7.50 | 60.00 |
| | | | | ft | | 1.25 | 10.00 | 75.00 |
| | 0 | | • | 10 | •,• • •,• • | 1.20 | 10.00 | 10.00 |
| | palibin | ian | ıa. | 10' | | • | | |
| | 2 | to | 3 | ft | | 1.50 | | |
| | | | | | • • | * | | |
| | | | | Peking 1 | | | F 00 | 45.00 |
| | | to | | ft | 4 | .60 | 5.00 | 45.00 |
| | | | | ft | | .75 | 6.50 | 60.00 |
| | | | | ft ft | | 1.00 | 8.00 | 75.00 |
| | | | | ft | | 1.50 | 12.50 | |
| | | | | ft | | $2.00 \\ 5.00$ | $15.00 \\ 40.00$ | 125.00 |
| : | | | | ft. spec. | | 7.50 | 40.00 | |
| | | | | ft. spec. | | 10.00 | | |
| | Ö | W | TO | Tr. spec. | D. W.D. | 10.00 | , | |

| 0 | | | ٠ | | | |
|---|---|---|---|---|---|---|
| 3 | у | r | 1 | n | Ø | a |
| _ | | _ | - | | | _ |

| nga | | | Each | Per 10 | Per 100 |
|------------|-------|-----------------|------------|-------------|---------|
| persica. | Pers | ian Lilac. 10' | Each | rerio | Per 100 |
| 2 to | 3 1 | ft | .40 | 3.50 | 25.00 |
| 3 to | 4 1 | ft | .50 | 4.00 | 35.00 |
| 4 to | 5 1 | ft | .60 | 5.00 | 45.00 |
| 5 to | 6 | ft | .75 | 6.00 | |
| | | | | | |
| persica a | lba. | White Persian I | Lilac. 10' | | |
| 2 to | 3 1 | ft | .65 | 5.50 | |
| 3 to | 4 1 | ft | .75 | 6.50 | |
| | | | | | |
| villosa. | Late | e Lilac. 8' | | | |
| 2 to | 3 1 | ft | .40 | 3.00 | 25.00 |
| 3 to | 4 1 | ft | .50 | 4.00 | 35.00 |
| 4 to | | ft | .60 | 5.00 | 45.00 |
| 5 to | 6 1 | ft | .75 | 6.00 | 50.00 |
| 6 to | 8 1 | ft | 1.00 | 7.50 | 60.00 |
| , . | ~ | 70 7 77 8 | , wa | | |
| vulgaris. | | mmon Purple Li | | 0.00 | 15.00 |
| 2 to | | ft | .30 | 2.00 | 15.00 |
| 3 to | | ft | .35 | 2.50 | 20.00 |
| 4 to | | £t | .40 | 3.50 | 30.00 |
| 5 to | | ft | .50 | 4.00 | 35.00 |
| 6 to | | ft | .60 | 5.00 | 40.00 |
| 4 to | | ft. clumps | 4.00 | | |
| 5 to | 6 | ft. clumps | 5.00 | | |
| vulgaris a | alba. | Common Whit | e Lilac. | <i>15</i> ′ | |
| 2 to | 3 1 | ft | .40 | 3.00 | 25.00 |
| 3 to | 4 1 | ft | .50 | 4.00 | 35.00 |
| 4 to | 5 1 | ft | .65 | 5.50 | 50.00 |
| 5 to | 6 1 | ft | .75 | 6.00 | 55.00 |
| 6 to | 8 f | ft | 1.00 | 7.50 | 60.00 |
| 4 to | 5 | ft. clumps | 4.00 | | |
| 5 to | 6 | ft. clumps | 5.00 | | |
| 1 . | NT. | 1 37 ' | 4 E1 | | |
| _ | | med Varieties. | | | 0+0 |
| - | | lilacs are grow | | | |
| a discoun | | Grafted plan | is can be | supplied | au |
| a discoun | | ft | .75 | 6.00 | 50.00 |
| 3 to | | ft | .85 | 7.00 | 60.00 |
| | | ft | 1.00 | 8.50 | 75.00 |
| | | ft | 1.50 | 12.50 | 100.00 |
| 6 to | | ft | 2.50 | 20.00 | 100.00 |
| 0 10 | 0 1 | LU | 2.00 | 20.00 | |

Syringa vulgaris. Named Varieties.

Belle de Nancy-Double Rose.

2-3' 3-4' 4-5' 5-6' 6-8'

Chas. Joly-Dark Purplish Red.

2-3' 3-4' 4-5' 5-6'

Frau Dammann—Single White.

2-3' 3-4' 4-5' 5-6'

La Tour d'Auvergne-Double Purple.

2-3' 3-4' 4-5' 5-6'

Ludwig Spaeth—Single Red.

2-3' 3-4' 4-5' 5-6'

Mad. Abel Chatenay-Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Casimer Perier-Double Creamy White.

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Lemoine-Large Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Marie Le Graye-Single White.

2-3' 3-4' 4-5' 5-6'

Pres. Grevy-Double Blue.

2-3' 3-4' 4-5' 5-6' 6-8'

Princess Alexandra—Single White.

2-3' 3-4' 4-5' 5-6' 6-8'

We have a limited quantity of the newer varieties of Lemoine's hybrid named lilacs, which we offer as follows: A list of varieties will be forwarded on request.

| · • | | | | |
|----------------|---------------------|---------|--------|---------|
| 0.4- | U TT | Each | Per 10 | Per 100 |
| 2 to | 3 ft | 1.50 | | |
| 3 to | 4 ft | 2.00 | | |
| 4 to | 5 ft | 2.50 | | |
| 5 to | 6 ft | 3.00 | | |
| Tamarix africa | ana. African Tamar | ix. 15' | | |
| 3 to | 4 ft | .40 | 3.00 | 22.00 |
| 4 to | 5 ft | .50 | 4.00 | 30.00 |
| 5 to | 6 ft | .60 | 5.00 | 40.00 |
| 6 to | 8 ft | .75 | 6.00 | 50.00 |
| gallica. | French Tamarix. 10 | • | | |
| 3 to | 4 ft | .40 | 3.00 | 22.00 |
| 4 to | 5 ft | .50 | 4.00 | 30.00 |
| gallica in | dica. India Tamarix | . 10' | | |
| 3 to | 4 ft | .40 | 3.00 | 22.00 |
| 4 to | 5 ft | .50 | 4.00 | 30.00 |

| T | a: | m | a | r | i | x |
|---|----|---|---|---|---|---|
| | | | | | | |

| I WIII WI IA | | Each | Per 10 | Per 100 |
|----------------|-------------------------|--------------------|-----------|---------|
| | . Juniper Tamarix. | | 40 50 | |
| 3 to | 4 ft | 1.50 | 12.50 | |
| odessana. | Odessa Tamarix. | 6 ′ | | |
| 3 to | 4 ft | .40 | 3.00 | 25.00 |
| 4 to | 5 ft | .50 | 4.00 | 35.00 |
| 5 to | 6 ft | .60 | 5.00 | 45.00 |
| pentandra. | Fivestamen Taman | rix. 12' | | |
| 3 to | 4 ft | .50 | 4.00 | 35.00 |
| 4 to | 5 ft | .60 | 5.00 | |
| tetandra p | urpurea. Fourstam | nen Tame | arix. 10' | |
| 3 to | 4 ft | .50 | 4.00 | 30.00 |
| 4 to | 5 ft | .60 | 5.00 | |
| **** 1. 1 | | D 11 | ~ O.\$ | |
| Taxodium dist | tichum. Common I | ~ - | | |
| | 5 ftB. & B. 6 ftB. & B. | | | |
| | 8 ftB. & B. | | | |
| • | 0 1ttb, & b. | 10.00 | 10.00 | |
| Taxus baccata. | English Yew. 50' | | | |
| 15 i | nB. & B. | 3.00 | 25.00 | 200.00 |
| 18 i: | nB. & B. | 3.50 | 30.00 | 250.00 |
| | tB. & B. | | 40.00 | 350.00 |
| 2 ½ f | tB. & B. | 6.00 | 50.00 | |
| baccata er | ecta. Broom Yew. | <i>10</i> ′ | | |
| 2 f | tB. & B. | 6.00 | | |
| | EtB. & B. | | | |
| | EtB. & B. | | | |
| 3 ½ 1 | ftB. & B. | 15.00 | | |
| baccata fa | stigiata. Irish Yev | v. 10' | | |
| 2 ft | B. & B. | 12.50 | | |
| 3 ft | B. & B. | 15.00 | | |
| baccata re | pandens. Spreading | g $English$ | h Yew. 2' | |
| 15 to 1 | 8" spread B. & B. | 2.50 | 22.50 | 200.00 |
| 18 to 2 | 24" spread B. & B. | 3.50 | 30.00 | 275.00 |
| | 30" spread B. & B. | | 35.00 | |
| 30 to 3 | 86" spread B. & B. | 5.00 | | |
| baccata wa | ashingtoni. Washin | gton Yer | v. 6' | |
| | specimens B. & B. | | | |
| 30 in. | specimens B. & B. | 12.50 | | |

| 128 | HENRY KOHANKIE & SON | N | |
|------|--------------------------------------|----------|---------|
| Тахі | | To 10 | To 400 |
| | canadensis. Canada Yew. 3' | Per 10 | Per 100 |
| | 15 to 18" spread B. & B. 2.50 | 20.00 | |
| | 18 to 24" spread B. & B. 3.50 | 30.00 | |
| | 24 to 30" spread B. & B. 4.50 | 40.00 | |
| | cuspidata. Japanese Yew. 10' | | |
| | 15 to 18 " sprd. B. & B. 1.75 | 15.00 | 125.00 |
| | 18 to 24 " sprd. B. & B. 2.50 | 22.50 | 200.00 |
| | 2 to 2½' sprd. B. & B. 3.00 | 27.50 | 250.00 |
| | 2½ to 3 ' sprd. B. & B. 4.50 | 40.00 | 375.00 |
| | 3 to 3½' sprd. B. & B. 7.50 | 60.00 | 550.00 |
| | 3½ to 4 ' sprd. B. & B. 12.50 | 100.00 | |
| | 4 to 4½' sprd. B. & B. 15.00 | 125.00 | |
| | cuspidata brevifolia. Dwarf Japanese | Yew. 6' | |
| | 15 to 18 inB. & B. 3.00 | 25.00 | 225.00 |
| | 18 to 24 inB. & B. 4.50 | 40.00 | 350.00 |
| | 24 to 30 inB. & B. 7.00 | 60.00 | 500.00 |
| | 30 to 36 inB. & B. 10.00 | 80.00 | |
| | 36 to 42 inB. & B. 12.50 | | |
| | cuspidata brevifolia compacta. 6' | | |
| | 18 to 24 inB. & B. 5.00 | 40.00 | |
| | 24 to 30 inB. & B. 7.50 | | |
| , | cuspidata capitata. Upright Japanese | Yew. 25' | |
| | 18 inB. & B. 2.50 | 20.00 | 175.00 |
| | 2 ftB. & B. 3.00 | 25.00 | 225.00 |
| | 2½ ftB. & B. 4.00 | 35.00 | 325.00 |
| | 3 ftB. & B. 7.50 | 60.00 | |
| | 3 ½ ftB. & B. 12.50 | | |
| | | | |

| Tecoma. | (See | Bianonia). | |
|---------|------|------------|--|

4

| Thuja occidentalis. America | can Arborvitae. 40' | |
|-----------------------------|----------------------------|---|
| 3 ftB | B. & B. 1.75 15.00 125.0 | 0 |
| 4 ftB | B. & B. 3.00 25.00 200.0 | 0 |
| 4 ft. heavy spec. B | B. & B. 5.00 | |
| 5 ftB | B. & B. 4.00 35.00 300.0 | 0 |
| 5 ft. heavy spec. B | B. & B. 6.00 | |
| 6 ftB | B. & B. 5.00 \ 45.00 400.0 | 0 |
| 6 ft. heavy spec. B | B. & B. 7.50 | |
| 7 ftB | B. & B. 6.00 55.00 500.0 | 0 |
| 7 ft. heavy spec. B | B. & B. 10.00 | |

ft.....B. & B. 15.00

Thuja occidentalis

| | | Each | Per 10 | Per 100 |
|----|-------------------------|-------|--------|---------|
| 8 | ftB. & B. | 7.50 | 70.00 | 650.00 |
| 8 | ft. heavy spec. B. & B. | 12.50 | | |
| 9 | ftB. & B. | 9.00 | 85.00 | 800.00 |
| 10 | ftB. & B. | 12.00 | 110.00 | 1000.00 |
| 10 | ft. heavy spec. B. & B. | 20.00 | | |

For larger sizes to 15 ft., add \$3.00 per foot.

occidentalis aurea douglasi.

Douglas Golden Arborvitae. 15'

| 2 | ft | .B. & B. | 1.75 | 15.00 | 125.00 |
|----|----|----------|-------|--------|--------|
| 3 | ft | .B. & B. | 2.25 | 20.00 | 175.00 |
| 4 | ft | .B. & B. | 3.50 | 30.00 | 250.00 |
| 5 | ft | .B. & B. | 4.50 | 40.00 | 375.00 |
| 6 | ft | .B. & B. | 6.00 | 55.00 | 500.00 |
| 7 | ft | .B. & B. | 7.00 | 65.00 | 600.00 |
| 8 | ft | .B. & B. | 8.00 | 75.00 | |
| 9 | ft | .B. & B. | 10.00 | 90.00 | |
| 10 | ft | .B. & B. | 12.00 | 100.00 | |
| | | | | | |

For larger sizes to 12 ft., add \$3.00 per foot.

occidentalis columbia. Silver-tipped Arborvitae. 40'

```
3.50
                         30.00
4.50
                         40.00
5 ft......B. & B.
                   5.50
                         50.00
6 ft.....B. & B.
                   6.50
                         60.00
  ft.....B. & B.
                   7.50
                         70.00
8 ft......B. & B.
                  10.00
                         80.00
9 ft.....B. & B.
                  12.00
                        100.00
10 ft.....B. & B. 15.00
```

occidentalis compacta. Compact Arborvitae. 4'

| 15 | in | .B. & B. | 1.50 | 12.50 | 100.00 |
|----|-----|----------|------|-------|--------|
| 18 | in | .B. & B. | 1.75 | 15.00 | 125.00 |
| 24 | in | .B. & B. | 2.00 | 17.50 | 150.00 |
| 30 | in | .B. & B. | 2.75 | 22.50 | 175.00 |
| 36 | in | .B. & B. | 3.50 | 27.50 | |
| 42 | in | .В. &В. | 4.50 | | |
| 10 | 133 | D&D | 6.00 | | |

| 1 | h | uj | a |
|---|---|----|---|

| ja | | Each | Per 10 | Per 100 |
|--------------------------------------|---------|---------------------|--------------|---------|
| occidentalis compacta. | Paren | | | Per 100 |
| 2½ ftB. | | 2.75 | | 175.00 |
| $\frac{2}{72}$ It | | $\frac{2.10}{3.50}$ | | 250.00 |
| $3\frac{1}{2}$ ft | | | | 200.00 |
| 4 ftB. | | 4.50 | | |
| $4\frac{1}{2}$ ftB. | | | 50.00 | |
| 5 ftB. | | | | |
| $5\frac{1}{2}$ ft | | 7.50 | | |
| 6 ftB. | | 9.00 | | |
| 7 ftB. | | 12.50 | 100.00 | |
| 8 ftB. | | 15.00 | 100.00 | |
| 9 ftB. | | 18.00 | | |
| 0 10 | . w .j. | 10.00 | | |
| occidentalis elegantissin | na. 1 | 5 ′ | | |
| 2 ftB. | | 1.50 | 12.50 | 100.00 |
| 3 ftB. | | 2.00 | 17.50 | 150.00 |
| 4 ftB. | | 2.75 | 25.00 | 225.00 |
| 5 ftB. | | 4.00 | 37.50 | 350.00 |
| 6 ftB. | & B. | 5.50 | 50.00 | 450.00 |
| 7 ftB. | & B. | 6.50 | 60.00 | 550.00 |
| 8 ftB. | & B. | 7.50 | 70.00 | 650.00 |
| 9 ftB. | & B. | 10.00 | 90.00 | 800.00 |
| 10 ftB. | & B. | 12.00 | 100.00 | |
| For larger sizes to | 14 ft. | , add s | \$3.00 per f | oot. |
| | | U | L | :4 |
| occidentalis ellwangeria | | | | |
| 2 ftB. | | | | 125.00 |
| $2\frac{1}{2}$ ftB. 3 ftB. | | | | |
| 3 ftB. $3\frac{1}{2}$ ftB. | | | | |
| 4 ftB. | | | | |
| $4 \frac{1}{2} \text{ ft.} \dots B.$ | | | | |
| 5 ftB. | | | | 400.00 |
| <i>5</i> 16 | ш Б. | 0.00 | 33.00 | |
| occidentalis ericoides. | Heath | Arbor | vitae. 5' | |
| 2 ftB. | | | | |
| 2½ ftB. | & B. | 2.50 | 20.00 | |
| 3 ftB | & B. | 3.00 | 25.00 | |
| • | | | | |
| occidentalis globosa. | Hobe. | Arborvi | tae. 3' | |
| 18 inB. | & B. | 1.75 | 15.00 | 125.00 |
| 24 inB. | & B. | 2.00 | 17.50 | 150.00 |
| 30 inB. | & B. | 2.50 | 20.00 | 175.00 |
| 36 inB | & B. | 3.00 | 25.00 | 225.00 |
| | | | | |

| | | | • | |
|---|---|---|---|---|
| T | h | u | J | a |

| ja | | | | |
|-----------------------|-----------|---|------------------|--------------------|
| occidentalis hoveyi. | Horion | Each Golden | Per 10 | Per 100 8' |
| | | | | |
| 18 in 2 ft | | $1.75 \\ 2.00$ | $15.00 \\ 17.50$ | 125.00 150.00 |
| | | 2.00 2.50 | 20.00 | 150.00 175.00 |
| $2\frac{1}{2}$ ft | | $\frac{2.50}{2.75}$ | 20.00 22.50 | 200.00 |
| 3 ½ ft | | $\frac{2.75}{3.50}$ | 30.00 | 250.00 |
| 4 ft | | 4.00 | 35.00 | 300.00 |
| $4\frac{1}{2}$ ft | | 5.00 | 40.00 | 500.00 |
| 5 ft | | 6.00 | 50.00 | |
| $5\frac{1}{2}$ ft | | 7.50 | 00.00 | |
| 6 ft | | 8.50 | | |
| 7 ft | | | | |
| | | | | |
| occidentalis Little G | em. 2' | | | |
| 15 in | | 3.00 | | |
| 18 in | .B. & B. | 4.00 | | |
| occidentalis lutea. | Geo. Peal | body's | Arborvitae. | 15' |
| 3 ft | .В. & В. | 3.00 | 25.00 | 200.00 |
| 4 ft | .В. & В. | 3.50 | 30.00 | 250.00 |
| 5 ft | .B. & B. | 4.50 | 40.00 | 375.00 |
| 6 ft | .в. & в. | 6.00 | 55.00 | 500.00 |
| 7 ft | .B. & B. | 7.00 | 65.00 | 600.00 |
| 8 ft | . в. & в. | 8.00 | 75.00 | 700.00 |
| 9 ft | .B. & B. | 10.00 | 90.00 | 800.00 |
| 10 ft | .B. & B. | 12.00 | 100.00 | |
| For larger sizes | to 12 ft. | , add | \$3.00 per f | oot. |
| occidentalis pumila. | Green (| Flobe A | lrborvitae. | <i>3'</i> |
| 18 in. spread | .в. & в. | 2.00 | 17.50 | 150.00 |
| 24 in. spread | .B. & B. | 2.50 | 22.50 | 200.00 |
| 30 in. spread | .B. & B. | 3.00 | 27.50 | 250.00 |
| 36 in. spread | .B. & B. | 4.00 | 35.00 | 300.00 |
| a a dantalia manamid | alia Du | idal | ' Ambangitas | . 25' |
| occidentalis pyramida | | | | |
| 2 ft | | 1.75 | 15.00 | 125.00 |
| 3 ft | | 2.00 | | 150.00 |
| 4 ft | | 3.50 | | 250.00 |
| | | $4.50 \\ 5.50$ | | $350.00 \\ 475.00$ |
| 6 ft | | $\begin{array}{c} 3.50 \\ 7.50 \end{array}$ | | 650.00 |
| (± b | . D. & D. | 7.50 | 70.00 | 000.00 |

| 771 | | • |
|-----|----|----|
| 11 | nu | ja |

| ıuja | | | |
|--------------------------------------|------------|------------|---------|
| occidentalis pyramidalis. | Each | Per 10 | Per 100 |
| | D 10.00 | 00.00 | 200.00 |
| 8 ft | | | 800.00 |
| 9 ftB. & | | | |
| 10 ftB. & 1 | | | 1000.00 |
| 11 ftB. & 1 | | | £ t |
| For larger sizes to 14 | it., add | \$3.00 per | ioot. |
| 6, | | | |
| occidentalis douglasi pyran | | | |
| Douglas Pyramidal Arbor | vitae. 20' | | |
| 2 ftB. & 1 | B. 3.00 | 25.00 | 200.00 |
| 3 ftB. & 1 | B. 3.50 | 30.00 | 250.00 |
| 4 ftB. & 1 | B. 4.00 | 35.00 | 300.00 |
| 5 ftB. & 1 | B. 5.00 | 45.00 | 400.00 |
| 6 ftB. & 1 | B. 7.00 | 60.00 | • |
| | | | |
| occidentalis recurva nana. | 6' | | |
| | | 17.50 | 150.00 |
| 18 inB. & 1 2 ftB. & 1 | | | 175.00 |
| | | _ | |
| $2\frac{1}{2}$ ftB. & 1 3 ftB. & 1 | | | 275.00 |
| 3 ftB. & 1 | D5.50 | · 50.00 | 275.00 |
| | • | | |
| occidentalis reevesi. Reeve | s Arborv | itae. 10' | |
| 2½ ftB.&] | B. 2.50 | 20.00 | 175.00 |
| 3 ftB. & 1 | B. 2.75 | 22.50 | 200.00 |
| 3½ ftB.&] | B. 3.50 | 30.00 | 250.00 |
| 4 ftB. & 1 | B. 4.00 | 35.00 | 300.00 |
| 4 ½ ftB. &] | B. 5.00 | 40.00 | 350.00 |
| 5 ftB. & 1 | B. 7.50 | 60.00 | 500.00 |
| 6 ftB. & 1 | B. 8.00 | 70.00 | 600.00 |
| 7 ftB. & 1 | B. 10.00 | 80.00 | |
| <i>:</i> | | | |
| occidentalis reidi. Reid A | rborvitae. | 8 ' | |
| 18 inB. & I | 3. 1.75 | 15.00 | 125.00 |
| 2 ftB. & I | | 20.00 | 175.00 |
| 2½ ftB.& I | | 27.50 | 250.00 |
| 3 ftB. & 1 | | 32.50 | 300.00 |
| 3½ ftB.& I | | | |
| 4 ftB. & I | | 45.00 | |
| 4½ ftB.&I | | 55.00 | |
| 5 ftB. & I | | 75.00 | |
| 6 ftB.& I | | 100.00 | |
| | | | |

| 7 | 1 | | | |
|---|---|---|---|---|
| T | h | u | J | a |

| ıja | | | | |
|-----------------------------|-----------|---------|----------------|--------------------|
| , | | Each | Per 10 | Per 100 |
| occidentalis riversi. | Rivers A | rborvi | tae. 12' | |
| 4 ft | .B. & B. | 4.00 | 35.00 | |
| 5 ft | .B. & B. | 5.00 | 45.00 | |
| 6 ft | .B. & B. | 6.50 | 55.00 | |
| 7 ft | .B. & B. | 7.50 | 65.00 | |
| 8 ft | | | | ~ |
| 9 ft | .B. & B. | 12.50 | 100.00 | |
| 10 ft | .B. & B. | 15.00 | 125.00 | |
| For larger sizes | to 12 ft. | ., add | \$3.00 per f | oot. |
| occidentalis rosentha | li. Rosen | nthal A | Arborvitae. | <i>10</i> ′ |
| 2 ft | .В. & В. | 2.50 | 20.00 | 150.00 |
| 3 ft | .В. & В. | 3.50 | 30.00 | 250.00 |
| 4 ft | .в. & в. | 5.00 | 40.00 | 350.00 |
| 5 ft | .B. & B. | 6.00 | 50.00 | |
| 6 ft | .В. & В. | 7.50 | | |
| . 1 . 1 . 1 . 1 . 1 . 1 . 1 | G * 7 | 4 . 7 | 21 - 27 | |
| occidentalis spiralis. | _ | | | 40400 |
| 2 ft | | 1.75 | 15.00 | 125.00 |
| 3 ft | | | | 175.00 |
| 4 ft | | | | |
| 5 ft | | | 42.50 | |
| 6 ft | | | 55.00 | 500.00 |
| 7 ft | | 8.50 | 75.00 100.00 | 650.00 800.00 |
| 8 ft | | | | 800.00 |
| For larger sizes | | | | foot |
| 1 01 (larger blzes | 00 14 10 | ., auu | φοιου per, i | .000. |
| occidentalis umbraçu | lifera. | Dwarf | Arborvitae. | 3 ' |
| 15 to 18 in.spro | d.B. & B. | 1.50 | 12.50 | 100.00 |
| 18 to 24 in spre | l.B. & B. | 1.75 | 15.00 | 125.00 |
| 24 to 30 in.spro | l.B. & B. | 2.50 | 20.00 | 150.00 |
| 2 ½ to 3 ft.spro | l.B. & B. | | 22.50 | 200.00 |
| 3 to 3½ ft.sprd | | | 30.00 | |
| | I.B. & B. | | 40.00 | |
| 4 to 5 ft.spro | I.B. & B. | 7.50 | 60.00 | |
| | ****** | | | |
| occidentalis vervaene | ana. Ve | ervaene | Arborvitae | e. 12' |
| 3 ft | | 2.25 | 20.00 | 175.00 |
| 4 ft | .B. & B. | 3.50 | 30.00 | 275.00 |
| 5 ft | | 5.00 | 45.00 | 400.00 |
| 6 ft | .B. & B. | 6.50 | 60.00 | 550.00 |

| Thuja occidentalis vervaen | neana |
|----------------------------|-------|
|----------------------------|-------|

| | | Each | Per 10 | Per 100 |
|------------------|-----------------------|---------|---------------|------------|
| 7 ft | B. & B. | 7.50 | 70.00 | 650.00 |
| 8 ft | B. & B. | 10.00 | 80.00 | 750.00 |
| 9 ft | B. & B. | 12.50 | 100.00 | |
| 10 ft | B. & B. | 15.00. | 125.00 | |
| For 1 | arger sizes to 12 ft. | , add s | \$3.00 per fo | oot. |
| occidenta | dis wareana. Ware | or Sibe | rian Arborvi | tae. 15' |
| 18 | inB. & B. | 1.50 | 12.50 | 100.00 |
| 2 | ftB. & B. | 1.75 | 15.00 | 125.00 |
| $2\frac{1}{2}$ | ftB. & B. | 2.00 | 17.50 | 150.00 |
| 3 | ftB. & B. | 2.50 | 22.50 | 200.00 |
| 3 ½ | ftB. & B. | 3.50 | 30.00 | 250.00 |
| 4 | ftB. & B. | 4.50 | 35.00 | 300.00 |
| 4 ½ | ftB. & B. | 5.00 | 40.00 | 350.00 |
| 5 | ftB. & B. | 7.00 | 60.00 | 500.00 |
| 6 | ftB. & B. | 8.00 | 70.00 | 600.00 |
| 7 | ftB. & B. | 10.00 | 85.00 | 750.00 |
| 8 | ftB. & B. | 15.00 | 125.00 | |
| 9 | ftB. & B. | 18.00 | 150.00 | |
| a a a i da m t a | alis wareana lutescer | • • | · | |
| | Ware Arborvitae. 1 | | | |
| $3\frac{1}{2}$ | | | | |
| 4 | ftB. & B. | | | |
| 5 | ftB. & B. | | | |
| | | | | |
| occidenta | alis woodwardi. Woo | odward | Arborvitae. | 6 ' |
| 18 in | nB. & B. | 2.00 | 17.50 | 150.00 |
| 24 ir | nB. & B. | 2.50 | 20.00 | 175.00 |
| 30 ir | nB. & B. | 3.00 | 25.00 | 225.00 |
| 36 in | nB. & B. | 4.00 | 35.00 | |
| orientalis | . Oriental Arborvita | e. 25' | | |
| 4 ft | В. & В. | 3.50 | 30.00 | 250.00 |
| | | | | |

For larger sizes to 15 ft., add \$5.00 per foot.

5.00

6.50

7.50

8.50

45.00

55.00

65.00

75.00

85.00

110.00

375.00

| orientalis | conspicua. | Goldspire | Arbo | rvitae. | 20' |
|------------|------------|-----------|------|---------|-----|
| 2 ft. | | . В. & В. | 3.50 | 30.00 | 0 |

5 ft......B. & B.

6 ft.....B. & B.

7 ft......B. & B.

8 ft......B. & B.

9 ft......B. & B. 10.00

10 ft......B. & B. 12.00

3 ft......B. & B. 4.00 35.00

Each Per 10 Per 100

| т | 7 | | ٠ | |
|---|---|---|---|---|
| I | h | u | 1 | a |

| orientalis elegantissim | a. | Bach | 1 01 10 | , | | | | |
|--|-----------------|----------|---------------|----------|--|--|--|--|
| Rollinson's Golden A | Irborvita | ie. 10' | | | | | | |
| 2 ft | В. & В. | 2.50 | 20.00 | 150.00 | | | | |
| 2 ½ ft | | 3.00 | 25.00 | 200.00 | | | | |
| 3 ft | | 4.00 | 35.00 | 300.00 | | | | |
| 4 ft | | 5.00 | 45.00 | 400.00 | | | | |
| 5 ft | | 6.00 | 55.00 | 500.00 | | | | |
| 6 ft | B. & B. | 7.50 | 65.00 | | | | | |
| | Doulous | Cal | J | itae. 3' | | | | |
| orientalis nana aurea. 18 in | | 2.00 | <i>17.</i> 50 | uae. 3 | | | | |
| $egin{array}{cccccccccccccccccccccccccccccccccccc$ | | | 30.00 | | | | | |
| $2 \frac{1}{2}$ ft | | | 35.00 | | | | | |
| 2 /2 10 | b. @ Б . | 4.00 | 33.00 | | | | | |
| orientalis sieboldi. Si | ebold A | rborvita | e. 3' | | | | | |
| • 2 ft | B. & B. | 3.50 | | | | | | |
| 3 ft | B. & B. | 4.00 | | | | | | |
| plicata. Giant Arborv | itae. 20 |)* | | | | | | |
| 3 ft | | 2.50 | 22.50 | | | | | |
| 4 ft | | 3.50 | 30.00 | | | | | |
| 5 ft | | | 40.00 | | | | | |
| 6 ft | | 6.00 | 50.00 | | | | | |
| 7 ft | | 7.50 | 65.00 | | | | | |
| 8 ft | | 10.00 | 85.00 | | | | | |
| 9 ft | | 12.50 | 100.00 | | | | | |
| standishi. Standish Ar | | . 477 | | | | | | |
| standishi. Standish Ar 6 ft | | | | | | | | |
| 7 ft | | | | | | | | |
| 8 ft | | | | | | | | |
| 9 ft | | | | | | | | |
| <i>J</i> 10 | D. & D. | 10.00 | | | | | | |
| Tilia americana. American Linden. 75' | | | | | | | | |
| | • • • • • | 1.50 | 12.50 | 100.00 | | | | |
| | | 1.75 | 15.00 | 135.00 | | | | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | | 2.50 | 22.50 | 200.00 | | | | |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | | 3.50 | 30.00 | 250.00 | | | | |
| | | 4.00 | 35.00 | 300.00 | | | | |
| | • • • • • | 5.00 | 45.00 | 400.00 | | | | |
| | | | 60.00 | | | | | |
| 3 to $3\frac{1}{2}$ in | | | 80.00 | | | | | |
| | • • • • • | | 125.00 | | | | | |
| | | | | | | | | |
| 5 to 6 in | • • • • • | 55.00 | | | | | | |
| | | | | | | | | |

| | ш | п | • | |
|---|---|---|---|---|
| 1 | 1 | I | 1 | a |

| `ilia | ι | | | | | | |
|-------|----------------|------------|----------------|---------------|--------------|---------------|---------|
| | cordata. | L | ittlele | af European | Each Linden. | Per 10 70' | Per 100 |
| | 6 | to | 8 | ft | 3.00 | 25.00 | 200.00 |
| | 8 | to | | ft | 3.50 | 30.00 | 250.00 |
| | $1\frac{1}{4}$ | | | in | 4.00 | 35.00 | 325.00 |
| | | | | | 5.00 | 45.00 | 400.00 |
| | $1\frac{3}{4}$ | | | in | 6.00 | 55.00 | 500.00 |
| | | | | | | | |
| | euchlora | . (| Crimea | n Linden. 7 | 5 ' | , | |
| | 6 | to | 8 | ft | 3.50 | 30.00 | 250.00 |
| | 8 | to | 10 | ft | 4.00 | 35.00 | |
| | 2 | to | $2\frac{1}{2}$ | in | 10.00 | | |
| | 2 ½ | to | 3 | in | 12.50 | | |
| | 3 | to | 3 ½ | in | 18.00 | | |
| | 3 1/2 | to | 4 | in | 25.00 | | |
| | 4 | to | 5 | in | 35.00 | | • |
| | | | | | | | • |
| | heteroph | ylla | Be | etree Linden. | . 60', | | |
| | 1 ½ | to | $1\frac{3}{4}$ | in | 4.00 | 35.00 | |
| | 1 3/4 | to | 2 | in | 4.50 | 40.00 | |
| | 2 | to | $2\frac{1}{2}$ | in | 6.00 | 50.00 | |
| | 2 ½ | to | 3 | in | 7.50 | 60.00 | |
| | 3 | to | 3 1/2 | in | 10.00 | | |
| | | | | | | | |
| | oliveri. | <i>50'</i> | | | | * | |
| | 6 | to | 8 | ft | 4.00 | | |
| | | | 77.1 | 7 4 77 | T 1 7 | ni ere | |
| | | | , | gleaf Europe | | | 150.00 |
| | 6 | to | 8 | ft | | 17.50 | 150.00 |
| | 8 | | 10 | ft | 2.75 | 25.00 | 225.00 |
| | 1 1/4 | to | | in | 3.75 | 35.00 | 325.00 |
| | $1\frac{1}{2}$ | | | in | 5.00 | 45.00 | 400.00 |
| | 1 3/4 | | 2 | in | 6.00 | 55.00 | 500.00 |
| | 2 | to | | in | 7.50 | 65.00 | 600.00 |
| | 2 ½ | to | 3 | in | 10.00 | 75.00 | |
| • | 3 | to | | in | | 100.00 | |
| | 3 ½ | to | 4 | in | 15.00 | | |
| ٠ | 4 | to | 5 | in | 25.00 | | |
| | tomentos | a. | Silve | r Linden. 40 |) ' | | |
| | 6 | to | 8 | ft | 3.50 | 30.00 | 250.00 |
| | $1\frac{1}{2}$ | to | 1 3/4 | in | 6.50 | 50.00 | |
| | $1\frac{3}{4}$ | to | 2 | in | 7.50 | 65.00 | |
| | 2 | to | 2 ½ | in | 10.00 | | |
| | | | | | | | |

| - | ٠. | 7 | ٠ | |
|-----|----|---|---|---|
| - 1 | 1 | П | 7 | a |
| | | | | |

| IIIIA | | * * 2 4 | | , |
|------------|-------------------------------------|-------------------|--|---------|
| | (| Each | Per 10 | Per 100 |
|) v | ulgaris. Common E | European Linden. | 75 ' | |
| | 6 to 8 ft | 2.25 | 20.00 | 175.00 |
| | 8 to 10 ft | 2.75 | 25.00 | 225.00 |
| | $1\frac{1}{4}$ to $1\frac{1}{2}$ in | | 35.00 | 325.00 |
| | 1½ to 1¾ in | 5.00 | 45.00 | 400.00 |
| | 1 3/4 to 2 in | 6.00 | 55.00 | 500.00 |
| | 2 to $2\frac{1}{2}$ in | 7.50 | 65.00 | 600.00 |
| | 2½ to 3 in | 10.00 | 75.00 | |
| | 3 to $3\frac{1}{2}$ in | 12.50 | 100.00 | |
| | | 17.50 | | |
| | 4 to 5 in | 25.00 | ាន ខេត្ត ក្រុងស្ពារ៉ិក - ក្នុងស្រុកពីក្រុ | , * |
| <i>y</i> | | • • • • | | |
| - | | | | |
| Tripte | rygium regeli. 5' | | | |
| | | .B. & B. · 1.50 | | |
| | 3 to 4 ft | .B. & B. 1.75 | | 125.00 |
| | i | | | |
| Tenga | canadensis. Cana | da Hamlock 75' | · · · · · · · · · · · · · · · · · · · | |
| Isuga | | .B. & B. 2.00 | 15.00 | 125.00 |
| | | .B. & B. 3.50 | | |
| | | .B. & B. 5.50 | | |
| | | B. & B. 7.50 | | 0.0.00 |
| <u> </u> | | .B. & B. 7.00 | | 500.00 |
| | | B. & B. 10.00 | | 500.00 |
| | | .B. & B. 8.50 | | 650.00 |
| | | .B. & B. 12.50 | | |
| | | .B. & B. 15.00 | | |
| | | | 150.00 | |
| | | to 16 ft., add \$ | | oot. |
| | O | | କ୍ଷିତ୍ର ପ୍ରତିକ୍ଷ୍ଟି (| • • |
| ca | roliniana. Caroline | a Hemlock. 50' | 7 67 7 | |
| | 2 ft | | 30.00 | |
| | 3 ft | , , | 40.00 | |
| | | .B. & B. 7.50 | | |
| | | | 2, | |
| 2: | eboldi. Siebold He | | | |
| \$1 | | 40.00 | | |
| | 8 ft. specimens | | | |
| | o 10. specimens | | | |
| | | | | |

Ulex europeaus. Common Gorse. 4'

| mus ameri | cana. | American | Elm. | <i>80'</i> | | |
|----------------------------|--------|-------------------|---------------|-------------|-------------|---------|
| | | | E | ach | Per 10 | Per 100 |
| 8 | to 10 | ft | | 1.50 | 12.50 | 100.00 |
| 1 1/4 | to 1 | ½ in | • • • | 1.75 | 15.00 | 125.00 |
| 1 ½ | to 1 | ¾ in | 2 | 2.00 | 17.50 | 150.00 |
| $1\frac{3}{4}$ | to 2 | in | | 2.50 | 22.50 | 200.00 |
| 2 | to 2 | 1½ in | | 3.50 | 30.00 | 275.00 |
| 2 1/2 | to 3 | in | | 5.00 | 45.00 | 400.00 |
| 3 | to 3 | ½ in | | 7.50 | 65.00 | |
| 3 ½ | to 4 | in | 10 | 0.00 | 75.00 | |
| a marica r | a mol | ine. <i>Molir</i> | ne Elm | 80 ' | | |
| americar 6 | to 8 | | | 1.25 | 10.00 | 75.00 |
| 8 | to 10 | | | 1.50 | 12.50 | 100.00 |
| $1\frac{1}{4}$ | | ½ in | | 1.75 | 15.00 | 125.00 |
| $1\frac{1}{2}$ | | ½ in | | 2.50 | 22.50 | 200.00 |
| $1\frac{72}{1\frac{3}{4}}$ | | | | 3.00 | 27.50 | 250.00 |
| 2 | | ½ in | | 4.00 | 35.00 | 325.00 |
| $2\frac{1}{2}$ | | | | 5.00 | 45.00 | 320.00 |
| 2 /2 | 00 0 | 111 | • • • | ,. | 10.00 | |
| american | a vas | e-shaped. | <i>50</i> ′ | | • | |
| 6 | to 8 | ft | | 1.25 | 10.00 | 75.00 |
| 8 | to 10 | ft | 1 | 1.50 | 12.50 | 100.00 |
| 1 1/4 | to 1 | ½ in | 1 | 1.75 | 15.00 | 125.00 |
| 1 1/2 | to 1 | 3/4 in | 2 | 2.50 | 22.50 | 200.00 |
| 1 3/4 | to 2 | in | 8 | 3.00 | 27.50 | 250.00 |
| 2 | to 2 | ½ in | 4 | 1.00 | 35.00 | 325.00 |
| 2 ½ | to 3 | in | 6 | 5.00 | 50.00 | |
| campestr | is. E | nglish Elm | . 75 ' | | | |
| 6 | to 8 | _ | | 2.00 | 17.50 | |
| 8 | to 10 | | | 2.50 | 22.50 | |
| 1 1/4 | | ½ in | | 3.00 | 27.50 | |
| 1 1/2 | | 3/4 in | | 3.50 | 32.50 | |
| 1 3/4 | | | | 5.00 | 45.00 | |
| 2 | | ½ in | | 7.50 | 60.00 | |
| | | in | | 0.00 | 75.00 | |
| 3 | | ½ in | | 2.50 | 100.00 | |
| 4 | to 5 | | | 5.00 | | |
| | | | • | | | |
| campestr | is kle | mmeri. K | lemmer | Elm. | 75 ' | |
| | to 10 | | |) E0 | | |

8 to 10 ft..... 3.50

Ulmus

| us | | | | | | |
|------------------|------|----------------|--------------|-------------|------------|-------------|
| campestr | is | latifo | lia. Belgian | Each $Elm.$ | 75' Per 10 | Per 100 |
| 8 | | 10 | | 3.00 | | |
| | to | | in | 3.50 | | |
| . – | | | | 4.00 | | |
| | | | | 5.00 | | |
| 2 | | | in | | | |
| | | 3 | | | | |
| 4 72 | to | J | 111 | 10.00 | | |
| campestr | is 1 | monu | mentalis. A | Ionume | nt Elm: 7 | 5 ' |
| 6 | | 8 | | | 35.00 | |
| 8 | | | ft | 4.50 | | |
| | | | | 5.00 | | |
| | | | | 6.50 | | |
| | | | | | | |
| | | | in | | | |
| 2 | | | in | | 75.00 | |
| 2 ½ | to | 3 | in | 15.00 | | |
| campestr | is t | aurnu | rea. Purplel | leaf En | alish Elm. | 70 ' |
| 8 | _ | 10 | | 3.00 | _ | • |
| _ | | | in | 3.50 | | |
| | | | in | 4.00 | | |
| | | | in | | 31.00 | |
| | | | | | | |
| 2 | | | | 7.50 | | |
| Z 7 2 | το | 3 | in | 10.00 | | |
| campestr | is v | zegeta | . Huntingd | on Elm | n. 75' | |
| 8 | | 10 | ft | 2.50 | 22.50 | 200.00 |
| 1 1/4 | | | in | 3.00 | _ | 250.00 |
| · - | | · – | in | 3.50 | 32.50 | 300.00 |
| | | 2 | | 5.00 | 45.00 | 400.00 |
| 2 | | | in | 7.50 | 60.00 | 500.00 |
| | | 3 | | | | 650.00 |
| 2 ½ | | _ | in | 12.50 | | 050.00 |
| 3 | • | | | | | |
| 3 ½ | | | in | 17.50 | 150.00 | |
| 4 | to | | in | 25.00 | | |
| 5 | to | 6 | in | 35.00 | | |
| campestr | is v | wheat | leyi. Wheatl | ey Elm | a. 75' | |
| 6 | to | 8 | ft | 4.00 | | |
| 8 | to | 10 | ft | 5.00 | | |
| 1 1/4 | to | $1\frac{1}{2}$ | in | 6.00 | | |
| 1 1/2 | to | 1 3/4 | in | 7.50 | | |
| 1 3/4 | | | | 10.00 | | |
| | | | | | | |

Ulmus

| Ulmus | | | . 3 |
|--|---------------------|--------|---------|
| fular Slinner Elm 65' | Each | Per 10 | Per 100 |
| fulva. Slippery $Elm.$ 65' $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 2 50 | | |
| 1 % to 2 in | | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | |
| $2 \frac{1}{2} \text{ to } 3 \text{ in}$ | | • | |
| | 1.00 | | |
| glabra. Scotch Elm. 75' | | | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 2.50 | 22.50 | 200.00 |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | | | 250.00 |
| 1 % to 2 in | | | |
| 2 to $2\frac{1}{2}$ in | | | |
| $2\frac{1}{2}$ to 3 in | | | 600.00 |
| 3 to 3½ in | | 75.00 | |
| 4 to 5 in | 25.00 | | |
| glabra camperdowni. Camper | rdown Eli | n. 20' | |
| 6 ft. stem | | | |
| | 1.00 | ** | |
| glabra nana. Globe Elm. | | | |
| 6 to 8 ft. standards | 10.00 | t n | 11.30 |
| japonica. Japanese Elm. 70' | | £.3. | |
| 8 to 10 ft | | 3 | |
| $1\frac{1}{2}$ to $1\frac{3}{4}$ in | | | |
| $1\frac{1}{4}$ to 2 in | | | |
| 2 to 2½ in | | | |
| $2\frac{1}{2}$ to 3 in | | | |
| | | | |
| | ,) 100 j. = | | ; ? |
| 6 to 8 ft | , | 12.50 | |
| 8 to 10 ft | | ety / | |
| 10 to 12 ft | | 27.50 | |
| 12 to 14 ft | | 37.50 | 350.00 |
| pumila. Dwarf Asiatic Elm. | 75' | | |
| 6, to 8 ft | | 12.50 | |
| 8, to 10 ft | 2.00 | 15.00 | 125.00 |
| 10 to 12 ft | 2.50 | 22.50 | 200.00 |
| racemosa. Rock Elm. 80' | | | |
| 2 to 2½ in | | | |
| $2\frac{1}{2}$ to 3 in | | | |
| Vaccinium corymbosum. Highbush | | | |
| 2 to 3 ftB. & B. | | | |
| 3 to 4 ftB.& B. | | | 150.00 |
| vacillans. Dryland Blueberry. | | | |
| 12 to 15 inB. & B. | 1.50 | 12.50 | |
| | | | |
| | | | |

| Viburnum acerifolium. Mapleleaf | Vibura | num. 5' | |
|---------------------------------|------------|----------|------------------|
| 10.1.01.1 | Each | Per 10 | Per 100 |
| 18 to 24 in | .60 | 5.00 | 40.00 |
| 2 to 3 ft | .75 | 6.00 | 50.00 |
| 3 to 4 ft | .85 | 7.00 | 60.00 |
| 4 to 5 ft | 1.00 | 8.50 | 75.00 |
| | | | |
| americanum. American Cran | berrybu | ish. 10' | |
| 2 to 3 ft | .40 | 3.00 | 22.00 |
| 3 to 4 ft | .45 | 3.50 | 30.00 |
| 4 to 5 ft | .55 | 4.50 | 40.00 |
| 5 to 6 ft | .75 | 6.00 | 50.00 |
| 6 to 8 ft | 1.00 | 7.50 | 60.00 |
| < | | | |
| bitchuiense. Yeddo Viburnum. | 6' | | |
| 3 to 4 ftB. & B. | 2.25 | 20.00 | |
| | | | |
| carlesi. Fragrant Viburnum. | • | | |
| 18 to 24 inB. & B. | 1.50 | 12.50 | 100.00 |
| 2 to 3 ftB. & B. | 1.75 | 15.00 | 125.00 |
| 3 to 4 ftB. & B. | 2.00 | 17.50 | 150.00 |
| 18 to 24 in., own roots, B.&B. | 2.25 | 20.00 | |
| 2 to 3 ft., own roots, B.&B. | 2.75 | | |
| Standards, 18 to 24 in. | | | |
| stem, B. & B | 2.50 | | |
| | | | |
| cassinoides. Withe Rod. 6' | | | |
| 2 to 3 ft | .60 | 5.00 | 40.00 |
| 3 to 4 ft | .75 | 6.00 | 50.00 |
| 4 to 5 ft | 1.00 | 7.50 | 60.00 |
| 5 to 6 ft | 1.25 | 10.00 | 75.00 |
| dentatum. Arrow Wood. 12' | | | |
| 2 to 3 ft | .45 | 3.50 | 30.00 |
| 3 to 4 ft | .55 | 4.50 | 40.00 |
| 4 to 5 ft | .70 | 6.00 | 55.00 |
| 5 to 6 ft | .80 | 7.00 | 65.00 |
| 6 to 8 ft | 1.00 | 8.00 | 75.00 |
| | | | |
| dilatatum. Linden Viburnum. | <i>10'</i> | | ~ ~ ~ ~ ~ |
| 2 to 3 ft | .60 | 5.50 | 50.00 |
| 3 to 4 ft | .75 | 6.50 | 60.00 |
| 4 to 5 ft | 1.00 | 8.50 | 75.00 |
| hupehense. Hupeh Viburnum. | 6' | | |
| 2 to 3 ft | 1.25 | 10.00 | |

| - | - | | | | | | | |
|---|---|---|---|---|---|---|---|--|
| V | 1 | b | u | r | n | u | m | |
| - | _ | _ | _ | _ | | _ | | |

| urnum | | | — | D |
|-----------|--------------------|------------------|--------------|-------------|
| lantana. | Wayfaring Tree. | Each <i>15</i> ' | Per 10 | Per 100 |
| 2 to | 3 ft | 45 | 3.50 | 30.00 |
| 3 to | 4 ft | 55 | 4.50 | 40.00 |
| 4 to | 5 ft | 65 | 5.50 | 50.00 |
| 5 to | 6 ft | 75 | 6.50 | 60.00 |
| lantana r | ugosum. Wrinklel | eaf Way | faring-tree. | <i>15</i> ′ |
| 3 to | 4 ft | 60 | 5.00 | |
| 4 to | 5 ft | 75 | | |
| 5 to | 6 ft | . 1.00 | | |
| lentago. | Nannyberry. 20' | | | |
| 3 to | 4 ft | 60 | 5.50 | 50.00 |
| 4 to | | | 6.50 | 60.00 |
| 5 to | | | 8.50 | 75.00 |
| 6 to | 8 ft | | 10.00 | 90.00 |
| 8 to | 10 ft | | 12.50 | 100.00 |
| | 12 ft | . 2.00 | 17.50 | 150.00 |
| 6 to | 8 ft. spec. B. & F | 3. 10.00 | | |
| molle. | Kentucky Viburnum | . 10' | | |
| 2 to | 3 ft | 45 | 3.50 | 30.00 |
| 3 to | 4 ft | | 4.50 | 40.00 |
| 4 to | | | 6.00 | 55.00 |
| 5 to | 6 ft | | 7.00 | 65.00 |
| 6 to | 8 ft | | 8.00 | 75.00 |
| nudum. | Smooth Withe Rod | . 8' | | |
| 2 to | 3 ft | 75 | 6.00 | 50.00 |
| 3 to | 4 ft | . 1.00 | 7.50 | 60.00 |
| 4 to | 5 ft | . 1.25 | 10.00 | 75.00 |
| 5 to | 6 ft | | 15.00 | |
| opulus. | High Bush Cranberr | y. 10' | | |
| 2 to | 3 ft | 40 | 3.00 | 25.00 |
| 3 to | 4 ft | 45 | 3.50 | 30.00 |
| 4 to | 5 ft | 55 | 4.50 | 40.00 |
| 5 to | 6 ft | 65 | 5.50 | 50.00 |
| 6 to | 8 ft | 75 | 6.50 | 60.00 |
| 8 to | 10 ft | . 1.00 | 8.50 | 75.00 |
| 6 to | 8 ft. spec. B. & F | | | |

| X 1 | 1 | | | | | |
|-----|---|---|---|---|---|---|
| V | b | u | r | n | u | m |

| burnum | | | | | |
|----------------|--------------|---------------------------------------|-------------|---------------------|---------|
| | , | m. Dwarf Cran | Each | Per 10 | Per 100 |
| _ | | in | | 3.50 | 30.00 |
| | | | | 4.50 | 40.00 |
| | | in | | $\frac{4.50}{5.50}$ | 50.00 |
| | | in | - | 6.50 | |
| | | in | | | 60.00 |
| 24 t | 0 30 | in | . 1.00 | 8.00 | 75.00 |
| opulus | steril | e. Common Sno | owball. 10' | | |
| 2 t | o 3 | ft | 40 | 3.00 | 25.00 |
| 3 t | to 4 | ft | 45 | 3.50 | 30.00 |
| 4 t | to 5 | ft | 60 | 5.00 | 40.00 |
| ovatifol | lium. | $Eggleaf\ Vibur$ | num. 10' | | |
| 2 t | | ft | | 10.00 | |
| • 6 | 1. | D1 11 401 | | | |
| - | | Blackhaw. 12' | | 0.50 | CO 00 |
| 2 t | | ft | | 6.50 | 60.00 |
| | | ft | | 8.00 | 75.00 |
| | | ft | | 10.00 | 90.00 |
| | | ft | | 15.00 | 125.00 |
| 6 t | | ft | | 17.50 | 150.00 |
| 8 t | to 10 | ft | . 3.50 | 25.00 | |
| pubesce | ns. | Downy Viburnur | n. 6' | | |
| 2 1 | to 3 | ft | 75 | 6.00 | 50.00 |
| 3 1 | to 4 | ft | . 1.00 | 7.50 | 60.00 |
| 4 t | | ft | | 10.00 | 75.00 |
| 5 t | | ft | | 12.50 | |
| rhytido | nhvll | um. Leatherleaf | · Viharnaam | . 8' | |
| | | inB. & B | | 11.00 | 100.00 |
| 2 1 | | ftB. & B | | 16.00 | 150.00 |
| 2 | | · · · · · · · · · · · · · · · · · · · |). 1./U | 10.00 | 150.00 |
| rufidulu | ım. A | Southern Blackho | arv. 10' | | |
| 2 1 | to 3 | ft | 85 | 7.00 | 60.00 |
| 3 1 | to 4 | ft | . 1.00 | 8.50 | 75.00 |
| 4 | to 5 | ft | . 1.25 | 10.00 | 90.00 |
| 5 | | ft | | 15.00 | 125.00 |
| 6 | | ft | | 17.50 | 150.00 |
| sargent | · ; α | areant Court | wheel to | | |
| sargent 2 f | | $argent\ Cranberry \ 	ext{ft.} $ | | 3.00 | 25.00 |
| 3 | | | | 3.50 | 30.00 |
| | | ft | | $\frac{3.50}{4.50}$ | 40.00 |
| 4 | | ft | | $\frac{4.50}{5.50}$ | 50.00 |
| 5 | to 6 | ft | 65 | 5.50 | 50.00 |

| Viburnum | | | |
|----------------------------------|-----------------|------------|---------|
| sieboldi. Siebold Viburnum. | Each <i>10'</i> | Per 10 | Per 100 |
| 3 to 4 ft | · - | 6.00 | 50.00 |
| 4 to 5 ft | | 7.50 | 60.00 |
| 5 to 6 ft | | 10.00 | 75.00 |
| 6 to 8 ft | | 15.00 | |
| 8 to 10 ft | | | |
| theiferum. Tea Viburnum. | | | |
| 2 to 3 ft | . 1.25 | 10.00 | |
| tomentosum. Doublefile Vib | urnum. | 8 ' | |
| 2 to 3 ft | .40 | 3.50 | 30.00 |
| 3 to 4 ft | 60 | 5.00 | 45.00 |
| 4 to 5 ft | .75 | 6.00 | 55.00 |
| 5 to 6 ft | . 1.00 | 7.50 | 65.00 |
| tomentosum plicatum. $Japa$ | nese Snor | wball. 8' | |
| 2 to 3 ft | | 5.00 | 45.00 |
| 3 to 4 ft | .75 | 6.00 | 55.00 |
| 5 to 6 ft | 2.00 | 17.50 | |
| 6 to 8 ft | 3.00 | 25.00 | |
| veitchi. Veitch Viburnum. | 6 ' | | |
| 2 to 3 ft | | 10.00 | |
| venosum canbyi. Canby Vil | burnum. | 8 ' | |
| 3 to 4 ft | 50 | 4.50 | 40.00 |
| 4 to 5 ft | | 5.50 | 50.00 |
| 5 to 6 ft | | 6.50 | 60.00 |
| wrighti. Wright Viburnum. | | | |
| 18 to 24 in | | 7.50 | 50.00 |
| 2 to 3 ft | 1.25 | 10.00 | 75.00 |
| 3 to 4 ft | | 12.50 | 100.00 |
| 4 to 5 ft | 2.00 | 15.00 | |
| Vinca minor. Periwinkle. | | | |
| 8 to 12 in | .12 | 1.00 | 8.00 |
| minor alba. White Periwinki | le. | | |
| 2 year | 35 | 3.00 | 25.00 |
| minor rubra plena. $Dbl.\ Re$ | ed Periwi | nkle. | |
| 2 year | .40 | 3.50 | 30.00 |
| Vitex agnus castus. Chaste-tree. | 4' | | |
| 2 to 3 ft | • | 3.50 | 25.00 |
| 3 to 4 ft | | | 30.00 |
| 4 to 5 ft | | 4.50 | 35.00 |
| agnus castus alba. White C. | | | |
| 2 to 3 ft | | 4.00 | 30.00 |
| 3 to 4 ft | | 4.50 | 50.00 |
| 0 00 4 10 | .00 | 4.00 | |

| Vitex | | | |
|--------------------------------------|------------|---------------------|---------|
| | Each | Per 10 | Per 100 |
| macrophylla. Hemp-tree. 4' 2 to 3 ft | FO | 450 | 40.00 |
| 3 to 4 ft | .50 .60 | 4.50 5.00 | 40.00 |
| 5 00 4 10 | .00 | 0.00 | |
| negundo incisa. Cutleaf Chas | | 4 ' | |
| 3 to 4 ft | 1.00 | 7.50 | |
| Vitis aestivalis. Summer Grape. | <i>40'</i> | | |
| 2 year | .45 | 3.50 | 30.00 |
| 3 year | .50 | 4.00 | 35.00 |
| amurensis. Amur Grape. 40' | | | |
| 3 year | .75 | 6.00 | |
| | | | |
| coignetiae. Gloryvine. 40' | .60 | 5.00 | 40.00 |
| 2 year | .75 | 6.00 | 50.00 |
| 4 year | 1.00 | 0.00 | 00.00 |
| | | | |
| cordifolia. Frost or Winter Gr | _ | | 00.00 |
| 2 year | .45 | 3.50 | 30.00 |
| 3 year | .50 | 4.00 | 35.00 |
| labrusca. Fox Grape. 40' | | | |
| 2 year | .45 | 3.50 | 30.00 |
| 3 year | .50 | 4.00 | 35.00 |
| rotundifolia. Muscadine Grap | e. 40' | | |
| 3 year | .60 | 5.00 | 40.00 |
| 4 year | .75 | 6.00 | 50.00 |
| vulpina. Riverbank Grape. 4 | 0' | | |
| 2 year | .45 | 3.50 | 30.00 |
| 3 year | .50 | 4.00 | 35.00 |
| 4 year | .60 | 5.00 | 45.00 |
| Weigela Abel Carriere. 10' 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | $\frac{2.30}{3.00}$ | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 35.00 |
| amabilis. Rose Weigela. 8' | | | |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |
| candida. Snow Weigela. 8' | 0 F | 2 52 | 22.25 |
| 2 to 3 ft | .35 | 2.50 | 20.00 |
| 3 to 4 ft | .40 | 3.00 | 25.00 |
| 4 to 5 ft | .50 | 4.00 | 30.00 |

Weigela

| cigcia | | Each | Per 10 | Per 100 |
|-------------------|---------------------|------------|--------|------------|
| desboisi. | Desbois Weigela. | 8' | 10110 | 1 01 100 |
| 2 to | 3 ft | 35 | 2.50 | 20.00 |
| 3 to | 4 ft | 40 | 3.00 | 25.00 |
| 4 to | 5 ft | 50 | 4.00 | 30.00 |
| E D.11 | . ~! | | | |
| Eva Rathl | | 4.5 | 0.50 | 00.00 |
| 2 to | 3 ft | | 3.50 | 30.00 |
| 3 to | 4 ft | 50 | 4.00 | 35.00 |
| floribunda | . Crimson Weigeld | α. 8' | | |
| 2 to | 3 ft | 35 | 2.50 | 20.00 |
| 3 to | 4 ft | 45 | 3.50 | 30.00 |
| | geni. Greenway W | Tainala O' | | |
| groenewei 3 to | 4 ft | | 3.00 | 25.00 |
| 4 to | 5 ft | | 4.00 | 30.00 |
| | | 00 | 4.00 | 50.00 |
| Gustav M | | | | |
| 2 to | 3 ft | | 2.50 | 20.00 |
| | 4 ft | | 3.00 | 25.00 |
| | 5 ft | | 4.00 | 30.00 |
| 9 60 | 6 ft | 60 | 5.00 | 40.00 |
| hortensis | | | | |
| | 3 ft | | 2.50 | 20.00 |
| | 4 ft | | 3.00 | 25.00 |
| | 5 ft | | 4.00 | 30.00 |
| japonica. | Japanese Weigela. | 8 ' | | |
| 3 to | 4 ft | | 3.00 | 25.00 |
| 4 to | 5 ft | 50 | 4.00 | 35.00 |
| | ink Weigela. 8' | | | |
| 2 to | 3 ft | | 2.50 | 20.00 |
| 3 to | 4, ft | | 3.00 | 25.00 |
| | 5 ft | | 4.00 | 30.00 |
| | a variegata. $Dwar$ | • | | |
| | 3 ft | | 3.00 | 25.00 |
| 9 60 | 4 ft | | 3.50 | 30.00 |
| | rgenteomarginata. | - | _ | 8 ' |
| | 4 ft | 65 | 5.00 | |
| styriaca. | | | | |
| | 4 ft | | 5.00 | |
| 4 to | 5 ft | | 6.00 | |
| Vanhoutte | | | | |
| 2 to | 3 ft | | 2.50 | 20.00 |
| | 4 ft | | 3.00 | 25.00 |
| 4 to | 5 ft | 50 | 4.00 | 30.00 |

| Wistaria frutescens. American Wis | staria. | <i>30'</i> - | |
|------------------------------------|-------------|--------------|---------------|
| | Each | | Per 100 |
| 2 year | .50 | 3.50 4.50 | 25.00 35.00 |
| 3 year | .60 | 4.00 | 39.00 |
| frutescens magnifica. Yellowe | ye Wi | staria. 25' | |
| 2 year | .50 | 3.50 | 25.00 |
| 3 year | .60 | 4.50 | 35.00 |
| multijuga. Japanese Wistaria. | <i>30'</i> | | |
| 2 year | .50 | 4.00 | 35.00 |
| 3 year | .60 | 5.00 | 45.00 |
| 4 year | .75 | 6.00 | 50.00 |
| sinensis. Chinese Purple Wiste | aria. | 40 ' | |
| 2 year | .45 | 3.50 | 30.00 |
| 3 year | .60 | 4.50 | 40.00 |
| Standards, 4 ft. stem, | | | |
| 30 in. head | 6.00 | | |
| 2 year grafted flower- | | | |
| ing plant | 1.25 | 10.00 | |
| sinensis alba. Chinese White W | Vistari | a. 40' | |
| 2 year | .45 | 3.50 | 30.00 |
| 3 year | .60 | 4.50 | 40.00 |
| 4 year | 1.00 | 7.50 | |
| 2 year grafted flower- | | | |
| ing plants | 1.25 | 10.00 | |
| venusta. Silky Wistaria. 30' | | | |
| 3 year | .60 | 5.00 | |
| 4 year | .75 | | |
| Xanthoceras sorbifolia. 15' | | | |
| 2 to 3 ftB. & B. | 4.00 | | |
| 3 to 4 ftB. & B. | 5.00 | | |
| Zanthorhiza apiifolia. Yellowroot. | 3' | | |
| 12 to 15 in. clumps | .45 | 3.50 | 25.00 |
| 15 to 18 in. clumps | .50 | 4.00 | 30.00 |
| Zanthoxylum americanum. Prickly | Ash. | <i>15</i> ′ | |
| 3 to 4 ft | .60 | 5.00 | 40.00 |
| 4 to 5 ft | .75 | 6.00 | 50.00 |
| 5 to 6 ft | 1.00 | 7.50 | 60.00 |
| 6 to 8 ft | 1.25 | 10.00 | 75.00 |
| Zelkova serrata. Sawleaf Zelkova. | <i>50</i> ′ | | |
| 2 to 3 ft | 1.25 | 10.00 | 75.00 |
| 3 to 4 ft | 1.50 | 12.50 | 100.00 |
| 4 to 5 ft | 2.00 | | |

Herbaceous and Alpine Material

All kinds marked with an asterisk (*) are adapted for the rock garden.

We are prepared to deliver from pots such kinds as are difficult to transplant or whose dormant period in the spring is brief. An extra charge of three cents per plant will be made for those so grown.

| P | er 10 | Per 100 |
|---|-------|------------------|
| *Acaena buchanani. Bluish gray, Aug., 1"\$ *sanguisorbae. Bright green foliage, 2" | | \$18.00 18.00 |
| Acanthus mollis. Purple rose, July, 4' mollis latifolius. Rose, July, 2-3' | | |
| *Achillea ageratum. Yellow, July, 1' *ageratifolia aizoon. White, May, June, | 1.50 | 12.00 |
| 8" | 2.00 | 18.00 |
| clavennae. White, July, 1' | 2.00 | 18.00 |
| filipendulina. Yellow, June, July, 3' | 1.50 | 12.00 |
| *millefolium Cerise Queen. Rose, July, | | |
| 2' | 1.20 | 10.00 |
| *nana. White, June, July, 6" | 1.80 | 15.00 |
| *nitida. White, June, July, 1' | 2.00 | 18.00 |
| *ptarmica The Pearl. White, July, 2' | 1.20 | 10.00 |
| *ptarmica Boule de Neige. White, June, | | |
| July, 2' | 1.20 | 10.00 |
| *ptarmica Perry White. June, July, 2'. | 1.20 | 10.00 |
| *tomentosa. Yellow, June, 1' | 1.50 | 12.00 |
| Aconitum autumnale. Blue, July, August, 4' | 3.00 | 25.00 |
| fischeri. Blue, September, 3' | 2.50 | 20.00 |
| fischeri wilsoni. Violet blue, Sept., 5' | 4.00 | |
| napellus. Light blue, July, Aug., 4' napellus Spark's. Violet blue, July, | 3.00 | 25.00 |
| Aug., 5' | 3.00 | 25.00 |
| Actaea alba. White, May, June, 3-4' | 1.20 | 10.00 |
| rubra. Red, May, June, 3-4' | 1.20 | 10.00 |
| Adenophora potanini. Light blue, July, Aug., 3' | 2.50 | |
| Adiantum pedatum. Maiden Hair Fern | 1.20 | 10.00 |
| *Aegopodium podograria variegatum. Variegated foliage, 1' | 1.80 | 15.00 |
| | | |

| *Aethionema cordifolium. Rosy lilac, June, | Per 10 | Per 100 |
|--|--------|---------|
| 6" | 2.00 | 18.00 |
| grandiflorum. Pink, June, 12" | 2.00 | 18.00 |
| *persicum. Pink, June, July, 9" | 2.00 | 18.00 |
| *pulchellum. Pink, June, 8" | 2.00 | 18.00 |
| *schistosum. Rose, June, 4" | 2.00 | 18.00 |
| *Ajuga genevensis. Bright blue, May, 6" | 1.80 | 15.00 |
| *reptans. Blue, May, 6" | 1.50 | 12.00 |
| Allium carinatum. Rose, June, July, 2' | 1.80 | 15.00 |
| *karataviense. White, June, July, 8" | 2.50 | |
| narcissiflorum. Rose, June, July, 1'. | 2.50 | |
| schoenoprasum. Rose purple, June, | | |
| July, 2' | 2.50 | |
| stellatum. Rose, June, July, 18" | 2.00 | 18.00 |
| *thibetica. Lilac mauve, June, July, 8". | 1.80 | 15.00 |
| Althea rosea. Hollyhock. | | |
| Double. Separate colors, July, Aug., 5' | 1.50 | 12.00 |
| Double. Chaters' strain, separate colors | 1.50 | 12.00 |
| Fringed Allegheny. July, August, 5' | 1.50 | 12.00 |
| Single. Mixed colors, July, Aug., 5' | 1.50 | 12.00 |
| *Alyssum argenteum. Yellow, July, Aug., 6" | 1.50 | 12.00 |
| *amanum. Yellow, May, June, 4" | 2.50 | 12.00 |
| *atlanticum. Yellow, May, June, 4" | | |
| *creticum. Yellow, June, July, 1' | | 15.00 |
| *moellendorfianum. Yellow, June, July, | | |
| 6" | 2.50 | 20.00 |
| *montanum. Yellow, June, July, 8" | | 20.00 |
| *rostratum. Yellow, June, July, 12" | 1.50 | 12.00 |
| *saxatile compactum. Yellow, May, 1' | 1.50 | 12.00 |
| *saxatile sulphureum. Yellow, May, 1' | 2.50 | 20.00 |
| *serpyllifolium. Yellow, June, July, 4". | 1.80 | 15.00 |
| *spinosum. Pink and white, June, 3" | 3.00 | |
| Amsonia tabernaemontana. Blue, May, | | |
| June, 3' | 1.80 | 15.00 |
| Anchusa barrelieri. Blue, May, 2' | 2.50 | |
| capensis. Blue, summer, 18" | 1.80 | 15.00 |
| italica Dropmorei. Blue, June, 4-5' | 1.50 | 12.00 |
| myosotidiflora. Bright blue, May, 1' | 2.00 | 18.00 |
| *Androsace lanuginosa. Rose, June, 8" | 3.50 | |
| *lanuginosa leichtlini. Rose, June, 8" | 4.00 | |
| *sarmentosa. Rose, June, 6" | 4.00 | |
| | | |

| | Per 10 | Per 100 |
|--|--------|------------------|
| *Anemone baldensis. White and pink, | | |
| July, 1' | | 40.00 |
| *hupehensis. Mauve, Aug., Sept., 1' | | 18.00 |
| *hupehensis fl. pl. Pink, Sept., 18" | | 25.00 |
| japonica alba. White, fall, 3' | | 15.00 |
| japonica Alice. Rose pink, fall, 3' | | 18.00 |
| japonica Louise Uhink. White, fall, 3'. japonica Prince Heinrich. Deep pink, | | A |
| fall, 3' | | 18.00 |
| japonica Queen Charlotte. Rose, fall, 3' | | 18.00 |
| japonica Richard Ahrends. Shell pink, | | |
| fall, 2' | 2.00 | 18.00 |
| japonica Rose d' Autumn. Pink, fall, 3' | 2.00 | 18.00 |
| japonica rubra. Red, fall, 2' | 2.50 | 20.00 |
| japonica September Charm. Silvery | | |
| pink, fall, 2' | | |
| japonica Whirlwind. Pure white, fall, | | 4000 |
| 3′ | | 18.00 |
| *pennsylvanica. White, July, 1½' | | 15.00 |
| *pulsatilla. Blue, April, 15" | 1.80 | 15.00 |
| *pulsatilla alba. White, April, 1' | | 25.00 |
| *pulsatilla rubra. Dark red, April, 12" *sylvestris. White, May, June, 1' | | $25.00 \\ 18.00$ |
| *vernalis. White, April, 6" | | 10.00 |
| *Antennaria dioica. White, May, 6" | | 12.00 |
| | | |
| *Anthemis cinerea. White, Aug., 1' | | 18.00 |
| *nobilis. White, summer, 1' | | 10.00 |
| tinctoria. Yellow, July, Aug., 3' tinctoria E. C. Buxton. White, yellow | | 10.00 |
| eye, July, Aug., 3' | | 12.00 |
| tinctoria kelwayi. Yellow, July, Aug., 3' | | 10.00 |
| Anthericum liliago. White, May, June, 3' | 3.00 | |
| Anthyllis vulneraria dilleni. Red, summer, 1' | 2.50 | |
| Antirrhinum cranifolium. Blue, July, Aug., | | |
| 15" | 2.50 | 20.00 |
| *Aquilegia alpina. Blue, May, June, 1' | 1.80 | 15.00 |
| *caerulea. Blue, May, June, 1½' | 2.00 | 18.00 |
| caerulea hybrida. Various, June, 2' | 1.50 | 12.00 |
| *canadensis. Scarlet, May, June, 2' | 1.50 | 12.00 |
| californica. (See formosa truncata). | | |
| *chrysantha. Yellow, June, July, 3' | 1.50 | 12.00 |
| | | |

| | Per 10 | Per 100 |
|---|--------|---------------|
| *Aquilegia | 4 00 | 4 2 00 |
| chrysantha alba. White, June, July, 3' | | 15.00 |
| Crimson Star. Crimson, May, June, 2' | | 20.00 |
| *flabellata nana-alba. White, June, 10" | 1.80 | 15.00 |
| *hybrida. Mrs. Scott Elliott. Various, | | |
| June, 2' | 1.80 | 15.00 |
| *pyrenaica. Deep blue, June, July, 1' | 2.50 | |
| rosea. Long spurred pink, June, 2' | 1.80 | 15.00 |
| *siberica fl. pl. Blue and white, June, | | |
| 18" | 2.50 | 20.00 |
| skinneri. Red and yellow, May, 2' | 1.50 | 12.00 |
| vulgaris. Purple, May, June, 2' | 1.50 | 12.00 |
| vulgaris nivea. White, May, 2' | 1.50 | 12.00 |
| | | |
| *Arabis albida. White, May, 6" | 1.50 | 12.00 |
| *alpina. White, April, May, 6" | 1.20 | 10.00 |
| *alpina fl. pl. Dbl. White, April, May, 6" | 2.50 | 20.00 |
| *alpina rosea. Pink, April, May, 6" | 2.00 | 18.00 |
| *aubretioides. Pink, May, 8" | 3.00 | 25.00 |
| *cebennensis. White, May, 10" | 2.00 | 18.00 |
| *cockilis. White, April, May, 6" | 2.50 | 20.00 |
| *coerulea. Blue, June, 8" | 2.50 | |
| *holboelli. Lilac, May, 8" | 2.00 | 18.00 |
| *muralis. Rose, May, 10" | 2.50 | 20.00 |
| *procurrens. White, May, 1' | 2.50 | 20.00 |
| | | |
| *Arenaria balearica. White, July, Aug., 3". | 2.00 | 18.00 |
| *grandiflora. White, May, 4" | 1.80 | 15.00 |
| *montana. White, June, 4" | 1.80 | 15.00 |
| *purpurascens. Purple rose, July, 4" | | 20.00 |
| *verna. White, June, July, 3" | | 18.00 |
| | | |
| Arisaema dracontium. Purple, May, 1' | 1.20 | 10.00 |
| | | |
| *Armeria alpina. Pink, summer, 6" | 1.80 | |
| *caespitosa. Pale pink, May, 2" | | 25.00 |
| *cephalotes rubra. Deep pink, May, | | |
| June, 6" | | 15.00 |
| *laucheana. Crimson, May, June, 8" | | 12.00 |
| *maritima. Pink, May, June, 6" | | 12.00 |
| *maritima alba. White, May, June, 6". | | 12.00 |
| *robusta. Crimson, May, June, 6" | | 12.00 |
| Tobusta. Offinson, may, bune, o | 1.00 | |

| absinthium. Wormwood, 4' | | Per 10 | Per 100 |
|---|--|--------|---------|
| *baumgarteni. Silver foliage, 1' | Artemisia abrotanum. Fragrant foliage, 5'. | 1.50 | 12.00 |
| dracunculus. White, August, 2' | · | | 12.00 |
| frigida. Silver foliage, 18" | | | 10.00 |
| lactiflora. White, Aug., 4' | · - · | | |
| pontica. Gray foliage, 12" | | | |
| purshiana. Gray foliage, 3' | | | |
| Silver King. White foliage, 3' | | | |
| **Stelleriana.** White, summer, 2' | | | |
| *Asarum canadense. Chocolate, May, 6" 1.20 10.00 *Asclepias incarnata. Red, August, 4' 1.20 10.00 *tuberosa. Orange, July, August, 2' 1.50 12.00 *Asperula cynanchica. Pink, summer, 10" 2.00 18.00 *hexaphylla. White, June, 1' 1.50 12.00 *hirta. Pink, July, Aug., 6" 2.00 18.00 *longifolia. White, summer, 8" 2.50 *odorata. White, May, 8" 2.00 18.00 *scutellaria. White, June, July, 6" 2.50 Asphodeline lutea. Yellow, July, 3' 2.00 18.00 *Aster alpinus. Blue, June, July, 8" 1.50 12.00 *alpinus ruber. Rosy purple, July, 8" 1.80 *alpinus ruber. Rosy purple, July, 8" 2.50 amelloides. Purple, July, 18" 2.00 amellus Rud. Goethe. Lavender blue, fall, 2' 2.50 Anita Ballard. Soft lavender, fall, 4' 1.80 Beauty of Colwall. Fine blue, Sept., 3' 1.50 Climax. Blue, Sept., Oct., 3' 1.50 diplostephioides. Blue, July, 2' 2.50 Erica. Pink, fall, 3' 1.50 Feltham Blue. Blue, Sept., Oct., 3' 1.50 frikarti Wonder of Staefa. Lavender, fall, 2' 4.50 Heather Glow. Rose, fall, 4' 1.50 Heather Glow. Rose, fall, 4' 1.50 12.00 | | | |
| *Asarum canadense. Chocolate, May, 6" | | | |
| *Asperula cynanchica. Pink, summer, 10" 2.00 *hexaphylla. White, June, 1' | *Asarum canadense. Chocolate, May, 6" | 1.20 | 10.00 |
| *Asperula cynanchica. Pink, summer, 10" 2.00 *hexaphylla. White, June, 1' | Asclepias incarnata. Red. August. 4' | 1.20 | 10.00 |
| hexaphylla. White, June, 1' | | 1.50 | 12.00 |
| hexaphylla. White, June, 1' | *Asperula cynanchica. Pink, summer, 10" | 2.00 | 18.00 |
| *longifolia. White, summer, 8" | - · · · · · · · · · · · · · · · · · · · | 1.50 | 12.00 |
| *odorata. White, May, 8" | *hirta. Pink, July, Aug., 6" | 2.00 | 18.00 |
| *scutellaria. White, June, July, 6" | *longifolia. White, summer, 8" | 2.50 | |
| Asphodeline lutea. Yellow, July, 3' | *odorata. White, May, 8" | 2.00 | 18.00 |
| *Asplenium felix faemina. Lady Fern | *scutellaria. White, June, July, 6" | 2.50 | |
| *Aster alpinus. Blue, June, July, 8" | Asphodeline lutea. Yellow, July, 3' | 2.00 | 18.00 |
| *alpinus albus. White, June, July, 8". 1.80 *alpinus ruber. Rosy purple, July, 8". 2.50 amelloides. Purple, July, 18" | Asplenium felix faemina. Lady Fern | 1.20 | 10.00 |
| *alpinus ruber. Rosy purple, July, 8". 2.50 amelloides. Purple, July, 18" | *Aster alpinus. Blue, June, July, 8" | 1.50 | 12.00 |
| amelloides. Purple, July, 18" | | | 15.00 |
| amellus elegans. Purple, Aug., 18" 2.00 18.00 amellus Rud. Goethe. Lavender blue, 2.50 20.00 fall, 2' | | | |
| amellus Rud. Goethe. Lavender blue, fall, 2' | | | |
| fall, 2' | | 2.00 | 18.00 |
| Anita Ballard. Soft lavender, fall, 4' 1.80 15.00 Beauty of Colwall. Fine blue, Sept., 3' 1.50 12.00 Blanchette. Mauve blush, fall, 4' 1.50 12.00 Climax. Blue, Sept., Oct., 3' 1.50 12.00 diplostephioides. Blue, July, 2' 1.80 15.00 dracunculoides. Light blue, July, 2' 2.50 20.00 Erica. Pink, fall, 3' 1.50 12.00 Feltham Blue. Blue, Sept., Oct., 3' 1.50 12.00 frikarti Wonder of Staefa. Lavender, fall, 2' 4.50 4.50 Heather Glow. Rose, fall, 4' 1.50 12.00 | | 0.50 | 00.00 |
| Beauty of Colwall. Fine blue, Sept., 3' 1.50 12.00 Blanchette. Mauve blush, fall, 4' | · | | |
| Blanchette. Mauve blush, fall, 4' | · | | |
| Climax. Blue, Sept., Oct., 3' | · - · | | |
| diplostephioides. Blue, July, 2' | | | |
| dracunculoides. Light blue, July, 2' 2.50 20.00 Erica. Pink, fall, 3' 1.50 12.00 Feltham Blue. Blue, Sept., Oct., 3' 1.50 12.00 frikarti Wonder of Staefa. Lavender, fall, 2' 4.50 Heather Glow. Rose, fall, 4' 1.50 12.00 | _ · · · · · · · · · · · · · · · · · · · | | |
| Erica. Pink, fall, 3' | | | |
| Feltham Blue. Blue, Sept., Oct., 3' 1.50 12.00 frikarti Wonder of Staefa. Lavender, 4.50 Heather Glow. Rose, fall, 4' 1.50 12.00 | | | |
| frikarti Wonder of Staefa. Lavender, fall, 2' | | | |
| Heather Glow. Rose, fall, 4' 1.50 12.00 | | | |
| | · | | |
| himalaicus. Lilac, Aug., 18" 3.00 | | | 12.00 |
| 77 11 22 22 | | | |
| hyb. luteus. Yellow, Sept., 3' 4.50 | hyb. luteus. Yellow, Sept., 3' | 4.50 | |

| | er 10 | Per 100 |
|---|-------|---------------|
| Aster | | |
| Joan Vaughan. Double Mauve-blue, | 1.00 | 4 = 00 |
| Sept., 3' | 1.80 | 15.00 |
| laevis. Lavender, Sept., 4' | 1.50 | 12.00 |
| Mad. Emil Thoury. Violet, Sept., 5' | 1.50 | 12.00 |
| Mad. Soyneuse. Light blue, Sept., Oct., | | |
| 3' | 1.50 | 12.00 |
| Mauve Cushion. Mauve, Oct., 12" | 1.50 | 12.00 |
| Mrs. Raynor. Crimson, Sept., 3' | 1.80 | 15.00 |
| novae-angliae. Purple, Sept., Oct., 4' | 1.20 | 10.00 |
| novae-angliae roseus. Rose, Sept., 4' | 1.20 | 10.00 |
| Robt. Parker. Lavender, Sept., Oct., 5' | 1.50 | 12.00 |
| Rue des Hatives. Rose mauve, fall, 3'. | 1.50 | 12.00 |
| Snow Queen. White, Sept., Oct., 4' | 1.50 | 12.00 |
| St. Egwyn. Soft pink, Sept., Oct., 3' | 1.50 | 12.00 |
| tataricus. Purple, Oct., and Nov., 6' | 1.20 | 10.00 |
| White Climax. White, fall, 4' | 1.50 | 12.00 |
| Astilbe arendsi Ceres. Rosy lilac, July, 2' | 2.50 | 20.00 |
| arendsi Gladstone. White, June, 2' | 2.50 | 20.00 |
| arendsi Granat. Crimson, June, 2' | 3.00 | |
| arendsi Grandis rosea magnifica. Pink, | | |
| July, 4' | 2.50 | |
| arendsi Juno. Purplish pink, July, 3' | 2.50 | 20.00 |
| arendsi Kreimhilde. Rose, June, July, 2' | 2.50 | 20.00 |
| arendsi Marguerite Van Rechteren. | 0.00 | 25 00 |
| Red, tinged lilac, Aug., 4' | | 25.00 |
| arendsi Moerheimi. White, July, 3' | 3.00 | 25.00 |
| arendsi Philadelphia. Lavender rose, | 2 00 | |
| July, 2' | 5.00 | |
| • | 3.00 | 25.00 |
| arendsi Rose Pearl. Shell pink, July, 3' | 2.50 | 20.00 |
| arendsi Salland. Red, July, 5' | 2.50 | 20.00 |
| biternata. Cream, June, 4' | 2.50 | 20.00 |
| rosea Queen Alexandra. Deep pink, | | |
| July, 3' | 2.50 | 20.00 |
| rosea Queen of Holland. Rose pink, | | |
| July, 3' | 2.50 | 20.00 |
| rubella Solferino. Violet pink, July, 3' | | 25.00 |
| rubella Vesta. Lilac rose, July, 3' | 2.50 | 20.00 |
| *simplicifolia. White, July, 6" | 3.00 | |
| For less than five, add five cents per plant to | the t | en rate. |

| Astrantia major. Silvery pink, May, 2' | Per 10 1.50 | $\begin{array}{c} \mathbf{Per}100 \\ 12.00 \end{array}$ |
|---|----------------|---|
| *Aubrietia deltoidea. Purple, Apr., May, 4" | 1.80 | 15.00 |
| *deltoidea bougainvillei. Dark blue, | | 10,00 |
| April, 5" | 1.80 | 15.00 |
| *deltoidea eyrei. Rosy lilac, Apr., 5" | 1.80 | 15.00 |
| *deltoidea Fire King. Red, May, 4" | 3.00 | |
| *deltoidea graeca. Violet, May, 4" | 1.80 | 15.00 |
| *deltoidea leichtlini. Pink, April, 5" | 1.80 | 15.00 |
| *deltoidea purpurea. Purple, April, 5". | 1.80 | 15.00 |
| *hybrida. Various, Apr., May, 6" | 2.50 | |
| Baptisia australis. Indigo, June, 4' | 1.50 | 12.00 |
| tinctoria. Yellow, June, 3' | 1.80 | 15.00 |
| Belamcanda chinensis. Orange, summer, 3'. | 1.50 | 12.00 |
| *Bellis perennis alba. White, Apr., May, 3". | 1.20 | 10.00 |
| *perennis rosea. Pink, April, May, 3" | 1.20 | 10.00 |
| *rotundifolia caerulescens. Blue,May,2" | 2.00 | 18.00 |
| *Bellium bellidioeides. Blush, summer, 4" | 1.50 | 12.00 |
| Betonica. (See Stachys.) | | |
| Bocconia cordata. Creamy white, Aug., 6' | 1.50 | 12.00 |
| Boltonia asteroides. White, Sept., 5' | 1.50 | 12.00 |
| latisquama. Lavender, August, 5' | 1.50 | 12.00 |
| latisquama nana. Lavender, Aug., 2' | 2.00 | |
| Boykinia rotundifolia. White, June, 2' | 1.80 | 15.00 |
| Buphthalmum speciosum. Yellow, June, 3' | 1.20 | 10.00 |
| salicifolium. Yellow, summer, 2' | 1.80 | 15.00 |
| *Calamintha alpina. Purple, summer, 6" | 1.80 | 15.00 |
| *Calandrinia umbellata. Crimson, summer, 6" | 2.00 | 18.00 |
| *Callirhoe involucrata. Red, all summer, 6" | 1.50 | 12.00 |
| *Caltha palustris. Yellow, Apr., May, 12" | 1.50 | 12.00 |
| Camassia leichtlini. Blue, May, 2' | 1.20 | 10.00 |
| quamash. Blue, May, 2' | 1.20 | 10.00 |
| *Campanula alliariaefolia. | | . = |
| White, June, July, 2' | 1.80 | 15.00 |
| *bononiensis. Blue, June, 2' | 1.80 | 15.00 |
| *carpatica. Blue, July, August, 9" | 1.50 | 12.00 |
| *carpatica alba. White, July, Aug., 9". | 1.50 | 12.00 |
| *collina. Blue, July, Aug., 1' | 2.50 | 20.00 |
| *elatinoides. Blue, summer, 6" *fenestrellata. Pale blue, summer, 3" | 2.00 2.00 | $18.00 \\ 18.00$ |
| *garganica. Light blue, June, 6" | 3.00 | 25.00 |
| *garganica hirsuta. Blue, June, 4" | | 25.00 20.00 |
| San San Caraca, Diaco, Guino, T | | 20.00 |

| | Per 10 | Per 100 |
|--|---------------------|---------|
| *glomerata. Purple, June, July, 2' | 1.50 | 12.00 |
| *glomerata acaulis. Purple, June, 6" | | 15.00 |
| | 1.00 | 13.00 |
| *glomerata superba. Violet, June, July, | 1.80 | 15.00 |
| 2' *grosseki. Blue, all summer, 2' | 1.20 | 10.00 |
| *istriaca. Pale blue, June, July, 3" | $\frac{1.20}{2.00}$ | 18.00 |
| • | 1.80 | 15.00 |
| lactiflora. Light blue, August, 4' latifolia alba. White, July, 3' | 2.00 | 10.00 |
| latifolia macrantha. Purplish blue, July, | | |
| 3' | | 15.00 |
| latiloba. Blue, July, 2' | 1.50 | 12.00 |
| longestyla. Purple, July, 2' | 2.00 | 18.00 |
| | 1.20 | 10.00 |
| medium. Mixed, June, July, 3' medium. Separate colors, June, July, | | 10.00 |
| 3' | | 15.00 |
| medium calycanthema. Mixed, July, 3' | | 10.00 |
| medium calycanthema. Separate colors, | | 10.00 |
| July, 3' | | 15.00 |
| *muralis. Blue-purple, June, 6" | 3.00 | 25.00 |
| persicifolia. Blue, June, July, 2' | 1.80 | 15.00 |
| persicifolia alba. White, June, 2' | | 18.00 |
| pyramidalis. Blue, July, 4-5' | 1.80 | 15.00 |
| pyramidalis alba. White, July, 4-5' | | 15.00 |
| *raddeana. Purple, July, Aug., 1' | 2.50 | 20.00 |
| *raineri. Dark blue, July, 6" | | 15.00 |
| *raineri alba. White, July, 6" | | 18.00 |
| *rhomboidalis. Blue, July, 1' | | 15.00 |
| *riverslea. Dark blue, July, 9" | | 18.00 |
| *riverslea alba. White, July, 9" | | 18.00 |
| *rotundifolia. Blue, June, July, 12" | | 15.00 |
| *sarmatica. Pale blue, summer, 12" | | 25.00 |
| *sibirica alba. White, summer, 10" | | 20.00 |
| *turbinata. Blue, June, July, 6" | | 12.00 |
| *turbinata alba. White, June, July, 6" | | 15.00 |
| *trachelium. Blue, July, 2-3' | | 10.00 |
| *Carex morrowi. White-edged foliage, 1' | | |
| | | |
| *Carlina acaulis. White, summer, 6" | | 40.00 |
| Cassia marilandica. Yellow, July, 3-4' | | 12.00 |
| Catananche caerulea. Blue, June, July, 3' | 1.50 | 12.00 |
| Caulophyllum thalictroides | 1.20 | 10.00 |
| Cedronella cana. Pink, July, 3' | | 20.00 |
| | | |

| | Per 10 | Per 100 |
|--|--------------|---------|
| Centaurea babylonica. Yellow, July, 5' | 1.50 | 12.00 |
| *dealbata. Red, July, 1½' | 1.50 | 12.00 |
| macrocephala. Yellow, July, 3-4' | 1.80 | 15.00 |
| *montana. Blue, June, July, 2' | 1.50 1.80 | 12.00 |
| ruthenica. Straw color, July, 4' | 1.00 | |
| Centranthus angustifolius. Rose, summer, 18" | 2.00 | |
| ruber. Red, summer, 3' | 1.50 | 12.00 |
| ruber albus. White, all summer, 3' | 1.50 | 12.00 |
| Cephalaria alpina. Yellow, July, 5' | 1.50 | 12.00 |
| tatarica. Cream, summer, 6' | 1.50 | 12.00 |
| *Cerastium arvense compactum. | | |
| White, July, 8" | 1.20 | 10.00 |
| *biebersteini. White, June, 6" | 1.50 | 12.00 |
| *tomentosum. White, June, 6" | 1.50 | 12.00 |
| *Ceratostigma plumbaginoides. Blue, fall, 6" | 1.80 | 15.00 |
| *Cheiranthus allioni. Orange, July 2' | 1.50 | 12.00 |
| Chelone glabra. White, rose tinged, July, | | |
| 2' | 1.80 | 15.00 |
| lyoni. Deep rose, August, 2' | 1.80 | 15.00 |
| Chrysanthemum anemone—flowered | 1.50 | 12.00 |
| Snow Queen-White. | | |
| *arcticum. White, fall, 2' | 1.50 | 12.00 |
| balsamita. Yellow, Aug., Sept., 2' | 2.50 | 20.00 |
| coreanum. Blush, fall, 3' | 1.80 | 15.00 |
| hardy button varieties | 1.20 | 10.00 |
| Baby Marguerite—pink. | | |
| Bronze Button—bronze. | | |
| Golden Climax—yellow. | | |
| Irene—blush white. Lillian Doty—pink. | | |
| Mitzi—yellow. | | |
| Mrs. H Harrison—pink. | | |
| Niza—delicate pink. | | |
| Ouray—rich bronze. | | |
| White Doty-white. | | |
| hardy large flowering, double, fall, 4' | 1.20 | 10.00 |
| Angelo—pink. | | |
| Boston—orange. | | |
| Brune Poitevine—deep velvety red | ldish l | oronze. |
| | | |

Per 10 Per 100 Chrysanthemum hardy large flowering Canariense—yellow. Comoleta—yellow. Golden Queen-yellow. Harvest Home-yellow. Indian—coppery red. L'Argentuillais—deep chestnut. Marie Antoinette—deep pink. Mrs. F. H. Bergen—pale pink. Mrs. H. Craig—yellow, overlaid orange crimson. Murillo—pink. Oconto-white. Old Homestead-pink. Pacific Supreme—pink. R. Marion Hatton—canary yellow. Snowclad-white. Tints of Gold-large golden yellow. Aladdin. Coppery bronze, Aug., 2' 2.50 20.00Dazzler. Cardinal red, fall, 2'... 1.80 15.00 Eden. Bright rose, fall, 2'..... 1.80 15.00 Emma Marie. Lemon yellow, fall, 15.00 1.80 Glory of Seven Oaks, Yellow, Sept., 2'..... 15.00 1.80 Mrs. Willis J. Martin. Strawberry fall, 2' 15.00 1.80 Normandie. Pink, early fall, 2'... 1.80 15.00 Peggy Ann Hoover. Lilac pink, fall, 2'..... 15.001.80 Pink Cushion. Dwf. Pink, fall, 1' 1.80 15.00 Tassiva. White, Sept. 18"..... 15.00 Yellow Normandie. Yellow, early 15.00 fall, 2'..... 1.80 hardy large flowering, single, fall, 4'... 1.80 15.00 California—yellow. Excelsior—golden yellow. Gypsy Girl-crimson, shading chestnut.

Lady Smith—bright pink.

Mrs. Calvin Coolidge-cardinal red.

Mrs. W. E. Buckingham-salmon pink.

| | er 10 | Per 100 |
|---|--------------|---------|
| Chrysanthemum | 4.00 | |
| Korean hybrids. Oct., 2-2½' Apollo—bronze, red and gold. Ceres—chamois yellow. Daphne—daphne pink. | 4.00 | |
| Diana—rose pink, blended lilac ro Mars—amaranth red. Mercury—bronze red. | se. | |
| maximum. White, all summer, 2' | $1.\dot{2}0$ | 10.00 |
| maximum Alaska. White, July-Aug., 2' | | 10.00 |
| maximum Etoile d'Or. White, July, | | |
| Aug., 18" | 1.80 | 15.00 |
| maximum King Edward. | | |
| White, all summer, 3' maximum Mrs. C. Lothian Bell. White, | 1.20 | 10.00 |
| June, July, 2' | 1.80 | 15.00 |
| maximum Shasta. White, July-Aug., 2' | 1.20 | 10.00 |
| *morifolium. Rose, fall, 18" | 2.50 | 20.00 |
| zawadsky. Pink, June, July, 2' | 2.00 | |
| Cimicifuga racemosa. White, July, 5' | 1.20 | 10.00 |
| Clematis davidiana. Blue, August, 3' davidiana hybrida. Light blue, Aug., | | 15.00 |
| 18" | | |
| integrifolia. Blue, July, 2' | | 15.00 |
| recta. White, July, 3' | | 15.00 |
| recta mandschurica. White, July, 4' | 1.80 | 15.00 |
| Codonopsis clematidea. White, June, 3' | 2.00 | 18.00 |
| *Colchicum autumnale. Rosy lilac, Sept., 1' autumnale roseum plenum. Rosy lilac, | 2.50 | |
| Sept., 1' | 3.50 | |
| *Convallaria majalis. Clumps, white, May, 6" | 1.80 | 15.00 |
| *Coptis trifolia. White, summer, 6" | 1.50 | 12.00 |
| *Coreopsis auriculata. Orange, summer, 18" | 2.50 | 20.00 |
| grandiflora. Yellow, summer, 3' | 1.20 | 10.00 |
| lanceolata. Yellow, summer, 2' | 1.20 | 10.00 |
| *rosea. Rose, Aug., Sept., 1' | 1.50 | 12.00 |
| *verticillata. Yellow, July, Aug., 2' | 1.80 | 15.00 |
| *Coronilla cappadocica. Yellow, June, 6" | 2.50 | 20.00 |
| *varia. Pink, summer, 18" | 1.50 | 12.00 |
| *Corydalis cheilanthifolia. | | |
| Creamy white, July, 2' | 3.00 | 25.00 |
| For less than five, add five cents per plant to | the ten | rate. |

| *Cotula squalida. White, summer, 2" | Per 10 2.50 | $rac{	ext{Per }100}{2	extcolor{black}{200}}$ |
|--|----------------|---|
| *Crucianella stylosa. Crimson pink, July, 8" | | _, ,,,, |
| *Cynanchum acuminatifolium. | 1.00 | |
| White, summer, 18" | 1.80 | 15.00 |
| | 1.00 | 10.00 |
| Cypripedium acaule. Rose-purple, May, June, 1' | 2.00 | 18.00 |
| parviflorum. Yellow, May, June, 1' | | 18.00 |
| spectabile. Rose, June, 2' | | 20.00 |
| Delphinium belladonna. | | |
| Sky blue, all summer, 4' | 1.50 | 12.00 |
| bellamosum. Dark blue, all summer, 4 | | 12.00 |
| *chinense. Blue, July, 2' | | 12.00 |
| *chinense album. White, July, 2' | | 12.00 |
| elatum. Blue, July, 4' | | 12.00 |
| formosum. Indigo, July, 4' | | 12.00 |
| formosum coelestinum. | | |
| Light blue, July, 3' | 1.50 | 12.00 |
| grandiflorum. Shades of blue, July, 3 | 1.50 | 12.00 |
| hybridum Blackmore and Langdon. | | |
| Various, July, 4' | 3.00 | 25.00 |
| hybridum Gold Medal. | 1 50 | 10.00 |
| Shades of blue. July, 4' | | 12.00 |
| hybridum Wrexham's. Various, June, 5 | | 30.00 |
| Iceberg. White, summer, 3' sibirica hybrida. Shades of blue, July, 3 | | 25.00 10.00 |
| | | |
| Dennstedtia punctilobula. Hay-scented Ferr | | 10.00 |
| Dianthus allwoodi. Pink, July, 1' | | 15.00 |
| allwoodi Robert. Rose, summer, 1' | | 20.00 |
| *alpinus. Rose, summer, 4" | | 20.00 |
| *arenarius. White, July, 10" | 1.50 | 12.00 |
| barbatus. (Single Sweet William). | 1 20 | 10.00 |
| mixed colors, June, July, 1' barbatus alba. White, June, July, 1 | | 10.00 |
| barbatus atrococcineus. Crimson, June | | 10.00 |
| 1' | • | 10.00 |
| barbatus fl. pl. (Double Sweet Wil | | 2000 |
| liam). mixed colors, June, July, 1 | | 10.00 |
| barbatus Giant White. June, 1' | | 10.00 |
| barbatus nigricans. | | |
| Dark velvety red, June, 1' | 1.20 | 10.00 |
| barbatus Pink Beauty. Pink, June, 1'. | | 10.00 |
| barbatus Salamoni. Salmon, June, 1 | ' 1.20 | 10.00 |
| | | |

| | Per 10 | Per 100 |
|---|--------------|------------------|
| Dianthus barbatus Sutton's Scarlet. | | |
| Crimson, June, 1' | 1 20 | 10.00 |
| | | 10.00 |
| *caesius. Rose pink, June, July, 9" | 1.20 | 10.00 |
| *chinensis heddewigi. | 1 50 | 12.00 |
| Mixed, June, July, 8" | | |
| *deltoides. Pink, June, 9" | | 10.00 |
| *deltoides albus. White, June, 9" | 1.50 | 12.00 |
| *deltoides Brilliant. Red, June, 9" | | 12.00 |
| *graniticus. Purple, July, 6" | 1.80 | 15.00 |
| hardy pinks. | | |
| Single, mixed, all summer, 9" | | 10.00 |
| knappi. Yellow, summer, 1' | 1.80 | 15.00 |
| *latifolius atrococcineus. | | |
| Crimson, summer, 1' | 1.20 | 10.00 |
| *plumarius. Mixed, summer, 8" | 1.20 | 10.00 |
| *plumarius fl. pl. Mixed, summer, 8" | 1.50 | 12.00 |
| *plumarius semperflorens. | | |
| Pink, June, 9" | 1.50 | 12.00 |
| *Abbotsford. Crimson, all summer, 9". | 1.80 | 15.00 |
| *Beatrix. Salmon pink, June, 18" | 2.50 | |
| *Bristol Jewel. White and crimson, | | |
| June, 18" | 3.00 | |
| *Bristol Purity. White, June, 18" | 2.50 | |
| *Cyclops. Dark rose, June, July, 9" | 1.80 | 15.00 |
| | 2.00 | |
| *Furst Bismark. Rose, summer, 1' | 2.00 | 18.00 |
| *Gladys Cranfield. Pink, summer, 1' | 2.50 | |
| *Hardy Harvard. Red, summer, 1' | 3.50 | |
| *Homer. Rosy red, June, July, 9" | | 15.00 |
| *Her Majesty. Dbl. white, June, July, 9" | | 15.00 |
| *Pheasant's Eye. Pink, white eye, | | |
| June, 1' | 1.80 | 15.00 |
| *Souv. de Sales. Dbl. pink, June, 9" | 2.00 | 18.00 |
| *White Reserve. White, June, July, 9" | 1.80 | 15.00 |
| *rupicolus. Red, June, 15" | 2.50 | 20.00 |
| *speciosa. Pink, July, 10" | 1.50 | $12.00 \\ 25.00$ |
| *subacaulis. Purple, June, July, 4" *superbus. Lilac, June, July, 12" | 3.00 1.50 | 12.00 |
| superbus. Mac, June, July, 12 | 1.00 | 12.00 |

| *Dicentra eximea. Rose, all summer, 1' | $^{\mathrm{er}10}$ | $\begin{array}{c} \mathrm{Per}100 \\ 15.00 \end{array}$ |
|---|--------------------|---|
| spectabilis. Rose, May, June, 2' | 3.00 | 25.00 |
| | | |
| Dictamnus albus. White, June, 2' | 2.00 | 18.00 |
| albus ruber. Red, June, 2' | 2.00 | 18.00 |
| caucasicus. Red, June, 3' | 2.50 | 20.00 |
| Digitalis ambigua. Yellow, June, July, 3' | 1.50 | 12.00 |
| gloxinaeflora. Mixed, June, July, 3' | 1.50 | 12.00 |
| lanata. Creamy yellow, July, 3' | 1.50 | 12.00 |
| lutea. Yellow, June, July, 18" | 1.50 | 12.00 |
| purpurea. Mixed, June, July, 3' | 1.50 | 12.00 |
| purpurea maculata. Spotted, June, | 1 50 | 10.00 |
| July, 18" | 1.50 | 12.00 |
| purpurea monstrosa. Various, June, | 1.50 | 12.00 |
| July, 3' | 1.50 1.50 | 12.00 12.00 |
| purpurea, rose. June, July, 3' | 1.50 1.50 | 12.00 12.00 |
| purpurea, white. June, July, 3' Shirley Hybrids. Mixed, June, July, 3' | 1.80 | 15.00 |
| | | |
| *Dodecatheon meadia. Rose, May, 1' | 1.50 | 12.00 |
| *latilobum. White, May, June, 1' | 1.50 | 12.00 |
| Doronicum caucasicum. Yellow, April, May, | | |
| 18" | 3.00 | 25.00 |
| plantagineum excelsum. Yellow, April, | | |
| May, 3' | 2.50 | 20.00 |
| Dorycnium hirsutum. Pink, summer, 2' | 2.50 | 20.00 |
| *Draba aizoides. Yellow, March, 4" | 3.00 | |
| *altaica. White, April, 6" | 3.00 | 25.00 |
| *armata. Yellow, April, 2" | 3.50 | 30.00 |
| *bruniifolia. Orange, Apr., May, 4" | 3.50 | |
| *cuspidata. Purplish, Apr., May, 4" | 3.50 | |
| *dedeana. White, May, June, 2" | 4.00 | |
| *fladnizensis. White, Apr., May, 3" | 3.00 | 25.00 |
| *hispanica. Yellow, April, 2" | 3.00 | 25.00 |
| *repens. Yellow, April, 6" | 2.00 | 18.00 |
| *Dracocephalum botryoides. Rose, July, 6". | 2.50 | 20.00 |
| *nutans. Blue, Aug., 1' | 2.00 | 18.00 |
| Ruyschianum japonicum. Blue, sum- | | |
| mer, 2' | 2.00 | 18.00 |
| *Dryas octopetala. White, June, July, 4" | 3.50 | |
| Dryopteris spinulosum. Wood Fern | 1.20 | 10.00 |
| thelypteris. Shield Fern | 1.20 | 10.00 |
| | | |

| Per 10 | Per 100 |
|---|----------------|
| Echinacea purpurea. Purple, July, Aug., 3' 1.50 | 12.00 |
| Echinops humilis. Blue, July, 2' 1.80 | 15.00 |
| ritro. Deep steel blue, July, 3' 1.50 | 12.00 |
| sphaerocephalus. Pale blue, July, 5' 1.20 | 10.00 |
| *Edraianthus dinaricus. Lilac, July, 3" 2.50 | |
| *tenuifolius. Blue, summer, 5" 2.50 | 20.00 |
| Elymus glaucus. Blue Lime Grass, 3' 1.80 | 15.00 |
| *Epigaea repens. Pink, Apr., May, 4" 3.00 | |
| Epilobium angustifolium. Rose, Aug., 4' 1.80 | 15.00 |
| *Epimedium sulphureum. Yellow, Apr., May, | |
| 1' 4.00 | |
| *Erigeron elatior. Purple, July, 2' 2.50 | 20.00 |
| *glabellus. Violet, June, July, 1' 1.50 | 12.00 |
| *glabratus roseus. Pink, June, 1' 2.00 | 18.00 |
| macranthus. Violet, June, 2' 2.00 | 18.00 |
| *speciosus. Rich purple, June, July, 2'. 1.50 | 12.00 |
| *Erinus alpinus albus. White, May, 4" 2.00 | 18.00 |
| *alpinus roseus. Rosy purple, May, 4". 2.00 | 18.00 |
| *Erodium corsicum. Pink, summer, 6" 3.00 | |
| Eryngium amethystinum. Blue, summer, 18" 1.80 | 15.00 |
| bourgati. Blue, summer, 18" 2.00 | 40.00 |
| planum. Blue, July, Aug., 3' 1.50 | 12.00 |
| *Erysimum kotschyanum. Orange, May, June, | 4500 |
| 5" 1.80 | 15.00 |
| *ochroleucum. Yellow, May, 1' 2.50 *pulchellum. Lemon, May, June, 6" 1.80 | 20.00 15.00 |
| | |
| Eulalia gracillima. Japan Rush, 4-6' 1.50 japonica variegata. 4-6' 1.50 | 12.00 12.00 |
| zebrina. Zebra Grass, 4-6' 1.80 | 15.00 |
| Eupatorium ageratoides. White, Aug., 3' 1.50 | 12.00 |
| *coelestinum. Blue, Sept., Oct., 18" 1.50 | 12.00 |
| purpureum. Purple, Aug., Sept., 5' 1.50 | 12.00 |
| Euphorbia corollata. White, July, Aug., 2'. 1.80 | 15.00 |
| *cyparissias. Yellow, May, 2" 1.50 | 12.00 |
| *epithymoides. Yellow, May, June, 1'. 2.50 | |
| *myrsinites. Yellow, May, June, 6" 2.00 | 18.00 |
| Festuca glauca. Fescue Grass, June, 10" 1.50 | 12.00 |
| Foeniculum atrosanguineum. Summer, 3' 1.80 | 15.00 |
| *Fragaria indica. White, May, 6" 1.20 | 10.00 |
| Funkia. (See Hosta). | |

| т | Per 10 | Per 100 |
|---|--------|----------|
| Gaillardia grandiflora. Yellow and Crimson, | er 10 | rer 100 |
| all summer, 2' | 1.20 | 10.00 |
| grandiflora Bosseleari. Yellow and | | |
| Crimson, all summer, 2' | 1.50 | 12.00 |
| *Galax aphylla. White, June, 10" | 2.00 | 18.00 |
| Galega officinalis. Blue, June, July, 3' officinalis hartlandi. Bluish white, July, | 1.80 | 15.00 |
| 3' | 1.80 | 15.00 |
| officinalis rosea fl. pl. Pink, July, 3' | 1.80 | 15.00 |
| Galium boreale. White, July, 1½' | 1.80 | 15.00 |
| *purpureum. Dark brown, Aug., 1' | 2.00 | 18.00 |
| *verum. Yellow, June, July, 6" | 2.50 | 20.00 |
| *Gentiana acaulis. Dark blue, Aug., 4" | 3.50 | 30.00 |
| alba. White, Aug., 2' | 1.20 | 10.00 |
| andrewsi. Blue, August, 2' | 1.20 | 10.00 |
| *cruciata. Deep blue, June, July, 1' | 3.00 | 25.00 |
| *freyniana. Blue, Aug., Sept., 6" | 3.50 | |
| *Purdomi. Blue, July, Aug., 6" | 3.00 | 25.00 |
| *septemfida. Deep blue, summer, 12" | 3.00 | 25.00 |
| *Geranium endressi. Rose, summer, 18" | 3.50 | |
| *grandiflorum. Lilac, June, July, 15" | | |
| *grevilleanum. Mauve, June, July, 6". | | 15.00 |
| *ibericum. Purple, May, June, 2' | | 15.00 |
| *lancastriense. Mauve, May, June, 1' | 1.80 | 15.00 |
| *maculatum. Pink, May, June, 1' | | 10.00 |
| *pratense album. White, July, Aug., 2' | 1.80 | 15.00 |
| *sanguineum. Red, June, July, 2' | 1.80 | 15.00 |
| *Geum atrosanguineum. Dark red, summer, | | |
| 1 ½' | 1.80 | 15.00 |
| *Lady Strathedon. Orange, summer, 15" | 1.80 | 15.00 |
| *montana. Yellow, July, 1' | 1.80 | 15.00 |
| *Mrs. Bradshaw. Double red, summer, 1' | 1.80 | 15.00 |
| *Orange Queen. Orange, summer, 15". | 2.00 | 18.00 |
| *sibericum. Scarlet, June, July, 1' | 2.00 | |
| *urbanum. Yellow, July, 15" | 2.50 | |
| Gillenia trifoliata. White, July, 4' | 1.80 | 15.00 |
| *Globularia cordifolia. Pale blue, June, 4". | 2.00 | 18.00 |
| *nana. Pale blue, June, 2" | 2.50 | 20.00 |
| *trichosantha. Blue, May, June, 6" | 1.80 | 15.00 |
| For less than five, add five cents per plant to | the t | en rate. |

| | Per 10 | Per 100 |
|--|--------|---------|
| Gypsophila acutifolia. Pink, July, 2-3' | | 12.00 |
| *cerastoides. White, summer, 4" | | 18.00 |
| paniculata. White, July, Aug., 2-3' | | 10.00 |
| paniculata Bristol Fairy. Dbl. white | | |
| summer, '3' | | 30.00 |
| paniculata fl. pl. Dbl. white, July, Aug. | , | |
| 3' | . 3.50 | 30.00 |
| *repens. Bluish white, all summer, 6" | . 1.50 | 12.00 |
| *repens rosea. Pink, summer, 6" | 2.00 | 18.00 |
| Helenium autumnale. Yellow, Aug., Sept., 5 | ' 1.50 | 12.00 |
| autumnale superbum. Yellow, Sept., 5 | | 15.00 |
| bigelovi. Yellow, Sept., 4' | | 18.00 |
| hoopesi. Orange, June, July, 3' | | 15.00 |
| *pumilum. Yellow, Aug., 15" | | 18.00 |
| Riverton Beauty. Lemon, Aug., Sept. | | 10.00 |
| 5' | | 18.00 |
| Riverton Gem. Old Gold, Sept., Oct., 4 | | 18.00 |
| rubrum. Brick red, Sept., 4' | | 15.00 |
| | | |
| *Helianthemum citrinum. Yellow, summer, 6' | | 15.00 |
| *croceum. Saffron, June, July, 9" | | 15.00 |
| *cupreum. Copper, June, July, 6" | | 15.00 |
| *Fire Ball. Red, July, Aug., 12" | | 15.00 |
| *mutabile. Flesh, May, June, 12" | | 15.00 |
| *perfoliatum roseum. Salmon, summer | 1 00 | 15.00 |
| 6" Priodet viale I C" | | 15.00 |
| *purpureum. Bright pink, June, 6" | | |
| *The Bride. White, June, July, 6" | 2.50 | |
| Helianthus atrorubens. Yellow, fall, 6' | 1.20 | 10.00 |
| maximiliani. Yellow, Sept., 6' | 1.20 | 10.00 |
| Miss Mellish. Yellow, Aug., Sept., 6' | 1.20 | 10.00 |
| mollis grandiflorus. Yellow, Aug., Sept. | , | |
| 4' | | 12.00 |
| multiflorus fl. pl. Yellow, summer, 4'. | | 15.00 |
| orgyalis. Bright yellow, Sept., 6-8' | | 18.00 |
| rigidus. Yellow, Aug., 3' | | 10.00 |
| Wooley Dod. Deep yellow, Sept., 7' | 1.20 | 10.00 |
| Heliopsis excelsa. Dbl. yellow, Aug., 3' | 1.80 | 15.00 |
| pitcheriana. Orange, July, Aug., 3' | | 12.00 |
| | | |
| *Helleborus niger. White, Feb., Mar., 1' | 6.50 | |
| *Helxine soleiroli. Creeping herb, 1" | 1.80 | 15.00 |
| | | |

| Po | er 10 - F | Per 100 |
|---|--------------------------------------|---|
| Hemerocallis Apricot. Apricot color, June, | J1 10 1 | 01 200 |
| 2' | 1.50 | 12.00 |
| aurantiaca. Orange, June, July, 2½' | 1.80 | 15.00 |
| | 1.80 | 15.00 |
| 8-, | 1.50 | 12.00 |
| | 1.80 | 15.00 |
| , | 2.00 | 18.00 |
| -/ 3 -/ | 1.20 | 10.00 |
| , | 1.50 | 12.00 |
| , , | 1.80 | 15.00 |
| | 2.00 1.50 | 19.00 |
| | 2.50 | 12.00 |
| , | 1.50 | 12.00 |
| | 1.20 | 10.00 |
| , | 1.50 | 12.00 |
| 3 1 7 7 | 1.50 | 12.00 |
| | 1.50 | 12.00 |
| hybrids. Named varieties, 2-3'1 | | |
| Bay State. Deep yellow, Aug. | | |
| Gypsy. Deep orange, July. | | |
| Harvest Moon. Orange, July. | | |
| Lemona. Pale lemon yellow, Aug. | | |
| Mrs. W. H. Wyman. Pale lemon, A | ug. | |
| The Gem. Deep orange, June, July. | | |
| *Hepatica acutiloba. Light blue, Mar., 4" | 1.20 | 10.00 |
| *triloba. Light blue, March, Apr., 4" | | 10.00 |
| *Herniaria glabra. Green, summer, 4" | | 15.00 |
| | | 10.00 |
| *Hesperis matronalis. Purple, June, July, 3' | | 12.00 |
| *matronalis alba. White, June, July, 3' | 1.80 | 15.00 |
| Heuchera americana. Greenish white, 3' | 2.00 | 18.00 |
| *brizoides. Red, June, July, 2' | 1.80 | 15 00 |
| | 1.00 | 15.00 |
| Cimion Star, Ormson, June, 1 | | 15.00 20.00 |
| | 2.50 | 20.00 |
| *Pleu de Feu. Red, May, June, 2' | 2.50 3.00 | |
| *Pleu de Feu. Red, May, June, 2' *rosamundi. Coral, summer, 18" | 2.50 3.00 . | 20.00 |
| *Pleu de Feu. Red, May, June, 2' *rosamundi. Coral, summer, 18" *sanguinea. Coral red, June, 1' | 2.50 3.00 3.00 1.80 | 20.00 |
| *Pleu de Feu. Red, May, June, 2' *rosamundi. Coral, summer, 18" *sanguinea. Coral red, June, 1' *sanguinea alba. White, June, 1' | 2.50 3.00 . | 20.00 |
| *Pleu de Feu. Red, May, June, 2' *rosamundi. Coral, summer, 18" *sanguinea. Coral red, June, 1' *sanguinea alba. White, June, 1' *sanguinea hybrids. Various, summer, | 2.50 3.00 3.00 1.80 2.00 | 20.00 15.00 18.00 |
| *Pleu de Feu. Red, May, June, 2' *rosamundi. Coral, summer, 18" *sanguinea. Coral red, June, 1' *sanguinea alba. White, June, 1' *sanguinea hybrids. Various, summer, 18" | 2.50 3.00 3.00 1.80 2.00 | 20.00 15.00 18.00 15.00 |
| *Pleu de Feu. Red, May, June, 2' *rosamundi. Coral, summer, 18" *sanguinea. Coral red, June, 1' *sanguinea alba. White, June, 1' *sanguinea hybrids. Various, summer, 18" | 2.50 3.00 3.00 1.80 2.00 | 20.00 15.00 18.00 15.00 18.00 |

| | Per 10 | Per 100 |
|--|--------------|---------------|
| Hibiscus Mallow Marvels. Mixed, July, Aug., 5' | 1.20 | 10.00 |
| Mallow Marvels. Separate colors, Aug., | 1.20 | 1.0.00 |
| 5' | 1.50 | 12.00 |
| Mallow Marvels. Giant Red, Aug., 5'. | 1.50 | 12.00 |
| moscheutos. Rose, June, July, 5' | 1.50 | 12.00 |
| moscheutos crimson eye. White, red | | |
| eye, Aug., 5' | 1.50 | 12.00 |
| *Hieracium aurantiacum. Orange, summer, | | |
| 6" | 1.20 | 10.00 |
| *alpinum. Yellow, May, June, 9" | 2.00 | 18.00 |
| Hosta caerulea. Blue, July, 1½' | 1.50 | 12.00 |
| lancifolia. Blue, July, 2' | 1.20 | 10.00 |
| ovata. Lavender, June, July, 1-2' | 1.80 | 15.00 |
| sieboldiana. Silvery foliage | 1.50 | 12.00 |
| sub-cordata grandiflora. White, Aug., | | |
| 18" | 1.80 | 15.00 |
| undulata variegata. White foliage, 2'. | 1.50 | 12.00 |
| *Houstonia purpurea. Purple, May, June, 1' | 2.00 | |
| *serpyllifolia. Blue, April, 2" | 1.80 | 15.00 |
| *Hutchinsia alpina. White, May, June, 4" | 3.00 | 25.00 |
| Hyacinthus candicans. White, Aug., 3' | 1.50 | 12.00 |
| Hypericum | | |
| *calycinum. Yellow, July, Aug., 1' | 1.80 | 15.00 |
| *Coris. Yellow, summer, 4" | | 20.00 |
| *fragile. Yellow, July, Aug., 1' | 2.50 | 20.00 |
| moserianum. (See Shrubs). | 1 00 | |
| *polyphyllum. Yellow, summer, 8" | 1.80 | 15.00 |
| *repens. Yellow, July, 4" | 2.50 | 20.00 |
| *rhodopaeum. Yellow, July, 4" | 2.00 | 18.00 |
| *Hyssopus officinalis. Purple, Aug., 18" | | 12.00 |
| *Iberis gibraltarica. Delicate lilac, May, 1½' | 1.50 | 12.00 |
| *jordani. Rose, May, June, 6" | 3.00 | 25.00 |
| *saxatilis. White, summer, 8" | 1.80 1.50 | 15.00 12.00 |
| *sempervirens Climax. White, May, 6". | 1.80 | 12.00 15.00 |
| *sempervirens Little Gem. White, April, | 1.00 | 10.00 |
| 6" | 1.80 | 15.00 |
| *sempervirens Snowflake. White, May, | | |
| 9" | 2.50 | 20.00 |
| *tenoreana. Purplish white, June, 6" | 2.50 | 20.00 |
| *** | | |

| | er 10 | Per 100 |
|---|----------------|------------------|
| *Incarvillea delavayi. Rosy purple, June, July, 2' | 2.00 | 18.00 |
| *Inula ensifolia. Yellow, July, Aug., 8" | 1.80 | 15.00 |
| *Iris cristata. Light blue, May, June, 6" *ensata. Lilac, June, 10" | 1.80 3.00 | 15.00 25.00 |
| *flavissima. Yellow, May, June, 6" germanica. May, June, 1½-2'. | 2.50 | 20.00 |
| Afterglow. Soft lavender shading to yellow | 1.50 | 12.00 |
| Alcazar. Violet, purple falls | 1.50 | 12.00 |
| Amas. Blue, violet falls Ambassadeur. Smoky purple, pur- | 2.00 | 18.00 |
| ple maroon falls Archeveque. Violet purple | 1.80 1.50 | 15.00 |
| Atropurpurea. Purple Auriflame. Blue, purple falls | 1.50 1.80 | 12.00 15.00 |
| Caprice. Rosy red | 1.20 1.20 | 9.00 |
| Chasseur. Yellow, red veining | 5.00 | 40.00 |
| Cluny. Lilac blue | 1.80 1.80 | 15.00 15.00 |
| Dorothea. Mauve, soft blue falls Eldorado. Yellowish bronze, violet | 1.20 | 10.00 |
| falls | 1.50 1.50 | 12.00 12.00 |
| Flavescens. Yellow Florentina. Pale blue | 1.50 1.20 | 12.00 10.00 |
| Florentina alba. White | 1.50 | 12.00 |
| Gold Imperial. Golden yellow Her Majesty. Lilac pink | 2.50 1.20 | 20.00 10.00 |
| Honorabilis. Yellow, brown falls. Isolene. Lilac pink, old rose falls. | $1.20 \\ 2.00$ | 9.00 18.00 |
| King of Iris. Yellow, brown falls. King Edward. Red violet | 1.80 1.50 | $15.00 \\ 12.00$ |
| Kochi. Rich deep claret purple Lent A. Williamson. Violet, rich | 1.80 | 15.00 |
| purple falls with yellow beard | | 18.00 |
| Lohengrin. Lilac rose | 2.50 1.20 | 10.00 |
| Lord of June. Lavender blue, violet falls | 2.50 | 20.00 |
| Loreley. Light yellow, blue falls. | 1.20 | 9.00 |

| | Per 10 | Per 100 |
|--------------------------------------|--------|---------|
| Iris germanica. | 1 50 | 10.00 |
| Midnight. Dark blue | 1.50 | 12.00 |
| Monsignor. Violet, purple crimson | 1 50 | 10.00 |
| falls | 1.50 | 12.00 |
| Mother of Pearl. Pale bluish lav- | · | 10.00 |
| ender | 1.50 | 12.00 |
| Niebelungen. Fawn yellow | 1.50 | 12.00 |
| Nuce d'Orage. Slate gray with | 4 00 | |
| bronze and purple falls | 1.20 | 9.00 |
| Opera. Violet red, purple falls | 3.00 | 25.00 |
| Pallida Dalmatica. Lavender | 1.80 | 15.00 |
| Pallida speciosa. Light blue | 1.20 | 9.00 |
| Pauline. Bright blue, darker falls | 1.50 | 12.00 |
| Pocahontas. White | 3.00 | 25.00 |
| Princess Beatrice. Lavender blue, | | |
| shading to silvery blue | 1.50 | 12.00 |
| Princess Victoria Louise. Sulphur | | |
| yellow, rich violet falls | | 9.00 |
| Princess of Wales. Pearly white. | 1.50 | 12.00 |
| Prosper Laugier. Bronze red, ma- | | |
| roon falls | 1.20 | 10.00 |
| Queen Caterina. Lavender violet, | | |
| orange beard | 1.80 | 15.00 |
| Rhein Nixe. White, violet falls | 1.50 | 12.00 |
| Shekinah. Pale yellow, shading to | | |
| buff | 2.50 | 20.00 |
| Sherwin-Wright. Golden yellow | 1.20 | 10.00 |
| Souv. de Mad. Gaudichau. Deep | | |
| velvety purple | 3.00 | 25.00 |
| Tamerlan. Light blue, darker falls | 1.20 | 9.00 |
| Victorine. White, mottled blue | 1.20 | 9.00 |
| intermedia hybrids. May, 18" | 1.20 | 10.00 |
| Gerda. Creamy yellow, darker falls | • | |
| Halfdan. Creamy white. | | |
| Ingeborg. Ivory white. | | |
| Helge. Light citron. | | |
| Walhalla. Light blue, purple falls. | | |
| kaempferi. Japanese Iris. July, 2-3' | 3.00 | 25.00 |
| Antelope. Light lavender. | | |
| Aoigata. Light purple, with darker | halo. | |
| Chadai. Clear white, creamy stand | | |
| Exquisite. Blue in light and dark s | | |
| Furomon. White, purple shadings. | | |
| | | |

15.00

Iris kaempferi

Gold Bound. White, yellow shadings

Hannaoi. Gray, yellow blotches and blue veins.

Hinodeuzuru. White, blue shadings.

Idzumigawa. Gray, yellow blotches and blue veins.

Komochiguma. Dark bluish purple.

Kumonoobi. Clear purple, white halo.

Kurokomo. Purple overlaid with dark blue, vellow blotches.

Mahogany. Velvety mahogany red.

Manadzuru. White, yellow blotches.

Norma. Deep purple.

Onigashima. Brief violet purple.

Purple and Gold.

Royal. Mahogany red.

Shigano-uranami. Red lavender, white halo.

Uchiu. Crimson purple with few white veins.

Warai botei. Lavender blue, light blue halo.

| , and 2000 200, on a 1000, 11810 | ~-010 | T . |
|---|-------|--------|
| prismatica. Violet, May, June, 2' | 1.80 | 15.00 |
| pseudacorus. Yellow, June, 3' | 1.50 | 12.00 |
| *pumila alba. Dwarf, white, April, 9". | 1.20 | 10.00 |
| *pumila caerulea. Dwf., blue, April, 9" | 1.20 | 10.00 |
| *pumila californica. Yellow, April, 9". | 2.00 | 18.00 |
| *pumila Curiosa. Yellow, Apr., May, 9" | 2.50 | 20.00 |
| *pumila Fairy. Pale blue, April, 6" | 2.00 | 18.00 |
| *pumila Grande. Violet, blue falls, Apr., | | |
| May, 9" | 2.50 | 20.00 |
| *pumila Louise. Dark blue, April, 6" | 2.00 | |
| *pumila lutea. Pale yellow, April, 6" | 1.20 | 10.00 |
| *pumila Schneecuppe. White, Apr., 6". | 1.80 | 15.00 |
| *pumila violacea. Dwf., violet, Apr., 9" | 1.20 | 10.00 |
| sibirica. Purplish blue, June, 3'., | 1.20 | 10.00 |
| sibirica alba. White, June, 3' | 1.20 | 10.00 |
| sibirica Emperor. Clear blue, May, 2'. | 2.00 | 18.00 |
| sibirica Snow Queen. White, May, 2'. | 1.50 | 12.00 |
| *Stewart. Dwarf, yellow, April, 9" | 1.80 | 15.00 |
| *tectorum. Blue, June, 1' | 2.50 | 20.00 |
| *verna. Blue, May, June, 6" | 1.80 | 15.00 |
| versicolor. Blue, June, 2' | 1.20 | 10.00 |
| Isatis tinctoria. Yellow, May, June, 6' | 1.50 | 12.00 |
| *Jasione humilis. Blue, July, Aug., 6" | 1.80 | 15.00 |
| # • TOT T T T O.4 | 1 00 | 1 F 00 |

For less than five, add five cents per plant to the ten rate.

*perennis. Blue, June, July, 6"..... 1.80

| *Jeffersonia diphylla. White, May, 8" | Per 10 1.80 | $\begin{array}{c} \mathrm{Per}100 \\ 15.00 \end{array}$ |
|---|----------------|---|
| Kniphofia pfitzeri. Coral, Aug., Sept., 4' | 2.00 | 18.00 |
| uvaria. Crimson to yellow, Aug., Sept., | | |
| 4' | 1.80 | 15.00 |
| *Lactuca perennis. Blue, June, 15" | 2.00 | 18.00 |
| *Lamium maculatum. Purple, July, Aug., 8" | 2.00 | 18.00 |
| Lathyrus latifolius. Pink to Red, July, 6' | 1.20 | 10.00 |
| *Lavandula officinalis. (Sweet Lavender). | | |
| July, 2' | 1.50 | 12.00 |
| *Leontopodium alpinum. Yellow, summer, 5" | 2.00 | 18.00 |
| *Lewisia rediviva. Pink, June, July, 3" | 4.00 | 35.00 |
| Liatris pycnostachya. Purple, Aug., Sept., 4' | 1.50 | 12.00 |
| spicata. Purple, Aug., 3' | 1.50 | 12.00 |
| Ligularia clivorum. Yellow, Aug., Sept., 3'. | 1.80 | 15.00 |
| Lilium auratum. (Gold Band Lily). White | | |
| with gold band, July, Aug., 3' | 3.00 | 25.00 |
| auratum platyphyllum. White, spotted | | |
| yellow, July, Aug., 3' | 4.00 | 35.00 |
| batemanniae. Salmon red, July, 3' | 3.00 | 25.00 |
| browni. White, July, 3' | 6.50 | 4000 |
| canadense. Yellow to red, June, July, 3' | 1.20 | 10.00 |
| candidum. White, June, 3' | $3.00 \\ 3.50$ | 25.00 |
| concolor. Scarlet, July, 1' | | 25.00 |
| elegans. Shades yellow and red, July, 2' | | 18.00 |
| elegans Alice Wilson. Lemon, June, | _,,, | 2000 |
| July, 2' | 4.50 | |
| elegans atrosanguineum. Dark crimson, | | |
| , , , | 4.00 | |
| elegans Orange Queen. Orange, June, | 3.50 | |
| July, 18"grayi. Red, July, 3' | 2.50 | |
| hansoni. Orange, June, July, 4' | 4.50 | |
| henryi. Yellow, July, 2' | 3.50 | |
| leichtlini. Red, July, Aug., 4' | 5.00 | |
| longiflorum giganteum. Waxy white, 2' | 3.00 | 25.00 |
| pardalinum. Scarlet and yellow, 2' | 2.50 | 20.00 |
| phillippinense formosanum. White, | 0.70 | |
| June, July, 2' | 3.50 | |
| philadelphicum. Orange red, June, July, 3' | 1.90 | 15.00 |
| oury, o | 1.00 | 15.00 |

| Lilium | Per 10 | Per 100 |
|---|--------|----------|
| | 0.00 | 25.00 |
| regale. White, July, 4' | | 25.00 |
| rubellum. Rose pink, June, July, 18". | | 30.00 |
| speciosum album. White, Aug., 3' | 3.00 | 25.00 |
| speciosum longiflorum. White, Aug., 3' | 3.00 | 25.00 |
| speciosum melpomene. White, Aug., 3' | 3.00 | 25.00 |
| speciosum rubrum. Pinkish red, Aug., | | |
| 3' | 3.00 | 25.00 |
| superbum. Orange, July, Aug., 5' | 1.20 | 10.00 |
| *tenuifolium. Scarlet, June, 18" | 2.00 | 18.00 |
| testaceum. Apricot, June, July, 5' | | |
| tigrinum fl. pl. Orange, spotted, Aug. 4' | | 20.00 |
| tigrinum. Orange, spotted, Aug., 4' | | 18.00 |
| umbellatum. Scarlet red, July, 2' | | 20.00 |
| washingtonianum. White, dotted pur- | | |
| ple, June, July, 4' | 6.00 | |
| willmottiae. Orange, July, 4' | | |
| winnottiae. Orange, July, 4 | 1.00 | |
| *Limonium auriculaefolium. Blue, June, | | |
| July, 6" | 2.00 | 18.00 |
| eximium. Lilac rose, Aug., 2' | 1.80 | 15.00 |
| *gmelini. Purplish blue, Aug., 18" | 2.00 | 18.00 |
| *latifolium. Blue, July, Aug., 2' | 1.50 | 12.00 |
| | | |
| *Linaria aequitriloba. Pale mauve, June, 1" | | 18.00 |
| *alpina. Blue, summer, 6" | | 15.00 |
| *cymbalaria. Lavender, summer, 4" | 1.80 | 15.00 |
| *origanifolia. Purple, June, 10" | | |
| *purpurea. Purple, summer, 3' | 2.50 | 20.00 |
| T: D1 | 0.50 | 90.00 |
| , , , | 2.50 | 20.00 |
| *alpinum. Blue, June, 10" | 2.00 | 18.00 |
| , | 1.80 | 15.00 |
| *narbonnense. Blue, June, July, 2' | 1.50 | |
| *perenne. Blue, June, July, 1½' | 1.20 | 10.00 |
| *salsoloides. White, summer, 8" | 3.50 | |
| *viscosum. Rose, summer, 18" | 1.80 | 15.00 |
| *Lithospermum graminifolium. Blue, June, | | |
| 4" | 3 50 | |
| *purpureo-caeruleum. Blue, May, 10". | | |
| | | 40.00 |
| Lobelia cardinalis. Scarlet, Aug., Sept., 3' | | 12.00 |
| siphilitica. Blue, Sept., 3' | 1.50 | |
| *Lotus corniculatus. Yellow, June, 6" | 3.50 | |
| For less than five, add five eents per plant to | the to | en rate. |

| Lupinus polyphyllus. Blue, June, July, 3' | Per 10 1.80 | Per 100 15.00 |
|--|----------------|------------------|
| polyphyllus albus. White, June, July, 3' | 1.80 | 15.00 |
| *Lychnis alpina. Rose color, June, 1' | 1.80 | 15.00 |
| arkwrighti. Scarlet, summer, 2' | 1.80 | 15.00 15.00 |
| chalcedonica. Scarlet, July, 3' | 1.20 | 10.00 |
| coronaria. Crimson, July, 2' | 1.20 | 10.00 |
| coronaria alba. White, July, 2' | 1.20 | 10.00 |
| flos cuculi. Red, June, 1½' | 1.20 | 9.00 |
| flos jovis. Pink, June, 18" | 1.20 | 10.00 |
| *haageana. Scarlet, June, July, 1' | 1.50 | 12.00 |
| tristis. Pink, summer, 2' | 1.80 | 15.00 |
| *viscaria splendens fl. pl. Red, June, 1' | 2.00 | 18.00 |
| Lysimachia clethroides. White, July, Aug., | | |
| 3' | 1.80 | 15.00 |
| dubia. Rose, July, 2' | 2.50 | |
| *nummularia. Yellow, June, July, 6" | 1.50 | 12.00 |
| *nummularia aurea. Yellow leaves, 3" | 2.50 | |
| vulgaris. Yellow, July, Aug., 3' | 2.00 | 18.00 |
| Lythrum alatum. Magenta, July, Aug., 3' | 1.50 | 12.00 |
| salicaria roseum. Rose, July, 4' | 1.50 | 12.00 |
| virgatum. Deep rose, July, Aug., 1½' | 1.80 | 15.00 |
| Malva alcea. Rosy purple, July, Aug., 3' | 1.20 | 10.00 |
| moschata. Rose, July, Aug., 2' | 1.20 | 10.00 |
| moschata alba. White, July, Aug., 2' | 1.20 | 10.00 |
| Matricaria Golden Ball. Yellow, summer, 1' | 1.50 | |
| parthenoides. White, May, 1' | 1.20 | 10.00 |
| *Mazus reptans. Lilac, April, 4" | 2.00 | 18.00 |
| Melissa officinalis. White, Aug., 2' | | 12.00 |
| Mentha piperita. Peppermint, Purple, 2' | 1.50 | 12.00 |
| *requieni. Mauve, July, Aug., 2" | 2.00 | 18.00 |
| *Mertensia virginica. Purplish blue, March, | 2.00 | 10,00 |
| April, 2' | 1.20 | 10.00 |
| | | 15.00 |
| *Micromeria rupestris. White, fall, 10" | | 13.00 |
| *Mimulus luteus. Yellow, summer, 1' | 5.00. | |
| *Mitchella repens. White shaded pink, | 1.00 | 15.00 |
| March, 4" | | 10.00 |
| Monardi didyma. Red, July, Aug., 3' didyma Cambridge. Scarlet, July, Aug., | 1.40 | 10.00 |
| 3' | 1.50 | 12.00 |
| didyma Sunset. Mahogany, July, Aug., | 1,00 | 12.00 |
| 3' | 1.80 | 15.00 |
| | | |

| | Per 10 | Per 100 |
|--|--------------|---------------|
| Monardi • didyma splendens. Scarlet, July, Aug., | | |
| 3' | 1.50 | 12.00 |
| didyma violacea. Violet, July, Aug., 3' | 1.50 | 12.00 |
| fistulosa. Lilac, July, 3' | 1.50 | 12.00 |
| Mulgedium Bourgaei., Lilac, summer, 5' | 2.50 | 20.00 |
| *Myosotis alpestris. Blue, April, May, 8" | 1.20 | 10.00 |
| *alpestris alba. White, May, June, 8" | 1.20 | |
| *alpestris pink. May, June, 8" | 1.50 | |
| *palustris. Blue, all summer, 6" | 1.50 | 12.00 |
| *palustris Pink Beauty. All summer, 6" | 1.80 | 15.00 |
| *Nepeta hederacea. Blue, May, 2" | 1.50 | 12.00 |
| *hederacea variegata. Blue, May, 2" | 1.80 | 15.00 |
| macrantha. Lavender, summer, 2' *mussini. Blue, June, July, 1' | 1.80 1.80 | 15.00 15.00 |
| nuda. Violet, Aug., 3' | 2.50 | 20.00 |
| *Nierembergia rivularis. Creamy white, | 2.00 | 20.00 |
| summer, 4" | 1.80 | 15.00 |
| Oenothera fraseri. Yellow, summer, 1' | 1.50 | 12.00 |
| fruticosa major. Yellow, summer, 2' | 1.50 | 12.00 |
| fruticosa youngi. Lemon, June, July, 2' | 1.80 | 15.00 |
| lamarckiana. Yellow, July, Aug., 4' | 1.20 | 10.00 |
| *missouriensis. Yellow, July, Aug., 6" | 2.00 | 18.00 |
| speciosa. White, July, Aug., 1½' | 1.80 | 15.00 |
| Onoclea sensibilis. Sensitive Fern | 1.20 | 10.00 |
| struthiopteris. Ostrich Fern | 1.20 | 10.00 |
| Onopordon bracteatum. Pink, July, 5' | 2.00 | 18.00 |
| *Opuntia fragilis. Yellow, June, 4" | 2.50 | 20.00 |
| *humifusa. Yellow, June, 10" | 2.50 | 20.00 |
| megacantha. Yellow, June, 3' | 2.50 | 20.00 |
| Origanum vulgare. Pink, summer. 2' | 2.50 | |
| *Orobus vernus. Rose purple, May, 1' | 3.50 | |
| Osmunda cinnamonea. Cinnamon Fern | 1.20 | 10.00 |
| regalis. Royal Fern | 1.20 | 10.00 |
| Pachysandra terminalis. White, May, 3" | | |
| 2 year from pots | 1.20 | 10.00 |
| Paeonia officinalis rosea. Rose pink | 5.00 | 40.00 |
| officinalis rubra. Red | 5.00 | 40.00 |
| sinensis. Strong plants, 3-5 eyes. | 5.00 | 40.00 |
| Avalanche. White Beauty of France. Pale rose | 5.00 | 40.00 40.00 |
| Deadly of France, Fare 1030 | 0.00 | 10.00 |

| | Per 10 | Per 100 |
|---|--------|---------|
| Paeonia sinensis | | |
| Couronne d'Or. White, yellow | | 50.00 |
| center White | | |
| Duc de. Wellington. White | | 50.00 |
| Duchess de Nemours. Creamy white | | 40.00 |
| Edulis. Deep rose | | 25.00 |
| Eugene Verdier. Pink | | 35.00 |
| Felix Crousse. Brilliant red | | 50.00 |
| Festiva maxima. Finest early white | | 35.00 |
| Gen. McMahon. Deep violet red | _ | 75.00 |
| Gigantea. Rose pink | | 50.00 |
| Jeanne d'Arc. Tender pink, center | | 00.00 |
| rosy white | | 50.00 |
| La Tulip. Flesh pink, shading to | 0.00 | 30.00 |
| white | 3.50 | 30.00 |
| L'Eclatante. Dazzling red | | 50.00 |
| L'Esperance. Rose pink | | 50.00 |
| L'Indispensible. Shell pink | | 50.00 |
| Livingstone. Soft pink | 7.50 | 60.00 |
| Mad. de Verneville. Sulphur white, | | |
| with some carmine | | 40.00 |
| Marie Lemoine. Creamy white | | 50.00 |
| Mons. Jules Elie. Pink with dark- | | |
| er guard petals | 6.00 | 50.00 |
| Roem von Boskoop. Deep rose | 3.50 | 30.00 |
| Rubra Superba. Crimson | 4.00 | 35.00 |
| Sarah Dessert. Light pink | 5.00 | |
| Solfaterre. Cream | 6.00 | 50.00 |
| Souv. de l'Exposition Universelle. | | |
| Brilliant cherry, silver reflex | 3.50 | 30.00 |
| Superbissima. White | 3.50 | 30.00 |
| Triumph de Paris. Light pink, yel- | | |
| low center | 3.50 | 30.00 |
| Virginie. Lilac rose | | 30.00 |
| Wm. Mesman. White | | 30.00 |
| Zoe Calot. Soft pink | 3.50 | 30.00 |
| single. Named colors, red, white, pink. | 12.50 | |
| single Japanese. Named varieties | 15.00 | |
| Alba Grandiflora. White. | | |
| Cleopatra. Red. | | |
| Eva. Bright lilac-crimson. | | |
| | | |

| Per 10 | Per 100 |
|---|---------|
| Paeonia single japanese | |
| Jacqueline. Pure white. | |
| L'Etincelante. Bright light red. | |
| Milton. Dark red. | |
| Oitmatsu. Light pink changing to white | |
| Shi-pen-kue. Nearest to blue in Peonie | |
| *Papaver alpinum. Various, summer, 6" 1.80 | |
| *nudicaule. All colors, summer, 8" 1.50 | |
| orientale bracteatum. Red, June, 2' 1.80 | |
| orientale. Orange scarlet, June, 2' 1.50 | 12.00 |
| Beauty of Livermore. Crimson, | |
| June, 3' 3.50 | |
| Col. Bowles. Scarlet, June, 3' 2.00 | |
| Enfield Beauty. Salmon, June, 2'. 1.80 | |
| Fairy. Pale pink, June, 2' 3.50 | |
| Lulu A. Neeley. Ox-blood red, | |
| June, 3' 4.00 | |
| Mrs. Perry. Salmon pink, June, 3' 2.00 | |
| Olympia. Scarlet, June, 3' 2.50 | |
| Perry's White. White, June, 3' 2.50 | , |
| Princess Victoria Louise. Salmon, | 10.00 |
| June, 2' | |
| Wurtembergia. Rose-red, June, 2' 3.50 | |
| pilosum. Brick red, June, 3' 2.00 | 18.00 |
| Pardanthus. (See Belamcanda). | |
| *Paronychia serpyllifolia. White, July, 2" 2.00 | |
| Pennisetum japonicum. Fountain Grass 2.00 | 18.00 |
| *Pentstemon alpinus. Bluish purple, June, 1' 2.50 | 20.00 |
| *arizonicus. Purple, June, July, 8" 2.00 | 18.00 |
| barbatus. Scarlet, July, 3' 1.20 | 10.00 |
| barbatus coccineus. Scarlet, July, Aug., | |
| 4' 1.50 | 12.00 |
| barbatus Pink Beauty. Pink, summer, | |
| 2' 2.50 | |
| digitalis. White, August, 3' 1.50 | 12.00 |
| glaber. Blue, summer, 2' 2.00 | _ |
| hirsutus. Rosy purple, July, Aug., 2' 1.80 | |
| ovatus. Blue, July, Aug., 3' 1.80 | |
| *procerus. Blue, July, 1' 2.00 | |
| *pygmaeus. Purplish blue, summer, 6". 2.00 | |
| tubiflorus. White, July, Aug., 2' 1.50 | |
| unilateralis. Blue, June, 2' 1.80 | 15.00 |

| | Per 10 | Per 100 |
|--|---------|---------------|
| Phalaris arundinacea variegata. Ribbon | | 12.00 |
| grass *Phlox amoena. Pink, May, 4" | | 12.00 |
| *arendsi Louise. Lilac, all summer, 1'. | | 12.00 |
| *divaricata. Lavender, May, June, 1' | | 10.00 |
| • | 1.80 | 15.00 |
| glaberrima. Pink, June, 18" | | 12.00 |
| maculata. Purplish red, May, June, 4' *ovata. Red, May, June, 1' | | 15.00 |
| paniculata. 2-3' | 1.00 | 10.00 |
| Africa. Carmine, red eye | 1.80 | 15.00 |
| Antonin Mercie. Lilac, white cen- | 1.00 | 10.00 |
| ter | 1.80 | 15.00 |
| Athis. Salmon pink | 1.20 | 10.00 |
| B. Compte. Rich French purple | | 15.00 |
| Baron von Dedem. Salmon red | 1.80 | 15.00 15.00 |
| | 1.80 | 15.00 |
| Beacon. Cherry red | 1.20 | 10.00 |
| Bridesmaid. White, red eye | _ | |
| Brilliant. Deep rose, dark eye | 1.20 | 10.00 |
| Brunette. Deep rose | 1.50 | 12.00 |
| Cameron. Shell pink | 1.50 | 12.00 |
| Caran de Ache. Bright carmine | | 10.00 |
| rose | | 12.00 |
| Champs Elysees. Rich purplish | | 10.00 |
| crimson | | 12.00 |
| Commander. Crimson | | 15.00 |
| Count Zeppelin. White, red eye | | |
| Daily Sketch. Salmon pink, car- | | |
| mine eye | | 10.00 |
| Deutschland. Orange scarlet | | 18.00 |
| Enchantress. Salmon pink, dark | | 15.00 |
| eye | | 15.00 |
| Etna. Scarlet | | 15.00 |
| Elizabeth Campbell. Salmon pink | | 15.00 |
| Evelyn. Salmon rose | | 18.00 |
| Feuerbrand. Orange scarlet | | 18.00 |
| Frau Von Lassburg. White | 1.50 | 12.00 |
| G. A. Strohlein. Orange scarlet, | 4.00 | 4 |
| red eye | 1.80 | 15.00 |
| Gen. Von Heutz. Orange scarlet, | 4 ~ ~ | 4 2 2 2 |
| white eye | | 12.00 |
| George Stipp. Salmon, lighter eye | | 20.00 |
| Grideur. Pink, crimson center | | 12.00 |
| Gustave Lind. Deep salmon | 3.00 | |
| For less than five, add five cents per plant to | the ten | rate. |

| DII lata | Per 10 | Per 100 |
|---|--------|---------------|
| Phlox paniculata. J. H. Slocum. Red | 1.50 | 12.00 |
| Johnson's Favorite. Salmon rose. | | 12.00 12.00 |
| | | 15.00 |
| Jules Sandeau. Large pink | | 12.00 |
| Le Mahdi. Deep purple | | 30.00 |
| Leo Schlageter. Bright scarlet | | 15.00 |
| Mad. Paul Dutrie. Soft pink Malmaison. Salmon, red eye | | 20.00 |
| Maid Marian. Soft lavender | | 15.00 |
| Mrs. Jenkins. Pure white | | 10.00 |
| Mrs. Ingalls. Shell pink | | 12.00 |
| Mrs. Milly van Hoboken. Soft pink | | 18.00 |
| Mrs. Scholton. Dark salmon | | 15.00 |
| Miss Lingard. White | | 15.00 15.00 |
| Miss Verboom. Rose | | 10.00 |
| Morgenrood. Bright rose, deeper | | |
| eye | | 20.00 |
| Pantheon. Deep salmon rose | | 10.00 |
| Peachblossom. Shell pink | | 10.00 |
| Pres. Poincare. White, rose eye | | 12.00 |
| Prof. Virchow. Orange scarlet | · - | 15.00 |
| Rheinlander. Salmon pink, clare | | 10.00 |
| eye | | 12.00 |
| Rokoko. Soft pink | | 18.00 |
| Rosenberg. Dark red | | 15.00 |
| R. P. Struthers. Carmine, clare | | 10.00 |
| red eye | | 12.00 |
| Sir Edward Landseer. Bright crim | | 12.00 |
| son | | 15.00 |
| Special French. Soft pink | | 12.00 |
| Thor. Deep salmon pink | | 15.00 |
| White Le Mahdi. White | | 12.00 |
| Widar. Light reddish violet, whit | | |
| eye | | 15.00 |
| *pilosa. Lavender, May, 1' | | 15.00 |
| *reptans. Lilac, May, 6-12" | | 12.00 |
| *stellaria. Creeping, May, 4" | | 10.00 |
| *subulata alba. White, April, May, 4" | | 10.00 |
| *subulata atropurpurea. Purple, Apr., 4 | | 18.00 |
| *subulata Blue Hills. Light blue, Apr. | | |
| 4" | • | |
| *subulata Fairy. Blue, purple eye, April | | |
| 4" | • | 15.00 |
| | | |

| | Per 10 | Per 100 |
|--|--------|---------|
| Phlox | | 4000 |
| *subulata G. F. Wilson. Lilac, May, 6" | 1.50 | 12.00 |
| *subulata lilacina. Light blue, April, | | 4000 |
| May, 4" | | 12.00 |
| *subulata Little Dot, Lilac, April, 4" | | 12.00 |
| *subulata nelsoni. White, April, May, 4" | 1.50 | 12.00 |
| *subulata Perfection. Rose, pink eye, | - | |
| April, 4" | 1.50 | 12.00 |
| *subulata rosea. Pink, April, May, 4". | 1.20 | 10.00 |
| *subulata The Bride. White, pink eye, | | |
| May, 5" | 1.50 | 12.00 |
| *subulata Vivid. Pink, red eye, April, 4" | 1.80 | 15.00 |
| Phygelius capensis. Red, Aug., Sept., 3' | 2.00 | |
| Physalis francheti. Red pods, Oct., 2' | 1.20 | 10.00 |
| Physostegia virginiana. Rose, August, 3' | 1.20 | 10.00 |
| virginiana alba. White, August, 3' | 1.20 | 10.00 |
| virginiana Vivid. Deep pink, Aug., 2'. | 1.80 | 15.00 |
| *Phyteuma orbiculare. Purple, June, July, 2' | 2.50 | 20.00 |
| *scheuchzeri. Violet, June, 1' | 1.80 | 15.00 |
| Platycoden grandiflorum. Blue, summer, 2' | 1.20 | 10.00 |
| grandiflorum album. White, summer, 2' | 1.20 | 10.00 |
| *mariesi. Deep blue, summer, 1' | 1.50 | 12.00 |
| *mariesi album. White, summer, 1' | 1.50 | 12.00 |
| Plumbago larpentae. (See Ceratostigma). | | |
| Podophyllum peltatum. White, May, June, 1' | 1.20 | 10.00 |
| *Polemonium caeruleum. Deep blue, June, | | , |
| July, 1½' | 1.50 | 12.00 |
| *caeruleum album. White, June, July, | | |
| $1\frac{1}{2}$ ' | 1.50 | |
| *confertum. Blue, June, July, 18" | 1.80 | 15.00 |
| *reptans. Blue, May, June, 6" | 1.80 | 15.00 |
| *richardsoni. Sky blue, May, June, 6". | 1.80 | 15.00 |
| Polygonum compactum. White, Aug., Sept., | | |
| 1½' | 1.50 | 12.00 |
| cuspidatum. White, Aug., Sept., 1½'. | 1.50 | 12.00 |
| oxyphyllum. Creamy white, Sept., 3'. | 2.00 | 15.00 |
| Polystichum acrostichoides. Christmas Fern | 1.20 | 10.00 |
| *Potentilla atrosanguinea. Red, summer, 18" | 1.80 | 15.00 |
| *argentea. Yellow, summer, 18" | 2.00 | 18.00 |
| *crinita. Yellow, summer, 1' | 1.80 | 15.00 |
| *hyb. Gibson's Scarlet. Red, July, Aug., | | |
| 2' | 3.50 | |
| | - | |

| | er 10 | Per 100 |
|---|--------|---------------|
| Potentilla * Charry and May Tune 2' | 1 50 | 12.00 |
| *nepalensis. Showy red, May, June, 2'. | 1.50 | 12.00 |
| *nepalensis Miss Willmott. Salmon pink, | 2.00 | 18.00 |
| summer, 12" | 1.50 | 12.00 |
| *pyrenaica. Yellow, summer, 18" | 1.80 | 12.00 15.00 |
| *tridentata. White, summer, 1' | 1.00 | 15.00 |
| *Primula acaulis. Yellow, May, 9" | 1.80 | 15.00 |
| *auricula alpina. Various, May, 6" | 1.80 | 15.00 |
| *beesiana. Purple, May, 18" | 2.50 | 20.00 |
| *bulleyana. Apricot, June, 18" | 2.50 | 20.00 |
| *bulleyana hybrids. Various, May, 18". | 2.50 | 20.00 |
| *cashmiriana. Light lilac, May, 8" | 2.50 | 20.00 |
| *cortusoides. Deep rose, June, 10" | 2.00 | 18.00 |
| *denticulata. Purple, yellow eye, May, | | |
| 6" | 2.50 | 20.00 |
| *elatior. Yellow, May, 8" | 2.50 | |
| *elatior atrocoerulea. Dark blue, May, | | |
| 8" | 3.50 | |
| * japonica atrosanguinea. Red, May, | | |
| June, 1' | 2.00 | 18.00 |
| * japonica pink. May, June, 1' | 2.00 | 18.00 |
| *japonica white. May, June, 1' | 2.00 | 18.00 |
| *moerheim hybrids. Various, May, 12". | 2.50 | 20.00 |
| *polyanthus. White or yellow, May, 10" | 2.50 | 20.00 |
| *saxatilis. Rose, May, 10" | 2.50 | 20.00 |
| *veris. Yellow, April, May, 9" | | 12.00 |
| *veris Giant Munstead. Various, May, 1' | 2.00 | 18.00 |
| *veris Gold Laced. Various, May, 9" | 2.50 | |
| | | |
| *Pulmonaria saccharata. Violet, Apr., May, | | |
| 8" | 2.00 | 18.00 |
| *Prunella, grandiflora. Violet, summer, 8" | 1.80 | 15.00 |
| *incisa rubra. Red, summer, 6" | 1.80 | 15.00 |
| incisa rubra. Iteu, Summer, O | 1.00 | 10.00 |
| Pyrethrum roseum. Various, May, June, 1' | 1.20 | 10.00 |
| roseum double. Various, May, June, 2' | 3.50 | |
| roseum Rosy Morn. Pink, June, 2' | 2.00 | 18.00 |
| uliginosum. White, September, 5' | 1.50 | 12.00 |
| | | |
| *Ranunculus repens fl. pl. Dbl. Buttercup, | | |
| June, 1' | 1.80 | 15.00 |
| Rosmarinus officinalis Light blue Ann 4" | 2.00 | 18.00 |
| Rosmarinus officinalis. Light blue, Apr., 4" | 2.00 | 10.00 |
| For less than five, add five cents per plant to | the te | n rate. |

| Rudbeckia Autumn Glory. Yellow, Aug., | Per 10 | Per 100 |
|---|--------|---------|
| Sept., 6' | 1.20 | 10.00 |
| hirta. Yellow, Aug., Sept., 3' | 1.20 | 10.00 |
| laciniata. (Golden Glow). Yellow, Aug., | 1.20 | 10.00 |
| 6' | 1.20 | 10.00 |
| nitida. Single yellow, Aug., Sept., 6' | 1.20 | 10.00 |
| Rayon d'Or. Yellow, Aug., 5' | 1.50 | 12.00 |
| speciosa. Yellow, July, Aug., 2' | 1.20 | 10.00 |
| subtomentosa. Lemon yellow, August, | | |
| Sept., 4' | 1.20 | 10.00 |
| *Ruta graveolens. Yellow, summer, 2½' | 1.50 | 12.00 |
| *Sagina subulata. White, July, Aug., 3" | 1.80 | 15.00 |
| Salvia argentea. Pinkish white, June, 3' | 1.50 | 12.00 |
| azurea. Blue, August, 4' | 1.50 | 12.00 |
| azurea grandiflora. Blue, August, 4' | 1.80 | 15.00 |
| farinacea. Blue, July, 2-3' | 1.50 | 12.00 |
| glutinosa. Yellow, June, July, 3' | 1.20 | 10.00 |
| officinalis. Blue, summer, 18" | 1.50 | 12.00 |
| pitcheri. (See azurea grandiflora). | | |
| pratensis. Deep blue, June, 3' | 1.50 | 12.00 |
| pratensis rubicunda. Rose, June, July, | | |
| | 2.00 | |
| viscosa. Pink, July, 3' | 1.80 | 15.00 |
| *Sanguinaria canadensis. White, April, 8". | 1.20 | 10.00 |
| *Santolina chamaecyparissus. Gray foliage, | | |
| 1' | 1.80 | 15.00 |
| *Saponaria caespitosa. Rose, July, 3" | 2.00 | 18.00 |
| *ocymoides. Pink, summer, 9" | | 12.00 |
| officinalis rosea pl. Pink, summer, 18" | 1.50 | 12.00 |
| , 6, | 2.50 | 20.00 |
| 3 | 2.50 | |
| , | 2.50 | |
| | 2.50 | |
| *caespitosa. Various, June, July, 6" | | 4 2 0 0 |
| *cochlearis. White, May, June, 9" | | 15.00 |
| *cordifolia. Rose pink, May, June, 1' | | 15.00 |
| *cotyledon. White, May, June, 18" | | 20.00 |
| | 1.80 | 15.00 |
| *decipiens. White, May, June, 4" | | 18.00 |
| *granulata. White, May, June, 1' *grisebachi. Purple, May, June, 8" | 2.00 | 18.00 |
| *haussmani. Yellow, May, June, 8" | | |
| naussmann. I chow, may, buile, o | 4.00 | |

| Saxifraga | Per 10 | Per 100 |
|--|--------|---------|
| *lantoscana. White, May, June, 1' | 2.50 | 20.00 |
| *lingulata rosea. Pink, April, 1' | 1.80 | 15.00 |
| *lingulata leichtlini. Rose, April, 1' | 1.80 | 15.00 |
| *longifolia. White, May, June, 2' | 3.50 | 30.00 |
| *marginata. White, May, June, 3' | 2.50 | 30.00 |
| *McNabiana. White, May, June, 12" | 2.00 | 18.00 |
| *purpurea. Rosy purple, April, 1' | 1.80 | 15.00 |
| *sarmentosa. White, summer, 2' | 3.00 | 25.00 |
| *umbrosa. Pink, May, June, 1' | 2.50 | 20.00 |
| Scabiosa caucasica. Lavender, all summer, 1' | 2.00 | |
| japonica. Lavender, Aug., Sept., 18". | 1.80 | 15.00 |
| *Schivereckia bornmulleri. White, summer, | | |
| 4" | 2.00 | 18.00 |
| *Scutellaria alpina. Blue, summer, 6" | 1.80 | 15.00 |
| *coelestina. Blue, summer, 1' | 2.00 | 18.00 |
| *orientalis. Yellow, June, July, 8" | 2.00 | 18.00 |
| *Sedum acre. Yellow, June, July, 4" | 1.20 | 10.00 |
| *aizoon. Yellow, July, Aug., 1' | 1.50 | 2000 |
| *album. White, July, 4" | 1.20 | 10.00 |
| *altissimum, Yellow, July, Aug., 9" | 1.80 | 15.00 |
| *anglicum. Pink, July, Aug., 3" | | |
| *douglasi. Yellow, July, 2" | | 12.00 |
| *ewersi. Pink, Aug., Sept., 6" | 1.50 | 12.00 |
| *glaucum. Blue foliage, 2" | 1.50 | 12.00 |
| *kamtschaticum. Yellow, July, 6" | 1.20 | 10.00 |
| *lydium. White, July, 2" | 1.50 | 12.00 |
| *maximowiczi. Yellow, July, Aug., 1' | 1.20 | 10.00 |
| *maximum. Pink, Sept., Oct., 18" | 1.50 | 12.00 |
| *middendorffianum. Yellow, June, | | 4 |
| July, 4" | 1.80 | 15.00 |
| *obtusatum. Yellow, July, Aug., 3" | 2.00 | 18.00 |
| *reflexum. Yellow, July, Aug., 8" | 1.50 | 12.00 |
| *sarmentosum. Yellow, July, 3" | 1.20 | 10.00 |
| *sexangulare. Yellow, June, July, 6" | 1.20 | 10.00 |
| *sieboldi. Pink, July, Aug., 1' | 1.80 | 15.00 |
| *spectabile. Pink, Aug., Sept., 1½' | 1.20 | 10.00 |
| *spectabile Brilliant. Crimson, Sept., | | |
| 1½' | 1.20 | 10.00 |
| *spurium album. White, July, Aug., 6" | 1.50 | 12.00 |
| *spurium splendens. Rosy crimson, | | , |
| Aug., 6" | 1.50 | 12.00 |

| | Per 10 | Per 100 |
|--|----------------|----------|
| *stoloniferum. Pink, July, Aug., 6" | 1.20 | 10.00 |
| *stoloniferum coccineum. | | |
| Crimson, Aug., 6" | 1.20 | 10.00 |
| *ternatum. White, May, June, 4" | 1.50 | 12.00 |
| *Sempervivum arachnoideum. Red, June, 4" | 1.80 | 15.00 |
| *arenarium. Yellow, July, 6" | 1.80 | 15.00 |
| *alberti. White, July, 8" | 2.00 | 18.00 |
| *atroviolaceum. Reddish purple, July, 8" *brauni. Bronze, July, 6" | $2.50 \\ 1.80$ | |
| *doellianum. Red, June, July, 6" | 1.80 | 15.00 |
| *funcki. Brown, June, July,, 6" | 1.80 | 15.00 |
| *fauconetti. Pink, June, 6" | 2.00 | 18.00 |
| *fimbriatum. Pink, July, 8" | 2.00 | 18.00 |
| *glaucum. Pink, July, Aug., 6" | 2.00 | 18.00 |
| *globiferum. Yellow, June, 12" | 1.50 | 12.00 |
| *tectorum violaceum. Violet red, June, | | |
| 4" | 1.50 | 12.00 |
| *Shortia galacifolia. White, June, 8" | 2.50 | 20.00 |
| Sidalcea candida. White, July, Aug., 3' | 1.50 | 12.00 |
| Rose Queen. Rose pink, July, Aug., 4' | | 12.00 |
| *Silene alpestris. White, May, June, 6" | 1.80 | 15.00 |
| *maritima. White, summer, 1' | 1.80 | 15.00 |
| *multicaulis. White, June, July, 1' | 2.50 | 20.00 |
| orientalis. Pink, July, 2' | 1.20 | 10.00 |
| *roemeri. White, July, Aug., 1' | 2.50 | |
| *saxifraga White, summer, 6" | 1.80 | 15.00 |
| *schafta. Bright pink, July, 6" | 1.50 | 12.00 |
| Silphium perfoliatum. Yellow, July, 6' | 1.80 | 15.00 |
| *Sisyrinchium angustifolium. Blue, June, | | |
| July, 6" | 1.80 | 15.00 |
| Smilacina racemosa. White, April, 2-3' | 1.50 | 12.00 |
| Solidago canadensis. Yellow, fall, 4-5' | 1.20 | 9.00 |
| rigida. Yellow, fall, 3-4' | 1.20 | 9.00 |
| shorti. Yellow, fall, 4' | 1.80 | 15.00 |
| Spigelia marilandica. Red, June, July, 2' | 2.50 | |
| For less than five, add five cents per plant to | the to | en rate. |

| | Per 10 | Per 100 |
|---|----------------|------------------|
| Spirea aruncus. White, June, July, 3-5' camtschatica. White, July, 6' | 2.00 | 18.00 15.00 |
| chinensis. Silvery pink, June, July, 2' | 1.50 | 12.00 |
| eximea. Pink, June, July, 2' | | 15.00 |
| filipendula. Single, White, June, | | |
| July, 1' | 1.80 | 15.00 |
| filipendula fl. pl. White, summer, 15". | 2.50 | |
| lobata. Pink, July, 4' | 1.80 | 15.00 |
| palmata. Rosy crimson, June, July, 2' | 1.50 | 12.00 |
| ulmaria fl. pl. White, June, 3-4' | 1.80 | 15.00 |
| venusta magnifica. Deep pink, July, 3' | 1.80 | 15.00 |
| *Stachys lanata. Purple, June, July, 1½' | 1.50 | 12.00 |
| *grandiflora superba. Rose, July, 2' | 1.50 | 12.00 |
| Statice. (See Limonium) | | |
| *Stellaria holostea. White, May, June, 1½' | 1.80 | 15.00 |
| Stenanthium robustum. White, Aug., 3' | 2.50 | |
| Stokesia laevis. Lavender, Aug., Sept. 1' | 1.50 1.50 | $12.00 \\ 12.00$ |
| laevis alba. White, Aug., Sept. 1' | 1.00 | 12.00 |
| Tanacetum vulgare. Yellow, summer, 3' | 1.50 | 12.00 |
| *Teucrium chamaedrys. Rose, Aug., 1' | 1.80 | 15.00 |
| *orientale. Blue, August, 10" | 2.00 | 18.00 |
| Thalictrum adiantifolium. Yellow, June, 4' | 1.50 | 12.00 |
| aquilegifolium. White, June, 5' | 1.50 | 12.00 |
| aquilegifolium purpureum. | 2.00 | 10.00 |
| Purple, June, 3' | 2.00 | 18.00 |
| baicalens. Yellow, June, 4' dipterocarpum. Lilac, June, 4' | 1.80 2.00 | 15.00 18.00 |
| glaucum. Golden-yellow, June, 4' | 1.80 | 15.00 |
| minus. Greenish yellow, June, July, 2' | 1.50 | 12.00 |
| | | |
| Thermopsis caroliniana. Yellow, June, 6' mollis. Yellow, June, July, 2-3' | $2.00 \\ 2.00$ | 18.00 18.00 |
| | | |
| *Thymus odoratissimus. Lilac, summer, 6" | 1.80 | 15.00 |
| *nitidus. Rose, June, July, 3" *serpyllum. White, June, 4" | $2.00 \\ 1.50$ | $18.00 \\ 12.00$ |
| *serpyllum citriodorus. | 1.00 | 12.00 |
| Purple, June, July, 3-5" | 1.50 | 12.00 |
| *serpyllum coccineus. Scarlet, June, 4" | | 15.00 |
| <u> </u> | | |

| | Per 10 | Per 100 |
|---|---------|---------|
| Thymus *serpyllum lanuginosus. | | |
| Rosy purple, June, July, 5" | 1.80 | 15.00 |
| *serpyllum roseus. Rose, summer, 8" | 1.80 | 15.00 |
| *vulgaris. Lilac, June, July, 8" | 1.50 | 12.00 |
| *Tiarella cordifolia. Creamy white, June, 8" | 1.20 | 10.00 |
| Tradescantia virginiana. Blue, all sum- | | |
| mer, 2' | 1.50 | 12.00 |
| *Trientalis borealis. White, fall, 6" | 1.50 | 12.00 |
| *Trifolium rubens. Purplish red, summer, 1' | 1.80 | |
| *Trillium erectum. Purple, May, 1' | 1.50 | 12.00 |
| *grandiflorum. White, May, 1' | 1.20 | 10.00 |
| Tritoma. (See Kniphofia). | | |
| Trollius asiaticus. | | |
| Rich orange, July, Aug., 2' | 2.50 | 20.00 |
| *europeus. Citron yellow, July, Aug., 1' | | 18.00 |
| *europeus Fire Globe. Orange, summer, | 0.50 | |
| 1'europeus Orange Globe. | 3.50 | |
| Orange, summer, 18" | 2.50 | 20.00 |
| *ledebouri. Orange, summer, 18" | | |
| *ledebouri Golden Queen. Orange, sum- | | |
| mer, 18" | 3.50 | |
| *Tunica saxifraga. Light pink, June, July, 6" | 1.80 | 15.00 |
| *saxifraga alba. White, summer, 6" | 1.80 | 00.00 |
| *saxifraga alba fl. pl. Summer, 6" | 3.50 | 30.00 |
| Valeriana officinalis. Rose, June, July, 5' | 1.80 | 15.00 |
| Verbascum chaixi White, summer, 3' | 2.00 | 18.00 |
| densiflorum. Yellow, June, July, 6' | 1.50 | 12.00 |
| olympicum. Yellow, July, Aug., 5' | 1.50 | 12.00 |
| phoeniceum. Various, May, June, 3' | 1.80 | 15.00 |
| willmottiae. White, summer, 5' | 1.80 | 15.00 |
| Verbena hastata. Blue, Aug., Sept., 3' | 1.50 | 12.00 |
| tenera maonetti. Rose, May, 6" | 3.50 | |
| Vernonia noveboracensis. Purple, Aug., | | |
| Sept., 5' | 1.50 | 12.00 |
| For less than five, add five cents per plant to | the ten | rate. |

| | Per 10 | Per 100 |
|--|--------|---------|
| *Veronica allioni. Violet, June, 2" | 2.00 | 18.00 |
| *alpestris. Pale blue, June, 18" | 1.50 | 12.00 |
| *amethystina Royal Blue. | | |
| June, July, 12" | | 15.00 |
| *caucasica. White, July, 6" | | 18.00 |
| *chamaedrys. Blue, May, June, 18" | 1.80 | 15.00 |
| *elegantissima. Blue, July, Aug., 2' | 1.50 | 12.00 |
| *erica. Pink, summer, 10" | 1.50 | 12.00 |
| *filiformis. Blue, May, 2" | 1.80 | 15.00 |
| *gentianoides. Pale blue, June, July, 1' | 2.00 | 18.00 |
| *incana. Pale blue, July, Aug., 1½' | 1.50 | 12.00 |
| *longifolia subsessilis. | | |
| Blue, Aug., Sept., 2' | | 18.00 |
| *orchidea. Blue, July, 18" | 1.80 | 15.00 |
| *pectinata rosea. Pink, May, June, 6" | 1.50 | 12.00 |
| *peduncularis. White, June, 6" | 1.80 | 15.00 |
| *pulchella. Blue, May, 1' | 1.50 | 12.00 |
| *repens. Pale blue, May, June, 2" | 1.50 | 12.00 |
| *rupestris. Blue, June, 6" | 1.50 | 12.00 |
| *rupestris alba. White, June, 4" | 2.50 | 20.00 |
| *rupestris nana. Dark blue, June, 2" | 2.00 | 18.00 |
| *saxatilis. Pale blue, July, 6" | 2.00 | 18.00 |
| *spicata. Blue, July, Aug., 2' | 1.20 | 10.00 |
| *spuria. Blue, June, 3' | 1.20 | 10.00 |
| *teucrium prostrata. Blue, June, 1' | 1.50 | 12.00 |
| *True Blue. June, July, 12" | 1.80 | 15.00 |
| virginica. Pale blue, Aug., 4' | 1.80 | 15.00 |
| | | |
| *Vesicaria utriculata. Yellow, Apr., May, 8" | 2.00 | 18.00 |
| Vinca minor. Blue, all summer, 6" | 1.00 | 8.00 |
| minor alba. White, all summer, 6" | | 25.00 |
| minor rubra plena. Red, all summer, 6" | 3.50 | 30.00 |
| **** 1 11 TITL: 1 TV C'' | 1.00 | 10.00 |
| *Viola alba. White, May, 6" | | 10.00 |
| *bosniaca. Rosy mauve, June, July, 4". | 1.80 | 15.00 |
| *cornuta Admiration. Purple, all summer, 6" | 1.50 | 12.00 |
| rurpie, an summer, o | 1.00 | 12.00 |

| Viola | Per 10 | Per 100 |
|---|----------|---------------|
| *cornuta alba, type. White, all sum- | | |
| mer, 6" | 1.50 | 12.00 |
| *cornuta Apricot. Apricot, summer, 6" | 2.00 | 18.00 |
| *cornuta atropurpurea type. Purple, 6" | 1.20 | 10.00 |
| *cornuta Blue Perfection. Blue, all summer, 6" | 1.50 | 12.00 |
| *cornuta florariensis. Pale blue, summer, 6" | 2.00 | 18.00 |
| *cornuta G. Wermig. Violet, all summer, 6" | 1.50 | 12.00 |
| *cornuta Lutea Splendens. Yellow, all summer, 6" | 1.50 | 12.00 |
| *cornuta Mauve Queen. | | |
| Mauve, all summer, 6" | | 12.00 |
| *cornuta Papilio. Violet, all summer, 6" | 1.50 | 12.00 |
| *cornuta Primrose Dame. Yellow, summer, 6" | 2.00 | 18.00 |
| *cornuta White Perfection. White, all summer, 6" | 1.50 | 12.00 |
| *gracilis. Deep violet, summer, 1' | 1.50 | 12.00 |
| *Jersey Gem. Rich violet, summer, 6" | 1.80 | 15.00 |
| *odorata. Blue, April, May, 6" | 1.20 | 10.00 |
| *odorata Gov. Herrick. Blue, May, 6" | 1.50 | 12.00 |
| *odorata Princess of Wales. Violet, | | |
| May, 6" | 1.50 | 12.00 |
| *odorata Rosina. Pink, May, 4" | 2.50 | 20.00 |
| *pedata. Violet, May, June, 6" | 1.50 | 12.00 |
| *primulifolia. Pale blue, summer, 6" | 2.00 | 18.00 |
| *wellsiana. Various, all summer, 6" | 1.80 | 15.00 |
| Yucca filamentosa. White, June, July, 7' | | |
| 2 year | | 10.00 |
| 3 yearglauca. White, June, July, 3' | | 15.00 20.00 |
| | | |
| For less than five, add five cents per plant to | , the to | en rate. |

FRUIT GARDEN MATERIAL

We are able to supply all the leading varieties.

| | | | Each | Per 10 | Per 100 |
|----------|--------------|-----------|-------|--------|---------|
| Apples, | Crab, | 5 to 7 ft | 1.00 | 9.00 | |
| | Standard, | 5 to 7 ft | 1.00 | 9.00 | |
| Cherry, | Sour, | 5 to 7 ft | 1.00 | 9.00 | |
| | Sweet, | 5 to 7 ft | 1.00 | 9.00 | |
| Peaches, | | 5 to 7 ft | .75 | 6.00 | |
| Pears, | Dwarf, | 5 to 6 ft | 1.00 | 9.00 | |
| | Standard, | 5 to 7 ft | 1.00 | 9.00 | |
| Plums, | | 5 to 7 ft | 1.00 | 9.00 | |
| Quinces, | | 4 to 5 ft | 1.00 | 9.00 | |
| Asparagi | us | | | .50 | 3.00 |
| Blackber | ries | | | .80 | 6.00 |
| Currants | | | .30 | 2.50 | 20.00 |
| Gooseber | ries | | .30 | 2.50 | 20.00 |
| Grapes, | 3 yr. strong | | .30 | 2.50 | 20.00 |
| Raspberr | ies | | | .80 | 6.00 |
| Rhubarb | | | | 1.00 | 8.00 |
| Strawber | ries | | | .60 | 5.00 |
| | | | . 101 | | |

LARGE SPECIMEN MATERIAL

We have a large collection of specially grown, heavy specimen plants in a wide range of sizes. Prices will be quoted on application. We are prepared to deliver B. & B. on platforms where necessary.

PLANTS FOR SPECIAL PURPOSES

In the following pages we undertake to suggest plants for special purposes which often present a problem to the landscape architect in making up a planting list.

Woody Plants for August and September Flowering

| Baccharis halimifolia | Hydrangea in |
|------------------------------|----------------|
| Bignonia grandiflora | Hypericum in |
| Buddleia in variety | Lonicera heck |
| Clematis paniculata | Spirea toment |
| Elscholtzia stauntoni | Tamarix aesti |
| Hamamelis virginiana | Vitex agnus of |
| Hibiscus syriacus in variety | Vitex macrop |
| | |

n variety variety krotti tosa ivale castus hylla

Woody Plants with Fruits Attractive to Birds

Varieties marked with an asterisk furnish either fruit or seeds as food for birds in winter.

Ampelopsis quinquefolia Ampelopsis tricuspidata veitchi Aronia arbutifolia Aronia atropurpurea

- Benzoin aestivale
 *Betula papyrifera
- *Betula populifolia
- *Betula lenta
- *Betula lutea Cornus in variety
- *Crataegus in variety Euonymus in variety
- *Hypericum prolificum
- *Juniperus virginiana
- *Juniperus communis
- *Ligustrum in variety Lonicera in variety Morus alba

- *Myrica carolinensis Nyssa sylvatica
- *Pinus in variety
 Photinia villosa
 Prunus besseyi
 Prunus padus
 Prunus pennsylvanicum
 Prunus serotina
- *Rhamnus in variety
- *Rhus copallina
- *Rhus glabra
- *Rhus typhina
 Ribes in variety
 Sambucus in variety
- *Symphoricarpus in variety Vaccinium corymbosum Viburnum in variety Vitis in variety
- *Weigela hybrida in variety

Low Woody Plants for Rock Gardens

Chamaecyparis obtusa
compacta
Chamaecyparis obtusa nana
Cotoneaster adpressa
Cotoneaster horizontalis
Cotoneaster horizontalis
perpusilla
Cotoneaster rotundifolia
Daphne cneorum
Daphne mezereum
Euonymus radicans minima

Hypericum henryi
Jasminum nudiflorum
Juniperus horizontalis
Juniperus horizontalis
glauca
Juniperus suecica nana
Juniperus sabina
tamariscifolia
Lonicera spinosa alberti
Lonicera syringantha
Lonicera thibetica

Woody Plants Enduring Shade

For Dry Soil

Ailanthus glandulosa Celastrus scandens Gleditschia triacanthos Hamamelis virginiana Ligustrum amurense Ligustrum ibota Ligustrum vulgare Ribes alpinum Rhus canadensis Rubus odoratus Symphoricarpus vulgaris Vinca minor

For Moist Soil

The above plants will do well in moist soil and may be considered with the following plants:

Acer pennsylvanicum
Acer spicatum
Alnus glutinosa
Alnus incana
Cornus florida
Euonymus radicans and
varieties
Fagus americana
Hedera helix
Kalmia latifolia

Amelanchier in variety
Benzoin aestivale
Carpinus in variety
Cercis canadensis
Ostrya virginica
Pachysandra terminalis
Rhododendron in variety
Tsuga canadensis
Viburnum acerfolium
Zanthorhiza apiifolia

Woody Plants for Bank Planting

Those kinds marked with an asterisk are excellent binders for a steep bank.

Celastrus scandens
Cornus alba
Cornus amomum
Cornus stolonifera
Eunonymus radicans
acutus
*Lonicera halleana
*Lonicera japonica
Lonicera tatarica
Physocarpus opulifolius

Ailanthus glandulosa

- *Rhus typhina Robinia pseudacacia
- *Rosa setigera
- *Rosa wichuraiana
- *Rubus odoratus Salix caprea Salix discolor Salix incana
- *Symphoricarpus vulgaris Vinca minor Vitis vulpina

Plants for the Herb Garden

Achillea millefolium Allium schoenoprasum Anthemis nobilis Artemisia abrotanum Artemisia absinthium Artemisia dracunculus Artemisia pontica Artemisia stelleriana Asarum canadense Asperula odorata Calamintha alpina Cedronella cana Chrysanthemum balsamita Foeniculum atrosanguineum Hyssopus officinalis Lavandula officinalis Melissa officinalis

Mentha piperita Mentha requieni Monardi didyma Monardi fistulosa Nepeta hederacea Origanum vulgare Rosmarinus officinalis Ruta graveolens Salvia officinalis Santolina chamaecyparissus Tanecetum vulgare Thymus serpyllum Thymus serpyllum citriodorus Thymus vulgaris Valeriana officinalis





